



**PURCHASE ORDER**  
**CITY GOVERNMENT OF PASIG**

*Agency Name*

Supplier : **F. CURA INDUSTRIES**  
Address : 27 President Quirino St., Lifehomes . Rosario, Pasig City

P.O. No. : 23-04-0159  
Date : 04/24/2023  
Mode of Procurement: PUBLIC BIDDING

Gentlemen:  
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo., Pasig City Delivery Term : 160 Calendar days  
Date of Delivery : \_\_\_\_\_ Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
1	UNIT	2	Chemical Tender Truck • OVER ALL DIMENSIONS 1. Length not to exceed 7,800mm - HINO 2. Width not to exceed 2,500mm excluding side mirrors - HINO 3. Height not to exceed 3,500 mm - HINO 4. Angle of approach: at least 20 degrees - HINO 5. Angle of departure: at least 15 degrees - HINO 6. Ground Clearance: 254 mm - HINO • ENGINE - HINO J08E-WF 1. Type a. Diesel fed - HINO b. Turbo charged intercooled, 6-cylinder - HINO c. Direct Injection - HINO 2. Cooling System: Water cooled - HINO 3. Power Output: at least 240 PS - HINO 4. Euro IV compliant - HINO 5. Equipped with EGR (Exhaust Gas Recirculation) System - HINO • CHASSIS 1. Gross Vehicular Weight Rating (GVWR) at least 16,000 kgs.- HINO 2. Frame - HINO a. Type: "H" type and ladder frame with channel sectional side rail and cross members. - HINO b. Size as per manufacturer's standard - HINO 3. Under Chassis - HINO A. Steering - HINO i. Handle position: Left Hand Drive - HINO ii. Type: Recirculating ball integral power steering -	14,885,000.00	29,770,000.00

Control No. **4331** **GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** *Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.*

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme :   
**SHERYL D. MINGUITO**  
*(Signature over printed name of Supplier)*  
5-12-23  
Date

**VICTOR MA REGIS N. SOTTO**  
*(Authorized Official)*  
City Mayor

Requisitioning Office / Dept. :  
  
**BRYANT MERYLL RUIZ Q. WONG**  
*(Authorized Official)*

Funds Available :   
**JUVY A. CUENCO**  
Chief Accountant

Amount : 29,770,000.00  
100 - 2023.09  
OBR No. : 0081-1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : <b>F. CURA INDUSTRIES</b>	P.O. No. : <b>23-04-0159</b>
Address : <u>27 President Quirino St., Lifestones . Rosario, Pasig City</u>	Date : <b>04/24/2023</b>
	Mode of Procurement: <b>PUBLIC BIDDING</b>

Gentlemen:  
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : <u>Pasig RED Training Center, C. Raymundo., Pasig City</u>	Delivery Term : <u>160 Calendar days</u>
Date of Delivery : _____	Payment Term : <u>within 45 days upon completion of delivery</u>

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			<p>HINO</p> <p>iii. Steering column: Tilt and telescopic - HINO</p> <p>B. Transmission and Clutch</p> <p>i. Manua - HINO</p> <p>ii. Speed: 6-speed, overdrive synchromesh 2nd-6th, reverse - HINO</p> <p>iii. Clutch Type: Dry, single plate with damper springs, hydraulic with air booster - HINO</p> <p>C. Brake System</p> <p>Shall be equipped with Anti-Lock Brake System (ABS). - HINO</p> <p>i. Service brake: Full air, dual circuit, " S " cam type - HINO</p> <p>ii. Parking brake: Air operated spring brake acting on rear axle, for emergency &amp; parking purpose - HINO</p> <p>iii. Auxiliary brake: Exhaust brake - HINO</p> <p>D. Wheel Configuration: 4 x 2 - HINO</p> <p>E. Axles and Suspension - HINO</p> <p>i. Front axles: Reverse Elliot - HINO</p> <p>ii. Front suspension: Semi-elliptic tapered leaf springs (reinforced type) with double action shock absorbers - HINO</p> <p>iii. Rear axles: Full-floating, Single reduction, single-speed by hypoid gearings - HINO</p> <p>6. Wheels and Tires</p> <p>The wheels and tires shall be able to withstand the load during the service of the vehicle and not exceeding its axle loading. - HINO</p> <p>1. Front : 10 R20-16-146/143 5 rib mixed type</p>		

Control No. **4331** **GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** *Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.*

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme :

**SHERYL D. MINGUITO**  
*(Signature over printed name of Supplier)*  
5-12-23  
 Date

**VICTOR MA REGIS N. SOTTO**

*(Authorized Official)*

City Mayor

Requisitioning Office/ Dept. :   <b>BRYANT MERYLL RUIZ Q. WONG</b> <i>(Authorized Official)</i>	Funds Available :   <b>JUVY A. CUENCO</b> <i>Chief Accountant</i>	Amount : <u>Php 29,770,000.-</u> <u>100,000.00</u> OBR No. : <u>0021-1000</u>
---	---	---





# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

*Agency Name*

Supplier : **F. CURA INDUSTRIES**  
 Address : 27 President Quirino St., Lifehomes . Rosario, Pasig City

P.O. No. : **23-04-0159**  
 Date : **04/24/2023**  
 Mode of Procurement: **PUBLIC BIDDING**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo, Pasig City  
 Date of Delivery : \_\_\_\_\_

Delivery Term : 160 Calendar days  
 Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			groove tires - DUNLOP 2. Rear :10 R20-16-146/143 5 rib mixed type groove tires - DUNLOP 3. Disc Wheel : Steel disc wheel - HINO 4. Spare : 10 R20-16-146/143 5 rib mixed type groove tires - DUNLOP 5. No. of wheel stud: at least 10 studs - DUNLOP 6. Tire Arrangement and Accessories - HINO 1. Front : Single - HINO 2. Rear : Double - HINO iv. Rear suspension: Semi-elliptic main and auxiliary leaf springs (reinforced type) - HINO F. Tire Accessories 1. Flaps and tubes (for all tire sets) - DUNLOP 2. Mud guards (for all wheel) - HINO G. Front and Rear towing eyes or hook - HINO H. Rust proofing/Undercoating provided - HINO • CABIN 1. Crew Cab capable of carrying six (6) persons that is fully enclosed with no partition between the driver's side and crew. - FMC TRUCKS 2. Adequately insulated against noise, vibration, and tropical temperature range. - FMC TRUCKS 3. The cabin shall have a total of four (4) service doors, served by 2 service doors on both sides. - FMC TRUCKS 4. The doors of the cabin shall have four (4) doors with wide opening angle. Each door shall have a window operated by electric or manual means. - FMC TRUCKS		

Control No. **4331**


**GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme :

  
SHERYL D. MINGUITO  
 (Signature over printed name of Supplier)  
5.12.23  
 Date

**VICTOR MA REGIS N. SOTTO**


(Authorized Official)

City Mayor

Requisitioning Office/Dept. :

  
**BRYANT MERYLL RUIZ Q. WONG**  
 (Authorized Official)

Funds Available :

  
**JUVY A. CUENCO**  
 Chief Accountant

Amount : ₱ 29,770,000.-  
100.2022.09-  
 OBR No. : 0091.1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : **F. CURA INDUSTRIES** P.O. No. : **23-04-0159**  
 Address : 27 President Quirino St., Lifestones . Rosario, Pasig City Date : **04/24/2023**  
 Mode of Procurement: **PUBLIC BIDDING**

Gentlemen:  
 Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo, Pasig City Delivery Term : 160 Calendar days  
 Date of Delivery : \_\_\_\_\_ Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			5. Cab suspension & Tilt system as per manufacturer's standard. - HINO 6. All steel welded construction with safety zone design. - HINO 7. Heavy duty rubber matting. - HINO 8. AM/FM Radio with external antenna.- HINO 9. UHF Digital Mobile Radio, 380-400 MHz frequency. NTC type accepted. - KIRISUN 10. Five (5) units UHF portable radio, 380-400 MHz frequency. NTC type accepted. - KIRISUN 1. Capacity : > 200 liters - HINO 2. Material: Made of pressing steel - HINO 3. Cap : with Diesel label, tank cap with key lock - HINO • POWER SUPPLY SYSTEM 1. Alternator: at least 24V 100A - HINO 2. Battery : 12 V x 2, series-connection 120 Ah - HINO • DRIVING CONSOLE 1. Switches/Control: as per manufacturer's standard. - HINO 2. Gauges as per manufacturer's standard. - HINO 3. Monitor Meters as per manufacturer's standard. - HINO 4. Lights, Indicator and Alarm. - HINO a. As per manufacturer's standard. - HINO b. Reverse Audible Alarm - HINO c. Open roller shutter indicator light. - HINO • GENERAL BUILT-UP BODY FEATURES 1. The apparatus body frame structure shall be		

Control No. **4331** **GRAND TOTAL : Php 29,770,000.00**  
 Total Amount in Words Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,  
**VICTOR MA REGIS N. SOTTO**  
 (Authorized Official)  
 City Mayor

Conforme : *Sheryl D. Minguito*  
**SHERYL D. MINGUITO**  
 (Signature over printed name of Supplier)  
5-12-23  
 Date

Requisitioning Office/ Dept. : <u><i>Bryant Meryll Ruiz Q. Wong</i></u> <b>BRYANT MERYLL RUIZ Q. WONG</b> (Authorized Official)	Funds Available : <u><i>Juvy A. Cuenco</i></u> <b>JUVY A. CUENCO</b> Chief Accountant	Amount : <u>Php 29,770,000.</u> <u>100-2002-09-</u> OBR No. : <u>0021-1000</u>
--	---	--





# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

*Agency Name*

Supplier : **F. CURA INDUSTRIES**

Address : 27 President Quirino St., Lifestones . Rosario, Pasig City

P.O. No. : 23-04-0159

Date : 04/24/2023

Mode of Procurement: PUBLIC BIDDING

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo., Pasig City

Date of Delivery : \_\_\_\_\_

Delivery Term : 160 Calendar days

Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			<p>made of aluminum extrusion profile of marine grade constructed of into a superstructure by means of bolts and nuts or welding or combination of both. - FMC TRUCKS</p> <p>2. The apparatus body design shall be rugged with suitable ventilation and good visibility to front, sides, and rear. - FMC TRUCKS</p> <p>3. Panel of the superstructure is made of dull finished gauge 18 aluminum connected to the superstructure frame by means of metal glue or riveting or welding or bolts and nuts or combinations thereof. - FMC TRUCKS</p> <p>4. All horizontal surface, steps and top deck, etc. shall be covered with checkered aluminum plates that is slip resistant. The roof/top deck of the superstructure and tank shall be provided with non-skid aluminum plate having thickness not less than 4.0 mm. - FMC TRUCKS</p> <p>5. Access ladder and/or steps shall be mounted on the rear side of the body. - FMC TRUCKS</p> <p>6. The pump compartment shall be at the rear portion of the superstructure. - FMC TRUCKS</p> <p>7. The lockers on the Left-Hand Side and Right-Hand Side of the body shall have roller shutters and/or doors that are lockable. Suitable lockers having adequate volume or space shall be fitted for keeping the equipment and accessories. - FMC TRUCKS</p> <p>8. The roller shutter shall be constructed from aluminum extruded slats which have a flexible seal</p>		

Control No. **4331**

**GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :

**SHERYL D. MINGUITO**

*(Signature over printed name of Supplier)*

5-12-23

Date

Very truly yours,

**VICTOR MA REGIS N. SOTTO**

*(Authorized Official)*

City Mayor

Requisitioning Office / Dept. :

**BRYANT MERYLL RUIZ Q. WONG**  
*(Authorized Official)*

Funds Available :

**JUVY A. CUENCO**  
*Chief Accountant*

Amount : ₱ 29,770,000.-

OBR No. : 100-2022-09-0021-1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : **F. CURA INDUSTRIES**

P.O. No. : **23-04-0159**

Address : **27 President Quirino St., Lifestones . Rosario, Pasig City**

Date : **04/24/2023**

Mode of Procurement: **PUBLIC BIDDING**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **Pasig RED Training Center, C. Raymundo, Pasig City**

Delivery Term : **160 Calendar days**

Date of Delivery :

Payment Term : **within 45 days upon completion of delivery**

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			<p>between each slat for proper sealing of the door. The roller shutter shall be equipped with a lift bar style latch mechanism which will latch at the bottom of the door mounting extrusion. The roller shutter assembly shall be furnished with a spring loaded, counter balance assembly to assist in door actuation. - FMC TRUCKS</p> <p>9. All lockers shall be properly illuminated. - FMC TRUCKS</p> <p>10. All lockers shall be provided with 1/16-inch diameter drain holes located at the bottom of each locker. - FMC TRUCKS</p> <p>• WATER TANK</p> <p>The water tank shall be fully protected within the superstructure of the vehicle. It should be cradled, cushioned and spring-mounted. - FMC TRUCKS</p> <p>1. A least 4,000 liters water capacity with provision for expansion and moving water. - FMC TRUCKS</p> <p>2. Tank material shall be either stainless steel 316L (SS316L) or Glass Reinforced Plastic (GRP) or Polypropylene Plastic (PP) - FMC TRUCKS</p> <p>3. Thickness: at least 3 mm for SS316L or 6 mm for GRP or 12.5 mm for PP - FMC TRUCKS</p> <p>4. Torsion free design mounting. - FMC TRUCKS</p> <p>5. Manhole used for top filling, maintenance and inspection shall be 450 mm in diameter. - FMC TRUCKS</p> <p>6. Drain outlet shall be located behind the rear axle. - FMC TRUCKS</p> <p>7. Piping - FMC TRUCKS</p>		

Control No. **4331**

**GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** *Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.*

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :

*[Signature]*

**SHERYL D. MINGUITO**

*(Signature over printed name of Supplier)*

**5-12-23**

Date

Very truly yours,

**VICTOR MA REGIS N. SOTTO**

*(Authorized Official)*

City Mayor

Requisitioning Office / Dept. :

*[Signature]*

**BRYANT MERYLL RUIZ Q. WONG**  
*(Authorized Official)*

Funds Available :

*[Signature]*

**JUVY A. QUENCO**  
*Chief Accountant*

Amount : **₱ 29,770,000.**

**100-2022-09-**

OBR No. : **0021-1000**





# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

*Agency Name*

Supplier : **F. CURA INDUSTRIES**  
 Address : 27 President Quirino St., Lifestones, Rosario, Pasig City

P.O. No. : 23-04-0159  
 Date : 04/24/2023  
 Mode of Procurement: PUBLIC BIDDING

Gentlemen:  
 Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo, Pasig City  
 Date of Delivery : \_\_\_\_\_  
 Delivery Term : 160 Calendar days  
 Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			a. Overflow 76.2 mm - FMC TRUCKS b. water supply 63.5 mm - FMC TRUCKS c. water refilling 63.5 mm - FMC TRUCKS d. water suction 127 mm - FMC TRUCKS e. water drain 50.8 mm - FMC TRUCKS 8. Baffle plate: Provided with baffle having 3 mm for SS316L or 6 mm for GRP or 12.5 mm for PP. - FMC TRUCKS 9. Detachable water tank shall be equipped with a method for lifting or removing the tank from the chassis. - FMC TRUCKS 10. Tank level gauge: Glass tube type or Electronic type - FMC TRUCKS • FOAM TANK The foam tank shall be fully protected within the superstructure of the vehicle. - FMC TRUCKS 1. 200 liters capacity - FMC TRUCKS 2. Tank material shall be either Glass Reinforced Plastic (GRP) or Polypropylene Plastic (PP) - FMC TRUCKS 3. Tank material thickness: 6 mm for GRP or 12.5 mm for PP - FMC TRUCKS 4. Manhole used for top filling, maintenance and inspection shall be 200 mm in diameter. - FMC TRUCKS 5. Piping: as per manufacturer's standard - FMC TRUCKS 6. Tank level gauge: Glass tube type or Electronic type - FMC TRUCKS L. WATER MONITOR 1. The wheel operation type monitor is permanently mounted on the top deck of the rear body. -		

Control No. **4331** **GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :   
SHERYL D. MINGUITO  
*(Signature over printed name of Supplier)*  
5.12.23  
 Date

Very truly yours,  
VICTOR MA REGIS N. SOTTO  
*(Authorized Official)*  
 City Mayor

Requisitioning Office/Dept.:  
  
**BRYANT MERYLL RUIZ Q. WONG**  
*(Authorized Official)*

Funds Available:   
**JUVY A. CUENCO**  
 Chief Accountant

Amount : ₱ 29,770,000.00  
100.5020.00  
 OBR No. : 0021-1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : **F. CURA INDUSTRIES**

P.O. No. : **23-04-0159**

Address : **27 President Quirino St., Lifehomes . Rosario, Pasig City**

Date : **04/24/2023**

Mode of Procurement: **PUBLIC BIDDING**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **Pasig RED Training Center, C. Raymundo, Pasig City**

Delivery Term : **160 Calendar days**

Date of Delivery :

Payment Term : **within 45 days upon completion of delivery**

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			<p>SHILLA</p> <p>2. The vertical and horizontal travel is controlled by hand wheel and worm gear drive. Inside located gear box protects gear from dust and other dirty materials. - SHILLA</p> <p>3. Aluminum Alloy - SHILLA</p> <p>4. Movement : - SHILLA</p> <p>Vertical -45° up to +85° - SHILLA</p> <p>Rotation 360° - SHILLA</p> <p>5. Inlet and Outlet connection shall be 2.5 inch in diameter. - SHILLA</p> <p>6. Nozzle - SHILLA SL-16NW</p> <p>a. Variable - SHILLA</p> <p>b. Maximum Flow Rate: 500 gpm @ 100psi - SHILLA</p> <p>c. Material: Aluminum Alloy - SHILLA</p> <p>d. Surface: Black hard anodizing - SHILLA</p> <p>e. Connection: 63.5 mm (female thread) - SHILLA</p> <p>f. Minimum shooting range: - SHILLA</p> <p>60m horizontal - SHILLA</p> <p>24m vertical - SHILLA</p> <p>• FIRE PUMP - W.S DARLEY - LSRH</p> <p>The pump shall be mounted on a common frame located at the rear portion of the body. - W.S DARLEY</p> <p>The pump shall be powered by the vehicle's engine via a full torque clutch independent Power Take Off (PTO) and balanced propeller shaft, for operation while it is stationary. - W.S DARLEY</p> <p>Pump engagement control shall be located inside the cab provided with appropriate warning lights and label. - W.S DARLEY</p> <p>1. ISO Certified Manufacturer of Fire Pump - W.S DARLEY</p> <p>2. Type: Centrifugal, two (2) stage. - W.S DARLEY</p> <p>3. Discharge:</p> <p>Low pressure not less than 3,000L/min @10 bar - W.S DARLEY</p> <p>High pressure not less than 250L/min @ 40 bar - W.S DARLEY</p> <p>4. Material</p> <p>a. Pump body shall be corrosion-resistant bronze - W.S DARLEY</p> <p>b. High-pressure impeller: stainless steel - W.S DARLEY</p> <p>c. Low-pressure impeller: stainless steel - W.S DARLEY</p> <p>d. Impeller shaft - W.S DARLEY</p>		

Control No. **4331**

**GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** *Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.*

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :

*Sheryl D. Minguito*  
**SHERYL D. MINGUITO**

(Signature over printed name of Supplier)

**5.12.23**

Date

Very truly yours,

**VICTOR MA REGIS N. SOTTO**

(Authorized Official)

City Mayor

Requisitioning Office/Dept. :

**BRYANT MERYLL RUIZ Q. WONG**  
(Authorized Official)

Funds Available :

*Juvy A. Cuenco*  
**JUVY A. CUENCO**  
Chief Accountant

Amount : **Php 29,770,000.-**

**100-2022-09-**

OBR No. : **0081-1000**





# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : **F. CURA INDUSTRIES**

Address : 27 President Quirino St., Lifestones . Rosario, Pasig City

P.O. No. : 23-04-0159

Date : 04/24/2023

Mode of Procurement: PUBLIC BIDDING

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo., Pasig City

Date of Delivery :

Delivery Term : 160 Calendar days

Payment Term : within 45 days upon completion of delivery

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			i. Shall be stainless steel. - W.S DARLEY ii. Must be splined for best balance, keys to hold the impeller is not sufficient - W.S DARLEY iii. Must be vacuum cast to eliminate porosity in the impeller making it much more durable. - W.S DARLEY iv. Must be a twisted vane designed impeller to ensure smooth water flow and loss cavitation. - W.S DARLEY e. Shaft seal shall be maintenance-free mechanical seal made of silicon carbide material. - W.S DARLEY 5. Drive a. Full clutch independent Power Take-Off (PTO) - W.S DARLEY b. Sandwich type (between the chassis, engine and the transmission) or split shaft type - W.S DARLEY c. Pneumatic driving mode by means of the electric solenoid valve. - W.S DARLEY d. Gearbox torque rating must be over 25,760.54 joules (19,000 ft lbs.) - W.S DARLEY e. Gears must be helically cut to ensure smoother operation. - W.S DARLEY 6. Design Features - W.S DARLEY a. Meets NFPA 1901. Certificate of compliance issued by an ISO 17025 certified Third-Party testing facility. - W.S DARLEY b. Designed to pump both high and low pressure simultaneously. - W.S DARLEY c. Corrosion-resistant construction - W.S DARLEY d. Automatic piston primer. - W.S DARLEY e. Easily accessible high-pressure strainer - W.S DARLEY f. Built-in high pressure relief valve - W.S DARLEY g. Automatic thermal relief valve - W.S DARLEY 7. Warranty: Five (5) years warranty - W.S DARLEY N. FOAM PROPORTIONER - SHILLA SL-30C-2 1. Proportional Type: Round the pump proportioning system - SHILLA 2. Foam Mixing Ratio: Preset positions for 1%, 3% and 6% foam proportioning - SHILLA • PIPE WORKS All pipe works and valves shall be manufactured from stainless steel grade 316(L) - FMC TRUCKS All pipes shall be designed to enable valves and components to be removed without having to detach other components and/or pipe work. - FMC TRUCKS All valves within the system are of the quarter turn type. - FMC TRUCKS • HOSE REEL		


Control No. **4331**

**GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :

  
**SHERYL D. MINGUITO**  
 (Signature over printed name of Supplier)  
5-12-23  
 Date

Very truly yours,

**VICTOR MA REGIS N. SOTTO**  
 (Authorized Official)  
 City Mayor

Requisitioning Office/Dept.:

  
**BRYANT MERYLL RUIZ Q. WONG**  
 (Authorized Official)

Funds Available :

  
**JUVY A. CUENCO**  
 Chief Accountant

Amount : ₱ 29,770,000.-

OBR No. : 100-2022-09-0021-1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

Agency Name

Supplier : <b>F. CURA INDUSTRIES</b>	P.O. No. : <b>23-04-0159</b>
Address : <u>27 President Quirino St., Lifestones, Rosario, Pasig City</u>	Date : <u>04/24/2023</u>
Mode of Procurement: <u>PUBLIC BIDDING</u>	

Gentlemen:  
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : <u>Pasig RED Training Center, C. Raymundo, Pasig City</u>	Delivery Term : <u>160 Calendar days</u>
Date of Delivery : _____	Payment Term : <u>within 45 days upon completion of delivery</u>

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			<p>The one (1) unit hose reel should be mounted inside the body at the rear portion of the vehicle - SHILLA</p> <ol style="list-style-type: none"> <li>1. Type: Electric rewind and manual override - SHILLA</li> <li>2. Hose: Non-collapsible rubber multi-lined ply. - SHILLA</li> <li>3. Hose bore/length: 25mm/30Meters.- SHILLA</li> <li>4. Pressure rating: 40 bar. - SHILLA</li> <li>5. Nozzle: Easy turn of fog and straight stream - SHILLA</li> </ol> <p>• CONTROL DEVICES</p> <ol style="list-style-type: none"> <li>1. Control Panel Cab - HANSEO</li> </ol> <p>In addition to the standard motor vehicle switches, gauges and monitors, the following shall also be provided: - HANSEO</p> <ol style="list-style-type: none"> <li>a. Warning Light switch - HANSEO</li> <li>b. Fire Pump PTO and Lamp - HANSEO</li> <li>c. Water tank Main Valve Switch and Lamp - HANSEO</li> <li>d. Working Light Switch - HANSEO</li> <li>e. Siren Control Switch and Microphone - HANSEO</li> <li>f. Front and rear Dash camera - HANSEO</li> </ol> <ol style="list-style-type: none"> <li>2. Control Panel-Fire Pump Compartment - HANSEO</li> </ol> <ol style="list-style-type: none"> <li>a. Tachometer/Hour meter - HANSEO</li> <li>b. Indicator Lamp (high pressure) - HANSEO</li> <li>c. Indicator Lamp (low pressure) - HANSEO</li> <li>d. Indicator Lamp (main valve) - HANSEO</li> <li>e. Indicator Lamp (PTO) - HANSEO</li> <li>f. Compound Gauge - HANSEO</li> <li>g. Normal Pressure Gauge - HANSEO</li> <li>h. High Pressure Gauge - HANSEO</li> <li>i. Tank Level Display (water) - HANSEO</li> <li>j. Tank Level Display (foam) - HANSEO</li> <li>k. Cooling Valve - HANSEO</li> <li>l. Main Valve Switch - HANSEO</li> <li>m. RPM Up Switch - HANSEO</li> <li>n. RPM Down Switch - HANSEO</li> <li>o. Deck Light Switch - HANSEO</li> <li>p. Compartment Light Switch - HANSEO</li> </ol>		

Control No. **4331** **GRAND TOTAL : Php 29,770,000.00**

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme :   
**SHERYL D. MINGUITO**  
 (Signature over printed name of Supplier)  
5-12-23  
 Date

Very truly yours,  
**VICTOR MA REGIS N. SOTTO**  
 (Authorized Official)  
 City Mayor

Requisitioning Office/Dept. :  <b>BRYANT MERYLL RUIZ Q. WONG</b> (Authorized Official)	Funds Available :  <b>JUVY A. GUENCO</b> Chief Accountant	Amount : <u>₱ 29,770,000.-</u> <u>100 - 2022 - 07 -</u> OBR No. : <u>00811000</u>
---	--	---





# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

*Agency Name*

Supplier : **F. CURA INDUSTRIES**

P.O. No. : **23-04-0159**

Address : 27 President Quirino St., Lifestones . Rosario, Pasig City

Date : **04/24/2023**

Mode of Procurement: **PUBLIC BIDDING**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Pasig RED Training Center, C. Raymundo., Pasig City

Delivery Term : 160 Calendar days

Date of Delivery : \_\_\_\_\_

Payment Term : within 45 days upon completion of delivery


ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			q. Pressure Direction (high/low lever) - HANSEO 3. Control Valves - HANSEO a. Water Tank Main Valve - 127 mm (5-inch) pneumatic type - HANSEO b. Water Filler Valve with Screen Mesh Strainer - 63.5 mm (2.5inch), ball type - HANSEO c. Water Discharge Valve - 63.5 mm (2.5inch), non-return type - SHILLA d. Water Supplier Valve with Screen Mesh Strainer - 63.5 mm (2.5inch), ball type - HANSEO e. Suction Inlet Valve with Screen Mesh Strainer - 101.6 mm (4-inch), disc type - SHILLA f. Hose Connection Valve - 63.5 mm (2.5inch), ball type - SHILLA g. Water Tank Drain Valve - 50.8 mm (2inch), ball type - HANSEO h. Pump Low Pressure Drain Valve - 6.35 mm (¼ inch), ball type - HANSEO i. Pump High Pressure Drain Valve - 6.35 mm (¼ inch), ball type - HANSEO j. Monitor Discharge Valve - 63.5 mm (2.5inch), ball type - SHILLA k. Foam Tank Valve - 25.4 mm (1 inch), ball type - HANSEO l. Foam Main Valve - 25.4 mm (1 inch), ball type - HANSEO m. Foam Control Valve - HANSEO n. Foam Proportioning Valve - HANSEO o. Foam Eductor - SHILLA p. Foam Eductor Drain Valve - 6.35 mm (¼ inch), ball type - SHILLA • ELECTRIC LIGHTS AND WARNING DEVICES 1. Main Flashing LED Lights - 1 unit - HANSEO 2. Body (side and rear) Flashing LED Lights - 6 units - HANSEO 3. External Working Lights - 2 units - HANSEO 4. Locker LED Lights - Each locker - HANSEO 5. Electric Motor Siren - 1 unit - HANSEO 6. Public Address System- 1 unit - HANSEO • MIRRORS AND OPTICAL REFLECTORS 1. Side Mirror - 1 pair - HINO 2. Driver's Compartment Rear View Mirror-1 set - HINO 3. Front Bumper Mirror - 1 set - HINO 4. Side Optical Mirror - 1 set - HINO 5. Front Optical Reflectors - 1 pair - HINO 6. Rear Optical Reflectors - 1 pair- HINO • FIRE FIGHTING EQUIPMENT - 8 Fire Hoses 1 ½" x 50', (300 psi Working Pressure, Double Jacket, UL Listed (Underwriters		
Control No. <b>4331</b>			<b>GRAND TOTAL :</b>	<b>Php 29,770,000.00</b>	

**Total Amount in Words** Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme :

  
**SHERYL D. MINGUITO**  
 (Signature over printed name of Supplier)  
5.12.23  
 Date

**VICTOR MA REGIS N. SOTTO**  
(Authorized Official)

City Mayor

Requisitioning Office/ Dept. :

**BRYANT MERYLL RUIZ Q. WONG**  
(Authorized Official)

Funds Available :

**JUVY A. QUENCO**  
Chief Accountant

Amount : ₱ 29,770,000.-  
100-2022-09-  
OBR No. : 0021-1000



# PURCHASE ORDER

## CITY GOVERNMENT OF PASIG

*Agency Name*

Supplier : <b>F. CURA INDUSTRIES</b>	P.O. No. : <b>23-04-0159</b>
Address : <u>27 President Quirino St., Lifestones . Rosario, Pasig City</u>	Date : <u>04/24/2023</u>
	Mode of Procurement: <u>PUBLIC BIDDING</u>

Gentlemen:  
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : <u>Pasig RED Training Center, C. Raymundo., Pasig City</u>	Delivery Term : <u>160 Calendar days</u>
Date of Delivery : _____	Payment Term : <u>within 45 days upon completion of delivery</u>

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
			Laboratory)) Approved 300 PSI Working Pressure 900 PSI Burst a. Pressure C/W Aluminum Alloy Couplings - 5ELEM - 4 Fire Hoses 2 1/2" x 50' (300 psi Working Pressure, Double Jacket, UL Listed) - 5ELEM - 2 Suction Hoses cam-lock fittings, 4" x 10' w/ strainer - 3 Pails Alcohol Resistant - Aqueous Film Forming Foam (AFFF) - 3% - CHEMGUARD - 2 Fire Nozzle Size 1 1/2 , Easy to handle by lightweight aluminum alloy. Flow rate: 490LPM @ 7bar Size: H 1-1/2" Female Fog and Straight Stream - SHILLA - 1 Fire Nozzle Size 2 1/2 , Easy to handle by lightweight aluminum alloy. Flow rate: 945LPM @ 7bar Size: NH 2-1/2" Female Fog and Straight Stream - SHILLA - 1 Straight Nozzle size 1 1/2" - 1 Straight Nozzle size 2 1/2" - 1 Spanner wrench size 2 1/2" - 1 Spanner wrench size 1 1/2" - 1 Water Turret - 1 Pike Pole - 1 Pick Head Axe - 1 Crow Bar - 1 Bolt Cutter 30" - 1 Standard Vehicle Tool set - 1 Fire Extinguisher ABC Type (20lbs) - FIRECHIEF BRAND Compliance to the provisions in the Terms of Reference ***** <i>Nothing Follows</i> *****		

Control No. **4331** GRAND TOTAL : **Php 29,770,000.00**

Total Amount in Words Twenty-nine Million Seven Hundred Seventy Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme :  <u>SHERYL D. MINGUITO</u> <i>(Signature over printed name of Supplier)</i> <u>5.12.23</u> <i>Date</i>	<u>VICTOR MA REGIS N. SOTTO</u> <i>(Authorized Official)</i> City Mayor
--	---

Requisitioning Office/Dept. :  <b>BRYANT MERYLL RUIZ Q. WONG</b> <i>(Authorized Official)</i>	Funds Available :  <b>JUVY A. QUENCO</b> <i>Chief Accountant</i>	Amount : <u>₱ 29,770,000.-</u> <u>100-2022-09-</u> OBR No. : <u>008v 1000</u>
--	---	---