

CITY GOVERNMENT OF PASIG

Supplier	; INFINITEC	ARE TECHNOL	OGY SOLUTIONS INC.		P.O. No.	25-10-0	1751
			6 Carmen Cagayan de Oro City.		Date: _	2 3 OCT 2023	
					Mode of	Procurement:	PUBLIC BIDDING
Gentlemen:	Please fu	rnish this of	fice the following articles sub	ject to the terms and condition	ons cont	ained herein:	
Place of De	elivery : _se	e attached T	erms of Reference	Delivery Term : 120 calenda			
Date of De	elivery:			Payment Term: within 45 da	ays upon co		
ITEM						UNIT	
NO.	UNIT	QTY	DESC	RIPTION		COST	AMOUNT
1	UNIT	4	/ VCT Drive System: Sprocket and speed flexible Torque Range: 2.5 ft. lbs. to 72.8 ft. lbs. breakaway Power Requirements: 24 VE (12 per hr typical), fused torque Standard Electrical Panel: 2 HOA (Hand, Off, Auto/SCAD/Toggle, fuse holder, external logic Battery: 24 VDC, 7 or 10 Ampadditional external capacity	switches: (1) Fixed Position: To A) (2) Manual: Momentary Up/D 12 VDC power input, hardwired p-Hr sealed lead-acid battery, or sensor, vertical or horizontal ste	ns, to ents oggle Down d limit	5,335,000.00	21,340,000.00
C (1)	4040					SUBTOTAL:	Php 21,340,000.00
Control N		ords Truent	y-one Million Three Hundred F	Forty Thousand Pesos Only			
in	case of the f	ailure to mak	te the full delivery within the time cosed as provided for by the, 201	specified above, a penalty of or	ne tenth (1/10) of one (1) per	cent
					Very	truly yours,	
Conform		M	ary		VICTO	OR MA REGIS (Authorized Of)	
_		oderick re over printed ——[O] I	I name of Supplier) 26 202 } Date			City Mayor	
Requisiti	oning Offic	e/Dept. :	, F	unds Available :		Amount:	9 47,032,000.06 0-2023-03
	BRYANT M	. /. V	IZ O WONG	JUVY A. QUENCO() Chief Accountant	γ	OBR No. : 10	43 - 9940
							Page -



CITY GOVERNMENT OF PASIG

Carmen Cagayan de Oro City.		Date: 23007 20	77
		Mode of Procurement:	PUBLIC BIDDING
		Liana agentained bosoine	
ice the following articles sub	oject to the terms and condi	dons contained nerein:	
rms of Reference			ry
DESC	RIPTION	UNIT	AMOUNT
RTU CONTROLLER, VECTECHNOLOGIES / VCT Fully Integrated Remote Terr Display, Communicate & Cor LOGIC FAMILY: All low power MICROPROCESSOR:16-bit data bus, 16-bit address bus MEMORY: RAM-2 Kbytes be RAM PROGRESS FLASH: 5 LOGGING FLASH:512 Kbytes BATTERY BACKUP: Lithium clock/calendar min 2 years. DISPLAY: 10" LCD, sunlight software. OPERATION SECURITY: W resets unit .5 seconds after in TELEMETRY WATCHDOG: received within 1 sec. BROWNOUT DETECTOR: 1 below 2.7 V restarts when vo	ctor computer minal Unit/Controller: Monitor, ntrol er CMOS MSP430/Atmel, 8-16 Mhz, 16- attery backed low power static 512 Kbytes es in coin cell backs up RAM & rearedable, backlight switchable fatchdog Timer-Hardware time interrupt fail. Cannot disable. Reset rcv buffer of no characte thats process if logic voltage fabitage rises to 3V. up on power application	bit al-time by r er	13,200,000.00
		SUBTOTAL	: Php 34,540,000.00
Description of the provided for by the, 20° LEAMIREZ name of Supplier)	a specified above, a penalty of o	Very truly yours, VICTOR MA REGI (Authorized	S N. SOTTO Official)
z A WONG	4	Amount: OBR No.:	\$ 47,032,006.05 100-2023-03 00482-9940
	DESC RTU CONTROLLER, VECTECHNOLOGIES / VCT Fully Integrated Remote Tempisplay, Communicate & Co LOGIC FAMILY: All low pow MICROPROCESSOR: 16-bit data bus, 16-bit address bus MEMORY: RAM-2 Kbytes be RAM PROGRESS FLASH: 8 LOGGING FLASH: 512 Kbyte BATTERY BACKUP: Lithiur clock/calendar min 2 years. DISPLAY: 10" LCD, sunlight software. OPERATION SECURITY: Wresets unit .5 seconds after in TELEMETRY WATCHDOG: received within 1 sec. BROWNOUT DETECTOR: below 2.7 V restarts when vote automatical seconds and seconds are secon	Delivery Term: 120 calen Payment Term: within 45 of DESCRIPTION RTU CONTROLLER, VECTOR COMPUTER TECHNOLOGIES / VCT Fully Integrated Remote Terminal Unit/Controller: Monitor, Display, Communicate & Control LOGIC FAMILY: All low power CMOS MICROPROCESSOR:16-bit MSP430/Atmel, 8-16 Mhz, 16-data bus, 16-bit address bus. MEMORY: RAM-2 Kbytes battery backed low power static RAM PROGRESS FLASH: 512 Kbytes LOGGING FLASH:512 Kbytes BATTERY BACKUP: Lithium coin cell backs up RAM & reclock/calendar min 2 years. DISPLAY: 10" LCD, sunlight readable, backlight switchable software. OPERATION SECURITY: Watchdog Timer-Hardware time resets unit. 5 seconds after interrupt fail. Cannot disable. TELEMETRY WATCHDOG: Reset rev buffer of no charact received within 1 sec. BROWNOUT DETECTOR: Halts process if logic voltage fabelow 2.7 V restarts when voltage rises to 3V. AUTOBOOTING: Auto startup on power application I/O SURGE PROTECTION: All I/O is optically isolated, medically delivery within the time specified above, a penalty of cosed as provided for by the, 2016 IRR of RA 9184.	Payment Term: within 45 days upon completion of delive DESCRIPTION RTU CONTROLLER, VECTOR COMPUTER TECHNOLOGIES / VCT Fully Integrated Remote Terminal Unit/Controller: Monitor, Display, Communicate & Control LOGIC FAMILY: All low power CMOS MICROPROCESSOR:16-bit MSP430/Atmel, 8-16 Mhz, 16-bit data bus, 16-bit address bus. MEMORY: RAM-2 (bytes battery backed low power static RAM PROGRESS FLASH: 512 Kbytes LOGGING FLASH:512 Kbytes BATTERY BACKUP: Lithium coin cell backs up RAM & real-time clock/calendar min 2 years. DISPLAY: 10" LCD, sunlight readable, backlight switchable by software. OPERATION SECURITY: Watchdog Timer-Hardware timer resets unit. 5 seconds after interrupt fall. Cannot disable. TELEMETRY WATCHDOG: Reset rov buffer of no character received within 1 sec. BROWNOUT DETECTOR: Halts process if logic voltage falls below 2.7 V restarts when voltage rises to 3V. AUTOBOOTING: Auto startup on power application I/O SURGE PROTECTION: All I/O is optically isolated, meets SUBTOTAL four Million Five Hundred Forty Thousand Pesos Only. at the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) goed as provided for by the, 2016 IRR of RA 9184. Very truly yours, VICTOR MA REGIS (Authorized Conty May 2016 IRR of RA 9184) Funds Available: Amount: OBR No.:



CITY GOVERNMENT OF PASIG

Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:	Supplier : I	NEINITECARE TECHNOLOG	BY SOLUTIONS INC.		P.O. No. :	23-10-073	31
Please furnish this office the following stricles subject to the terms and conditions contained herein:					Date:	2 3 OCT 202	3
Please furnish this office the following articles subject to the terms and conditions contained herein: Please furnish this office the following articles subject to the terms and conditions contained herein:	Address	ov Germa Greet, Zone o C	parmen dagayan do ord ony.		Mode of F		
Please furnish this office the following articles subject to the terms and conditions contained herein: Please furnish this office the following articles subject to the terms and conditions contained herein:	Gentlemen:						
TTEM NO. UNIT OTY DESCRIPTION COST AMOUNT IEEE surge protection requirements. ANALOG INPUTS-12bit 12 channel per board, 12 bit res successive approx, optically isolated, each modular replaces con relay. Factory calibrated. ANALOG OUTPUTS-11 channel per board, 12 bit resolution, optically isolated, each modular replaces con relay. Factory calibrated. DIGITAL INPUTS- Status-8 chan, dry contact compatible, self-powered Pulse Conting-ALI Dicount 12 bit PS PULSE DURATION DETECTION; All can convert pulses to analog with Arma resolution DIGITAL OUTPUTS- 4 ch. 10 emp relays PULSE DURATION OUTPUTS- 8 challes with 4 ms reso. REFERENCE OUTPUT - 25 Mc reference available to battery voltage and can be switched ontify by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port pilus one RS22/modelam point. RADIO INTERFACE: 4-wire audic, adj gain, xformer lactated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: C-4Vp-p, software adj. in 32 steps Control No. 4940 Control No. 4940 Total Amount in Words Interpretary Million Fice Hundred Ferry Thousand Peses Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Pulse fully to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor	PI	ease furnish this offic	e the following articles subje	ect to the terms and condi-	tions conta	ined herein:	
TTEM NO. UNIT OTY DESCRIPTION COST AMOUNT IEEE surge protection requirements. ANALOG INPUTS-12bit 12 channel per board, 12 bit res successive approx, optically isolated, each modular replaces con relay. Factory calibrated. ANALOG OUTPUTS-11 channel per board, 12 bit resolution, optically isolated, each modular replaces con relay. Factory calibrated. DIGITAL INPUTS- Status-8 chan, dry contact compatible, self-powered Pulse Conting-ALI Dicount 12 bit PS PULSE DURATION DETECTION; All can convert pulses to analog with Arma resolution DIGITAL OUTPUTS- 4 ch. 10 emp relays PULSE DURATION OUTPUTS- 8 challes with 4 ms reso. REFERENCE OUTPUT - 25 Mc reference available to battery voltage and can be switched ontify by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port pilus one RS22/modelam point. RADIO INTERFACE: 4-wire audic, adj gain, xformer lactated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: C-4Vp-p, software adj. in 32 steps Control No. 4940 Control No. 4940 Total Amount in Words Interpretary Million Fice Hundred Ferry Thousand Peses Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Pulse fully to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor	4 45 31		· (D - f	Dolivous Tomos 1 120 selos	dor dovo		
TITEM NO. UNIT OTY DESCRIPTION			ms of Reference			mpletion of delivery	
NO. UNIT OTY DESCRIPTION COST AMOUNT IEEE surge protection requirements. ANALOG INPUTS-12bit. 12 channel per board, 12 bit res. successive approx, optically isolated, 4-20 mA or 0-8-V. Factory calibrated. ANALOG OUTPUTS: 11 chan optionel, 12-bit resolution, optically isolated, acid module replaces one relay. Factory calibrated. DIGITAL INPUTS: Status-3 chan, dry contact compatible, self-powered Pulse Counting-All Dicount (129 PR3 PULSE DURATION DETECTING: All can convert pulses to analog with ame resolution DIGITAL OUTPUTS: 4 ch, 10 amp relays PULSE DURATION OUTPUTS: Relays can generate pulse width modulated or one shot signals with 4 mar res. REFERENCE OUTPUT: 2.5 Voic reference swaleble to power potentionneters, shares pin with DIS. INSTRUMENT POWER: Logo supply switchable to battery voitage and can be switched on for by software. Diode isolated. SERUAL PORTS: One programming/gen purpose port plus one RS332/modern port RADIO INTERFACE: 4-vive audic, adj gain, Momer isolated, optically isolated key line. Low tones made for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Control No. 4940 Total Amount in Words Thirty-four Million Fice Hundred Forty Thousand Posos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Pulse Control No. 4940 Funds Available: Amount: F43, 932, 060							
IEEE surge protection requirements. ANALOG INPLTS-12bit 12 channel per board, 12 bit trea. successive approx, spricely isolated, 4-20 rAn or 0-5V. Factory calibrated. ANALOG OUTPUTS: 11 chan potente, 12-bit resolution, optically isolated, and proceed Pulse Country AI DI count 129 PPS PULSE DURATION DETECTING. AIC and convert pulses to analog with 4ms resolution DIGITAL OUTPUTS: 4c ch. 10 amp relays PULSE DURATION DUTPUTS: Relays can generate pulse width modulated or one shot algrate with 4 ms res. REFERENCE OUTPUT: 2.5 Vide reference available to power potentiameters, shares pin with DIS. INSTRUMENT POWER: Logo supply switchable to battery violage and can be switched oriotif by software. Dicate locitated, optically isolated key line. Low tones mode for spinisher chan TRANSMIT POWER: 0-4Vp-p. software adj. in 32 steps Control No. 4940 Total Amount in Words Thirty-four Million Fine Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a pensity of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9164. Conforme: Requisitioning Office/Dept.: Funds Available: Amount: #47, D32, D60 Amount:	O COMMENTAL STATE OF THE STATE	INIT OTY	DESCR	RIPTION		COST	AMOUNT
ANALOG INPUTS-12bit 12 channel per board, 12 bit res, successive approx, optically solated, 4-20 mA or 0-5V. Factory calibrated. ANALOG OUTPUTS: 11 chan optional, 12-bit resolution, optically isolated, each module replaces one relay. Factory calibrated. DINITAL INPUTS: Status-9 chan, dry context compatible, self-powered Pulse Counting-Ail DI count 12e PPS PULSE DUBATION DETECTING: All can convert pulses to analog with 4ms resolution DIGITAL OUTPUTS: 4 ch, 10 emp relays PULSE DUBATION OUTPUTS: Relays can generate pulse width modulated or one shot signals with 4 ms res. REFERENCE OUTPUT: 2.5 Vid. reference available to power potentioneters, shares pin with DIB. INSTRUMENT POWER: Logs supply switchable to battery voltage and can be switched orlord by software. Diode isolated. SERUL PORTS: One programming/gen purpose port plus one RS232/modern port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Control No. 4840 Total Amount in Words Thirty-four Million Fine Hundred Forty Thousand Proc Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Conforme: Very truly yours, VICTOR MA REGIS N. SOTTO (Authorized Official) City Mayor Punds Available: Amount: #47, 032, 060			IEEE surge protection requirer	ments.			
isolated, each module replaces one relay. Factory calibrated. DIGITAL INPUTS: Status-9 chant, dry contact competible, self-powered Pulse Counting-All Di count 128 PPS PULSE DURATION DETECTING: All can convert pulses to analog with 4ms resolution DIGITAL OUTPUTS: 4 ch, 10 amp relays PULSE DURATION OUTPUTS: Relays can generate pulse width modulated or one shot signals with 4 ms res. REFERENCE OUTPUT: 2.8 Votc reference available to power potenticimeters, shares pin with DIB. INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched onlot by software. Diode isolated. SERUAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated kely line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Control No. 4940 Total Amount in Words Trinty-four Million Five Hundred Forty Thousand Posos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA \$184. Conforme: Requisitioning Office/Dept: Funds Available: Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept: Funds Available: Amount: P47, D32, D60			ANALOG INPUTS-12bit: 12 ch successive approx, optically is	nannel per board, 12 bit res,	tory		
powered Pulse Counting-All Di count 128 PPS PULSE DURATION DETECTING: All can convert pulses to analog with 4ms resolution DIGITAL OUTPUTS: 4 ch, 10 amp relays PULSE DURATION OUTPUTS- Relays can generate pulse width modulated or one shot signals with 4 ms reso. REFERENCE OUTPUT: 2 Void reference available to power potentiometers, shares pin with DI8. INSTRUMENT POWER: Logs supply switchable to battery voltage and can be switched onlyfil by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modern port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key lime. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj, in 32 steps Control No. 4940 Total Amount in Words Tritry-four Million Five Hundred Forty Thousand Pesse Only. In case of the fallure to make the full delivery within the time specified above, a pensity of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 3184. Conforme: Requisitioning Office / Dept: Requisitioning Office / Dept: Funds Available: Funds Available: Amount: Amount: Amount:			ANALOG OUTPUTS: 11 chan isolated, each module replaces	optional, 12-bit resolution, op s one relay. Factory calibrated	otically d.		
analog with 4ms resolution DIGITAL OUTPUTS: 4 ch, 10 amp releys PULSE DURATION OUTPUTS: Relays can generate pulse width modulated or one shot signals with 4 ms res. REFERENCE OUTPUT: 2.5 Vdc reference available to power potentiometers, shares pin with Dis. INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched onloff by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key lime. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Control No. 4940 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: \$43, 1032, 1060					elf-		
PULSE DURATION OUTPUTS- Relays can generate pulse width modulated or one shot signals with 4 ms res. REFERENCE OUTPUT: 2.5 Vdc reference available to power potentiometers, shares pin with Di8. INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched on/off by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Total Amount in Words In case of the failure to make the full delivery within the time specified above, a pensity of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Margin N. Sotto (Authorized Official) City Mayor Punds Available: Funds Available: Amount:				ING: All can convert pulses to	•		
modulated or one shot signals with 4 ms res. REFERENCE OUTPUT: 2.5 Vict reference available to power potentiomaters, shares pin with Dis. INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched on/off by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps SUBTOTAL: Php 34,540,000 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Peses Only, In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept: Funds Available: Amount: \$\frac{47}{2}, \textit{D32}, \textit{D60}			DIGITAL OUTPUTS: 4 ch, 10	amp relays			
Dotentiometers, shares pin with DI8. INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched on/off by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps SUBTOTAL: Php 34,540,000 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the fallure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept: Funds Available: Amount: #47, 032, 060					width		
INSTRUMENT POWER: Logo supply switchable to battery voltage and can be switched on/off by software. Diode isolated. SERIAL PORTS: One programming/gen purpose port plus one RS232/modern port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps Control No. 4940 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma REGIS N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: #47, 032, 066					ver		
SERIAL PORTS: One programming/gen purpose port plus one RS232/modem port RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps SUBTOTAL: Php 34,540,000 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the fallure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma REGIS N. SOTTO (Authorized Official) City Mayor Requisitioning Office/Dept: Funds Available: Amount: 47, 032, 060			INSTRUMENT POWER: Logo	supply switchable to battery	ited.		
RADIO INTERFACE: 4-wire audio, adj gain, xformer isolated, optically isolated key line. Low tones mode for splinter chan TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps SUBTOTAL: Php 34,540,000 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Conforme: RHODERICK W. RAMIREZ (Signature over printed name of Sumplier) Date Funds Available: Amount: \$47, 032, 060			SERIAL PORTS: One program	•			
TRANSMIT POWER: 0-4Vp-p, software adj. in 32 steps SUBTOTAL: Php 34,540,000 Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: \$\frac{47}{232}, 050			RADIO INTERFACE: 4-wire a	udio, adj gain, xformer isolate	ed,		
Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:							
Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:							
Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:							
Total Amount in Words Thirty-four Million Five Hundred Forty Thousand Pesos Only. In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:	Cantral No.	4940				SUBTOTAL:	Php 34,540,000.00
In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184. Very truly yours, Victor Ma Regis N. Sotto (Authorized Official) City Mayor Requisitioning Office/Dept.: Funds Available: Amount: Amount: Amount:			nur Million Fine Hundred Fort	y Thousand Pesos Only.		0001017121	The otions of
Funds Available: Very truly yours, Victor MA REGIS N. SOTTO (Authorized Official) City Mayor Funds Available: Amount: #47, 032, 060					one tenth (1)	/10) of one (1) per	cent
Conforme: RHODERICK W. RAMIREZ (Signature over printed name of Supplier) Date VICTOR MA REGIS N. SOTTO (Authorized Official) City Mayor Funds Available: Amount: \$47,032,060	for every day	y of delay shall be impos	sed as provided for by the, 2016	S IRR of RA 9184.	5110 1011111 (11	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
RHODERICK W. RAMIREZ (Signature over printed name of Supplier) Date Requisitioning Office/Dept.: Funds Available: Amount: \$47,032,060					Very t	truly yours,	
(Signature over printed name of Supplier) Date City Mayor Requisitioning Office/Dept.: Funds Available: Amount: #47, 032, 060	Conforme:	$\Omega \Lambda c$	701		VICTO	R MA REGIS	N. SOTTO
Requisitioning Office/Dept.: Funds Available: Amount: #47, 032, 060		RHODERICK W	RAMIREZ			(Authorized Of	ficial)
Requisitioning Office/Dept.: Funds Available: Amount: #47, 032, 060		(Signature over printed n	ame of Supplier)			City Mayor	
Requisitioning Office/Dept.: Funds Available: Amount: #47, 032, 060		10/2	41 20,25				
Amount: (47, 092, 080		Da	te				
Amount: (47, 092, 080				1			
Amount: (47, 092, 080						1	
/ W IIV	Requisitioning	ng Office/Dept. :	Fu	ınds Available :		Amount:	47, 032, 060-00
BRYANT MERY RUIZ O WONG JUVY A. CUENCO OBR No. : 100-2023 - 02	BRY	ANT MERYL RUIZ	Q _a WONG	JUVY A. CUENCO	N		
(Authorized Official) Chief Accountant D 945-9440	We - 1		[4]			0	945-994D Page-



CITY GOVERNMENT OF PASIG

Supplier :	INFINITEC	RE TECHNOLO	GY SOLUTIONS INC.		P.O. No.	23-10-0731	
			Carmen Cagayan de Oro City.		Date :	2 3 OCT 202	3
riduless .	ov Oerina	Occus, Zone o	Ourmon obgayan do oro ony.		Mode of	Procurement:	PUBLIC BIDDING
Gentlemen:	Please fur	nish this offi	ce the following articles s	ubject to the terms and	conditions cont	ained herein:	
V		444-Ta	The state of the s	Delixory Town : 12	O onlonder dave		
Date of Del		e attached Te	rms of Reference	Delivery Term : 12 Payment Term : wit		empletion of delivery	
ITEM						UNIT	
NO.	UNIT	QTY	DES	CRIPTION		COST	AMOUNT
			CRC gen/decode, variable message length. Can com message.	CII-Standard R9 protocol-ba length messages, user de bine status, integer, float in protocol, any RTU can acc	fined any		
			passing between any other	r station.			
			RTU messaging.	J to RTU or RTU to Master			
			STORE & FORWARD: Initintermediary stations.	tiating station sets path thro	ough up to 3		
			ADDRESS RANGE: 1 to 2	254			
			POWER INTERFACE: 2 \ normal operations (relays, max.	/DC +/- 20%, diode isolated loop supply & backlight off	d. <3mA f) to 440mA		
			LOOP SUPPLY: Built-in s	switchable regulated 24 VC	+/- 5%, 120		
				O uses removable rising ca 10 each, 14 ga wire. Moden			
			SOFTWARE:Storage-ope configuration& programmi Flash loader stored in flasi	ng stored in nonvolatile flas	sh memory.		
			SECURITY:Parameter vot	ting & memory integrity test ports. Program loading CRI	t on boot up, O protected.		
Control No	o, 4940					SUBTOTAL:	Php 34,540,000.00
Total Am	ount in Wo	rds Thirty-f	our Million Five Hundred l	Forty Thousand Pesos On	ly.		
In o for every	case of the fa	ailure to make shall be impo	the full delivery within the tiresed as provided for by the, 2	me specified above, a pena 2016 IRR of RA 9184.	alty of one tenth (*	1/10) of one (1) per	cent
					Very	truly yours,	
Conform	- /	ODERICK W	LA PAMIDEZ		VICTO	R MA REGIS (Authorized Of	
			name of Supplier)			City Mayor	
		D	554v		1		
Requisition	oning Office	e/Dept:/		Funds Available :	P	Amount:	\$ 47,032,000.00 66-2023-03
В	RYANT MI	RYLL RUI	Z Q WONG	JUVY A. CU Chief Accoun		OBR No. : 1	643-9940
	t						Page -



CITY GOVERNMENT OF PASIG

Supplier : INFINITE	ECARE TECHNOLO	OGY SOLUTIONS INC.			P.O. No.	: 23-10-07	31
				Date :	2 3 OCT 202	3	
					Mode of	Procurement:	PUBLIC BIDDING
Gentlemen:	furnish this off	ice the following articles	s subje	ect to the terms and cond	itions conta	ained herein:	
Place of Delivery :	see attached Te	erms of Reference		Delivery Term : 120 caler	ndar davs		
Date of Delivery :	aco attached re	SIMB OF FOCIOIOG		Payment Term : within 45		mpletion of delivery	
ITEM						UNIT	
NO. UNIT	QTY	DI	ESCR	IPTION		COST	AMOUNT
		clock. PROGRAMMING MODI modules resident in flas	ULES:A	cans all I/O, ports, timers rea Applications use precompiler ory where programmer s properties using supplied			
		with time tags to onboar	rd flash	point, integer and status sa eeprom. 128K samples & ti oort as comma delimited ASo	me		
		-11	l6 bit in	teger, 32 bit floating point,	Б П.		
		ERROR MESSAGES:C errors. Runtime software	onfigur e is self	ration program handles all se f-protecting, no runtime erro	etup rs.		
		module.		wder coat card cage w/ displ			
		TEMPERATURE RANG degrees C LCD display Civil works for installation Programming and Confi	on	to +85 degrees C logic -20	to + 60		
		With Central Monitoring be integrated with existi		ontrol Software (Compatible tem)	or can		
Control No. 4940						SUBTOTAL:	Php 34,540,000.00
Total Amount in V	Words Thirty-	four Million Five Hundre	d Forty	Thousand Pesos Only.			
In case of the for every day of de	e failure to make lay shall be impo	e the full delivery within the osed as provided for by the	time s e, 2016	pecified above, a penalty of IRR of RA 9184.	one tenth (1	/10) of one (1) per	rcent
					Very	truly yours,	
Conforme:	Ma	m			VICTO	R MA REGIS (Authorized Of	
	HODERICK VI ture over printed 10/2	name of Supplier)				City Mayor	
	(_D	ate					
Requisitioning Of	fice/Dept.:		Fu	nds Available :		Amount:	\$ 47, 652, 000.00 66-2013 -03
BRYANT (A	MERILL RUI	Z O WONG		JUVY A. CUENCO Chief Accountant	0	OBR No. : 1	142-9940
		C					Page - 5



CITY GOVERNMENT OF PASIG

Agency Name

Supplier :	INFINITECARE TECHNOLOGY SOLUTIONS INC.	P.O. No	.: 23-10-87	31
	JV Serina Street, Zone 6 Carmen Cagayan de Oro City.	Date:	2 3 OCT 20	23
11000000		Mode of	Procurement:	PUBLIC BIDDING

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : see attached Terms of Reference Delivery Term: 120 calendar days

Date of Do	elivery :		Payment Term : within 45 days upon	Payment Term: within 45 days upon completion of delivery			
ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT		
3	UNIT	4	PLC Controller, INDUSTRIAL SHIELDS INPUTS: (10x) Analog (0-10Vdc, 10bit) / Digital (7-24Vdc) Inputs configurables by software. (3x) Interrupt Inputs (7-24Vdc). "Can work like Digital Input (24Vdc)". (5x) Isolated Digital Inputs (7-24Vdc) X OUTPUTS: (8x) Relay outputs (220Vac - 5A), (6x) Analog (0-10Vdc, 8bit) / Digital (5-24Vdc) Outputs / PWM Isolated (5-24Vdc), (5x) Digital Isolated (5-24Vdc) COMMUNICATION: - GPRS/GSM (based on SIM800L) - Ethernet port USB port (type B) I2C port. (Interface with other Industrial Shields, sensors, I/Os modules) - RS-232 port HALF/FULL Duplex RS-485 port SPI external port - TCP IP / Modbus TCP. / Modbus RTU - Web Server capacity - Industrial Protocols OTHERS: -Real Time Clock USD Socket - DIN Rail mounting Max consum.: 1.2A - Flash Memory: 256kB (8kB for boot loader) - SRAM: 8kB - EEPROM: 4kB - Clock Speed: 16MHz	735,000.00	2,940,000.0		

SUBTOTAL: Php 37,480,000.00 4940 Control No.

Total Amount in Words Thirty-seven Million Four Hundred Eighty Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Very truly yours,

Conforme:

(Signature over printed name of Supplier,

VICTOR MA REGIS N. SOTTO (Authorized Official)

City Mayor

Requisitioning Office/Dep

BRYANT MERY L RUIZ O WONG
(Anthorized Official)

Funds Available:

Amount: \$ 47,032,000 00

JUVY A. CHENCO

OBR No.: 100-2623 - 83



CITY GOVERNMENT OF PASIG

Supplier			GY SOLUTIONS INC. Carmen Cagayan de Oro Cit	h		P.O. No. : Date :	23-10-0 2 3 OCT 20	
Address	, JV Selilla	Street, Zone o	Carmen Cagayan de Olo Cit	ty.		_	ocurement:	PUBLIC BIDDING
Gentlemen	: Please fur	nish this offi	ce the following articles	subje	ect to the terms and condit	ions contai	ned herein:	
		e attached Te	rms of Reference		Delivery Term : 120 calend			
Date of D	elivery :				Payment Term: within 45 d	ays upon con		
NO.	UNIT	QTY	DE	SCR	IPTION		UNIT COST	AMOUNT
4	UNIT	4	be integrated with existin HMI Touchscreen Cap COMPUTER TECHNO Color: IPS 65K 65536 co Visual Area: (V.A.), 222. Resolution: 1024×600 pit Touch type: Capacitive Touches: > 1 million Backlight: LED Backlight lifetime (Average Brightness: 300nit 0% to Operating Voltage: 4.75,	guration and Cong system of Cong system of Cong System (Cong System of Cong Syste	ontrol Software (Compatible cem) e Display, VECTOR IES / VCT (L)×125.28mm(W) so can be set as 600×1024 30,000 Hours 6, the interval of adjustment is V Brightness is 100% - 800mA 2.0A, DC 21600 bps FL d GPIO BYTE		1,840,000.00	7,360,000.00
Control N		rds Fortu-fo	ur Million Eight Hundred	d Forts	Thousand Pesos Only.	***************************************	SUBTOTAL:	Php 44,840,000.00
In	case of the fa	ailure to make		time sp	pecified above, a penalty of o	ne tenth (1/	10) of one (1) per	cent
						Very to	uly yours,	
Conform	ne:	DIDERICK W	PULL				R MA REGIS Authorized Of	
	(Signatur	re over printed 1	tame of Supplier) (4) 20 3 te		1		City Mayor	
Requisit	ioning Office	e/Dept.:		Fur	nds Available :		Amount:	\$47,032,000-00 00-2027 -23
ı		RYLL RUIZ			JUVY A. CUENCO Chief Accountant	3	OBR No. :	047-9940
			0					Page -



CITY GOVERNMENT OF PASIG

Agency Name

Supplier	:	INFINITECARE TECHNOLOGY SOLUTIONS INC.	
----------	---	--	--

P.O. No.:

23-10-0731

Address: JV Serina Street, Zone 6 Carmen Cagayan de Oro City.

Date: 2 3 OCT 2023 Mode of Procurement

PUBLIC BIDDING

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: see attached Terms of Reference

Delivery Term: 120 calendar days

ITEM NO.	UNIT	QTY	DESCRIPTION	UNIT COST	AMOUNT
5	UNIT	4	POSITIONAL SENSOR / TRANSDUCER (LINEAR), VECTOR COMPUTER TECHNOLOGIES / VCT Range: 0.2m to 30m at 90% remission, 0.8m to 15m at 6% remission. Resolution: 12 bits Repeatability: 1mm Accuracy: +-3mm Response Time: 250ms Output: analog Operating Voltage: 10-30 Vdc Programming and Configuration, Installation	200,000.00	800,000.0
6	UNIT	4	RS485 COMMUNICATION MODULE, VECTOR COMPUTER TECHNOLOGIES / VCT Transmission Rate: 115.2kbps Protection: opto-isolation with lightning protection Transmission Distance: 200 meters Output Ports: 4 (RS232, RS485) Operating Voltage: 9-40 Vdc Mounting: Din Rail Installation and cabling	348,000.00	1,392,000.0

Automati	on of Flood Ga	te Contoris, M	onitoring Sensors and Control Center for Pasig City		

Control No. 4940

GRAND TOTAL: Php 47,032,000.00

Total Amount in Words Forty-seven Million Thirty-two Thousand Pesos Only.

In case of the failure to make the full delivery within the time specified above, a penalty of one tenth (1/10) of one (1) percent for every day of delay shall be imposed as provided for by the, 2016 IRR of RA 9184.

Conforme:

(Signature over printed name of Supplier

10/24/2023

Very truly yours

(Authorized Official)

City Mayor

Requisitioning Office/D

BRYANT MERYLL RUIZ O WONG (Aythorized Official)

Funds Available:

JUVY A. JUENCO (

Amount: \$ 47,032,000-00

OBR No.: 106-2023-03