PHILIPPINE BIDDING DOCUMENTS



Government of the Republic of the Philippines

City Government of Pasig

Installation, Testing and Commissioning of Fiber Backbone and Wireless Network – PLP

Sixth Edition July 2020

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	2
Section	n I. Invitation to Bid	5
Section	n II. Instructions to Bidders	9
1.	Scope of Bid	
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	10
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	14
13.	Bid and Payment Currencies	14
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	15
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	n III. Bid Data Sheet	18
Section	n IV. General Conditions of Contract	24
1.	Scope of Contract	25
2.	Advance Payment and Terms of Payment	25
3.	Performance Security	25
4.	Inspection and Tests	25
5.	Warranty	26
6.	Liability of the Supplier	26
Section	n V. Special Conditions of Contract	27
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI - Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which maybe needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA - National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN - United Nations.

Section I. Invitation to Bid

CITY GOVERNMENT OF PASIG The Bids and Awards Committee

INVITATION TO BID FOR

Installation, Testing and Commissioning of Fiber Backbone and Wireless Network – PLP

- 1. The *CITY GOVERNMENT OF PASIG*, through the Executive Budget *CY 2023* intends to apply the sum *One Million One Hundred Ninety Thousand Pesos Only (Php 1,190,000.00)* being the ABC to payments under the contract for the *Installation, Testing and Commissioning of Fiber Backbone and Wireless Network PLP*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **CITY GOVERNMENT OF PASIG** now invites bids for the above Procurement Project. *Delivery of the Goods is required for 60 calendar days upon receipt of Notice to Proceed*. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from the Bids and Awards Committee through its Secretariat and inspect the Bidding Documents at the address given below during office hours, Monday to Friday, from 8:00 A.M. to 5 P.M.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *August 02, 2023* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person.

- 6. The **CITY GOVERNMENT OF PASIG** will hold a Pre-Bid Conference on *August 09, 2023, 1:30 P.M* at 7th Floor Meeting Room, Pasig City Hall, Caruncho Avenue, San Nicolas, Pasig City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the Procurement Management Office through manual submission at the office address indicated below, on or before *August 23*, 2023, 9:30 A.M. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *August 23, 2023, 10:00 A.M* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- **10.** Each Bidder shall submit one (1) sealed Mother envelope containing:

1. ORIGINAL (SEALED AND LABELED)

- 1.1 Company Profile Folder
- 1.2 Original Technical Component and Original Financial Components (hard copy, in 2 separate sealed envelopes)

<u>And</u>

- 1.3 One (1) USB Flash Drive containing
 - 1.3.1 Scanned Documents (Original Technical and Original Financial Components)
 - 1.3.2 Excel File of the Price Schedule

2. COPY 1 (SEALED AND LABELED)

2.1 One (1) <u>USB Flash Drive sealed and labeled as "Copy 1"</u> containing scanned documents of Technical and Financial Components

Bidders shall bear all costs associated with the preparation and submission of their bids, and *THE CITY GOVERNMENT OF PASIG* will in no case, be responsible or liable for those costs, regardless of the

conduct or outcome of the bidding process.

Bidders should note that *THE CITY GOVERNMENT OF PASIG* will only accept bids from those that have paid the applicable fee for the Bidding Documents.

In accordance with Government Procurement Policy Board (GPPB) Circular 06-2005 - Tie-Breaking Method, the Bids and Awards Committee (BAC) shall use a non-discretionary and non-discriminatory measure based on sheer luck or chance, which is "DRAW LOTS," in the event that two (2) or more bidders have been post-qualified and determined as the bidder having the Lowest Calculated Responsive Bid (LCRB) to determine the final bidderhaving the LCRB, based on the following procedures:

- a) In alphabetical order, the bidders shall pick one rolled paper.
- b) The lucky bidder who would pick the paper with a "CONGRATULATIONS" remark shall be declared as the final bidder having the LCRB and recommended for award of the contract.
- 11. The *CITY GOVERNMENT OF PASIG* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Atty. Ponce Miguel D. Lopez

Procurement Management Office Caruncho Avenue, Pasig City bidsandawards@pasigcity.gov.ph (02) 8643-1111 local 1461 or 1462 Pasigcity.gov.ph

13. You may visit the following websites:

For downloading of Bidding Documents: https://notices.philgeps.gov.ph

August 02, 2023

SGD

Atty. Josephine C. Lati-Bagaoisan BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, CITY GOVERNMENT OF PASIG wishes to receive Bids for Installation, Testing and Commissioning of Fiber Backbone and Wireless Network – PLP, with identification number ITB No. bac-23-0802c.

The Procurement Project (referred to herein as "Project") is composed of *one* (1) *lot*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for Executive Budget CY 2023 in the amount of *One Million One Hundred Ninety Thousand Pesos Only (Php1,190,000.00)*.
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or

other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. 5.2.

- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. **[X]** For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. [] For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. [] For procurement where the Procuring Entity has determined, after the conduct of market research, that

imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address 7th Floor Meeting Room, Pasig City Hall, Caruncho Avenue, San Nicolas, Pasig City as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- **11.3.** Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - The price of the Goods quoted EXW (ex-works, exfactory, ex-warehouse, ex-showroom, or off-theshelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - **iv.** The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - **ii.** The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to

Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until one hundred twenty (120) calendar days. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB.**

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or

other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- $oxed{X}$ Option 1 One Project having several items that shall be awarded as one contract.

19.4. The Project shall be awarded as follows:

	Option :	2 –	One	Project	having	severa	litems	grouped	into
	several l	lots,	which	n shall b	e award	led as s	eparate	contracts	per
	lot.								

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid throughthe BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet



BIDS AND AWARDS COMMITTEE

INSTRUCTION TO BIDDERS

PROJECT: Installation, Testing and Commissioning of Fiber Backbone

and Wireless Network - PLP

Date : August 02, 2023

This shall form an integral part of the Bid Documents.

1. Bidders are requested to organize and submit their bids on the following requirements:

- 1. Submit First (1st) Envelope containing one (1) hard copy of the ORIGINAL Technical Component, including the Eligibility Requirements. 1st Envelope shall be sealed and labeled as "ORIGINAL TECHNICAL COMPONENT"
- 2. Submit Second (2nd) Envelope containing one (1) hard copy of the ORIGINAL Financial Component. 2nd Envelope shall be sealed and labeled as "ORIGINAL FINANCIAL COMPONENT"
- 3. Submit USB Flash Drive containing one (1) soft/scanned copy of the ORIGINAL Technical Component and Financial Component; and Excel File of the Price Schedule in USB Flash Drive

Note: The 1st Envelope, 2nd Envelope and the USB flash drive containing the soft/scanned copy of the original technical and financial components and excel file of the price schedule shall be enclosed in a single envelope, sealed and labeled as "ORIGINAL BID"

- 4. Submit USB Flash Drive containing one (1) soft/scanned copy of the Technical Component and Financial Component. USB flash drive shall be enclosed in a separate envelope, sealed and labeled as "COPY 1"
- 5. The "ORIGINAL BID" and "COPY 1" envelopes shall be enclosed in a single MOTHER ENVELOPE sealed and properly labeled

*Sections of the bid shall be separated by dividers, proper tabs;

*NO scratch papers.

All envelopes (1^{st} Envelope, 2^{nd} Envelope, Original Bid Envelope, Copy 1 Envelope and Mother Envelope) shall be labeled as follows:

- Addressed to the procuring entity's BAC Chairperson
- Name of the project/contract to be bid
- Name, address and contact details of the bidder
- "DO NOT OPEN BEFORE < bid opening date and time>"
- ✓ Unsealed or unmarked bid envelopes shall be rejected. However, bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall be accepted, provided that the bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The Procuring Entity shall not be responsible for misplaced Bidding Documents and premature opening.

BIDDING DOCUMENTS AVAILABILITY AND FEE

- Bidding Documents:
 - August 02, 2023 to August 23, 2023 until 9:30 A.M.
 - > 8:00 am to 5:00 pm and upon payment of applicable fees for the Bidding Documents at the City Treasurer's Office
- Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.
- Standard rates for bidding documents

Approved Budget for the Contract	Maximum Cost of Bidding Documents
500,000 and below	P500.00
More than 500,000 up to 1 million	1,000.00
More than 1 million up to 5 million	5,000.00
More than 5 million up to 10 million	10,000.00
More than 10 million up to 50 million	25,000.00
More than 50 million up to 500 million	50,000.00
More than 500 million	75,000.00

INSTRUCTION TO BIDDERS ON PAYMENT OF BIDDING DOCUMENTS

- Secure Order of Payment for the bidding documents at the Procurement Management Office, 4th Floor Pasig City Hall
- Proceed to City Treasurer's Office, 1st Floor Pasig City Hall for the payment of bidding documents
- Mode of payment: Cash or Manager's/ Cashier's Check payable to City Government of Pasig
 Personal Check shall not be accepted.
- Present the Official Receipt to the BAC Secretariat's Office for the release of the complete set of bidding documents.

REMINDERS:

- The deadline for the submission of bid is on <u>August 23, 2023 (Wednesday)</u> at 1:00PM at the Procurement Management Office, 4th Floor Pasig City Hall, Caruncho Ave., SanNicolas Pasig City. The digital clock at the Procurement Management Office that is set to the Philippine Time (PhST)shall be used as reference in determining the time for the submissionof bids, Hence participating bidders are advised to synchronize their timepiece with the saiddigital clock. Late bids or those who submitted after 1:00 PM of <u>August 23, 2023 (Wednesday)</u> shall not be accepted.
- Bidders may submit their bid documents days ahead of the deadline for the submission in order to avoid late submission.
- Bid opening shall be on <u>August 23, 2023 (Wednesday)</u> at 1:30 PM at 7thFloor Meeting Room, Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. Bids will be opened in the presence of the bidders' representatives who choose to attend.
- All licenses, permits and other required clearances should be valid at the time of the submission of bids, Post-Qualification Evaluation and signing of the contract.

- The BAC expects the bidders to exercise due diligence in going through the bid documents so that they can prepare their bids intelligently.
- The Bids and Awards Committee will still continue to implement social distancing and shall require only one (1) Representative per company.
- All attendees will be subjected to thermal scan prior to entry of the venue and shall:
 - 1. wear medical face mask and face shield at all times "No Mask No Entry"
 - 2. bring black ballpen
 - 3.bring alcohol

Please be reminded that all queries after the issuance of Bid Bulletin will not be entertained.

SGD ATTY. JOSEPHINE C. LATI-BAGAOISAN BAC Chairperson

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Installation, Testing and Commissioning of Fiber Backbone and Wireless Network
	 b. completed within three (3) years prior to the deadline for the submission and receipt of bids.
7.1	[Specify the portions of Goods to be subcontracted, which shall not be a significant or material component of the Project as determined by the Procuring Entity.] NONE
12	The price of the Goods shall be quoted DDP <i>Pasig City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than to two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
	The evaluation and award is one (1) lot.
	Note: Please see Items to be Bid
20.2	For purposes of Post-Qualification, the following documents/requirements shall be required:
	DTI Business Name Registration / SEC Registration / CDA Registration

- Latest General Information Sheet duly submitted to the SEC, if corporation or partnership
- Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has applied for renewal within the period prescribed by the concerned local government unit subject to submission of the Mayor's Permit beforethe award of contract)
- Valid Tax Clearance issued by the BIR
- Latest Audited Financial Statement duly submitted to the BIR
- Latest Income Tax Return for the preceding Tax Year, whether calendar or fiscal
- Latest Business Tax Returns Value Added Tax (VAT) or Percentage Tax, filed and paid covering the previous six (6) months before the date of Opening of Bids
- Other appropriate licenses and permits required by law and documents stated in the Bidding Documents, Bid Bulletin/s and Terms of Reference, if any
- Product brochures of the items to be offered, if any

Note: Please see Terms of Reference (if any)

21.2 | Additional contract documents shall be required as follows:

Note: to be discussed during Pre-bidding Conference

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to

tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

_	Special conditions of contract
GCC	
Clause	
1	Please see Attached Terms of Reference/Terms and Conditions/Additional requirements
	Conditions/Additional requirements
	Delivery and Documents -
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [OGS Warehouse, Sto. Tomas, Pasig City.] In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [OGS Warehouse, Sto. Tomas, Pasig City]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;

- c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
 - d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
 - e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- 2. in the event of termination of production of the spare parts:
- i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
- ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified.

If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 The terms of payment shall be as follows: Within 45 days after completion of delivery and was duly Inspected and Accepted by the Procuring Entity as evidenced by a Certificate to that effect.

The inspections and tests that will be conducted are: [Please see attached Terms of Reference, Additional Terms or Additional Requirements if any;]

The inspections and tests that will be conducted include, but not limited to inspection for the completeness of the requirements in accordance with the required quantity of the procurement requirement and compliance to all parameters of the Technical Specifications/Scope of Work/Terms of Reference at the project site.

Section VI. Scheduleof Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Total	Delivered, Weeks/Months
1	Installation, Testing and Commissioning of Fiber Backbone and Wireless Network	1 lot	1 lot	60 calendar days from receipt of Notice to Proceed

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Cor	npliance
		[Bidders must state "Comply" or "Not Come each of the individual of each Specification corresponding parameter of the offered. Bidders show indicate the "BRAM offered, or the manufacture in a Bidder cross-referenced to the Evidence shall be in manufacturer's un-and literature, statements of specific compliance issued manufacturer, independent test date appropriate. A statement of supported by esubsequently found contradicted by the presented will rend under evaluation rejection. A statement of supporting evication of the supporting evication of the supporting evication of the supportion of the supplicable laws and is statement of statement of statement of	inply" against of parameters stating the performance equipment ould likewise ND" to be anufacturer's "Comply" or be supported ders Bid and nat evidence. The form of mended sales inconditional fication and by the samples, at etc., as ment that is vidence or is dere evidence ler the Bid liable for the liable for the compliance dence that is er during Bid alification or Contract may udulent and upplier liable ject to the
		Compliance /	Name

		Evidence of	
		Compliance	
1	Installation, Testing and Commissioning of Fiber Backbone and Wireless Network, E. TECHNICAL SPECIFICATIONS		
	1. Cable Standard compliance should be: " AZ/NZS 3080 - Generic cabling for customer premises ISO/IEC 11801. " TSO/TEC 60794-1-2 - Fiber optic testing methods. " ITU-T Recommendations - recommendations for G.651 OMI, OM2, and OM3. 2. Optical Fiber Specifications should be: " Fiber Core - the optical fiber must have a 50/125- µm fiber OM3. " Minimum Bandwidth - the optical fiber minimum bandwidth should be > 2000MHz kilometer @ 850-nm laser & > 5000MHz kilometer at 1300-nm overfilled LED. " Numerical aperture - the fiber numerical aperture should be at a minimum 0.200 lus and minus 0.015. " Core - core diameter: 50 plus and minus 3 µm. " Zero Dispersion Slope - must be < 0.101 ps/(nm2-kilometer).		
	3. Termination Module: " Mounting - the 19" rack mount fiber termination unit shall consist of a frame mountable housing for terminating and/or splicing fiber optic cables and allow		

for the organization of the fiber optic interconnections. "Slots Termination - the 19" rack mounting unit should be either 12 or 24-ports for one (1) rack unit and can be either, a fixed position unit or have a slide or swing tray to improve access.

4. Patch Cords:

- " Fiber Core the patch must consist of one or two single, tight, buffered, multi-mode graded index fiber with 50-micron core & 125-micron cladding to suit the installed OM3 fiber optic cabling.
- " Return Loss the patch cord must have SPC polish, typical >40dB.
- " Factory-Terminated Connectors the patch cords should be factory terminated with LC ceramic connectors at each end.
- " Minimum Bending Radius - the specification for bending radius should be 25-mm.
- " Cable OD the specific cable OD can be 2-mm or 3-mm.
- " Tensile Strength the tensile strength must be 45N
- " Connectors the connectors must be a multimode SC to LC patch cord. " Cable Performance Testing on the note of performance testing, the cable must support transmission speed up to

10Gbps at a distance of up

to 550-meters with an 850nm vertical cavity surface with IEEE 802.ae standard. " Compliance - the components are designed and tested to conform to the fiber and cable performance requirements of TIA 568, ISO 11801, Telcordia GR-409-CORE and ICEA-596 standards. All cables have UL or ETL fire safety listings to either OFNR (UL-1666/CSA FT4) or OFNP (NFPA-262/UL 910/CSA FT6).

- 5. Cable Standard compliance should be: " Modular Jacks meet or exceed ANSI/TIA-568-C.2 and ISO/IEC 11801 requirements " Cable Qualification qualified against IEC 61156-5 Cat.6. EN 50288-6- 1 and TIA-568C.2 " Cable Size - the UTP Cable diameter must be 5.6-mm (AWG24) Other feature - the UTP Cable must have cross-web filler to separate the airs.
- 6. Patch Panel:

 " Contact Plating

 Specification the patch
 panel contacting plating of
 the modular jacks shall
 have a minimum thickness
 of 1.3-mtr of hard gold in
 accordance with FCC CFR47
 Part 68.5

 " Plug Insertion Life the
 patch panel modular patch
 panel will have a plug
 insertion life of Level B,

reliability to IEC 60603-7.

7. Patch Cord:

" Factory Prefabricated -Cat.6 patch cords must be machine fabricated. " Matching - the type of patch cords and system leads shall be AWG28 or known commonly as small diameter patch cord. " Documentation Termination Record - all terminations must be documented and properly delivered to the end-user upon turnover and will be the basis of maintenance and troubleshooting.

8. Horizontal Manager: " Mountable to a standard 19" EIA Racks and Cabinets:

- " Copper conductors in the cable pairs are stranded for superior flexibility and compacted to a near-round shape for optimum signal strength.
- " Exceeds ANSI/TIA Cat.6 performance requirements. " Up to 32% smaller outer diameter than other patch cords.
- " Enhanced flexibility, which notably improves handling and circuit tracing.
- " Flexible strain relief boot maintains proper bend radius to ensure peak performance.

9. Compliant:

" The connectivity must be compliant to PoE meeting IEEE 802.3af and IEEE

802.3at for PoE applications. The Connectivity must be 100% performance tested for confidence that each patch cord delivers specified performance wire map, NEXT and return loss. 10. Network Infrastructure Hardware " Core Switch Additional Module and Services Support - Must be compatible to the existing Core Switch (HP 10504 Switch) - Minimum requirements for exiting Core Switch: " Additional 1 unit, 24 Ports 1/10Gig Base-T Module " Additional 21 unit, 10Gig SFP+ Transceivers " Additional 3 Years, NBD Support and services for 10500 Swich " IDF Switch - Minimum Specs, consists of a IU height switch with: " 48 fixed 10/100/1000 PoE+ Gig-T ports " 4 SFP+ fixed 1,000/10,000 ports " 1 dual-personality (RJ-45 or USB micro-B) serial console port " Dual Power Supply (redundancy must be included) Full L2 with lite Layer 3 switch - Memory and Processor: " 2Gb SDRAM, Packet Buffer size: 4Mb, 512Mb flash - Performance: " Throughput: up to 190

million pps

"Switching capacity: 216Gbps "MAC address table size, 32000 entries - Management: "Command-Line Interface (CLI) "Web Graphical User Interface (GUI) "SNMPv1 / v2c / v3 - Security: "Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Ifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch - Memory and Processor:		
" MAC address table size, 32000 entries - Management: " Command-Line Interface (CLI) " Web Graphical User Interface (GUI) " SNMP1 / v2c / v3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" Switching capacity:	
32000 entries - Management: " Command-Line Interface (CLI) " Web Graphical User Interface (GUI) " SMMPv1 / v2c / v3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000/Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	216Gbps	
32000 entries - Management: " Command-Line Interface (CLI) " Web Graphical User Interface (GUI) " SMMPv1 / v2c / v3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000/Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" MAC address table size.	
- Management: " Command-Line Interface (CLI) " Web Graphical User Interface (GUI) " SNMPv1 / v2c / v3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	•	
"Command-Line Interface (CLI) "Web Graphical User Interface (GUI) "SNMPv1 / v2c / v3 - Security: "Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	32000 CHAILES	
"Command-Line Interface (CLI) "Web Graphical User Interface (GUI) "SNMPv1 / v2c / v3 - Security: "Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	- Management:	
(CLI) " Web Graphical User Interface (GUI) " SNMPv1 / v2c / v3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	_	
"Web Graphical User Interface (GUI) "SNMPv1 / v2c / v3 - Security: "Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch		
Interface (GUI) " SNMPV1 / V2C / V3 - Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDS Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
"SNMPv1 / v2c / v3 - Security: "Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDS Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	•	
- Security: " Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	` ,	
"Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: "VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: "Must have Open-Flow support "Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	" SNMPv1 / v2c / v3	
RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	- Security:	
802.1X, MAC address lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" Access Control lists (ACL),	
lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDS Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	RADIUS/TACACS+, IEEE	
lockout, Port Security - Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDS Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	802.1X, MAC address	
- Layer-2 Switching: " VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	•	
" VLANs - provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	•	
for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	•	
VLAN IDs Jumbo Packet support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
support: 9k from size Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	•	
- Other Features: " Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig-T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
" Must have Open-Flow support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig-T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	• •	
support " Support virtual resilient switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
"Support virtual resilient switching fabric technology "Green IT Certification "Must have free software downloaded via the Internet "IDF Switch (other components): - Minimum requirements: "Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: "24 fixed 10/100/1000Gig-T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	-	
switching fabric technology " Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	• •	
" Green IT Certification " Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
" Must have free software downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	5,	
downloaded via the Internet " IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
" IDF Switch (other components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
components): - Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
- Minimum requirements: " Comply 18 units of IOG SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" IDF Switch (other	
"Comply 18 units of IOG SFP+ LC SR Transceiver "Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports "1 port Expansion Module slots "2 Power Supply slots (Redundancy must include) "Full L3 Switch	components):	
SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	- Minimum requirements:	
SFP+ LC SR Transceiver " Comply Lifetime Warranty for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" Comply 18 units of IOG	
for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	SFP+ LC SR Transceiver	
for the Switch 11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	" Comply Lifetime Warranty	
11. New DR Core Switch - Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	. ,	
- Minimum Specs, consists of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	11. New DR Core Switch	
of IU height switch with: " 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
" 24 fixed 10/100/1000Gig- T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	· · · · · · · · · · · · · · · · · · ·	
T ports with 4 SFP+ ports " 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	_	
" 1 port Expansion Module slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
slots " 2 Power Supply slots (Redundancy must include) " Full L3 Switch	· ·	
" 2 Power Supply slots (Redundancy must include) " Full L3 Switch		
(Redundancy must include) " Full L3 Switch		
" Full L3 Switch		
	•	
- Memory and Processor:		
	- Memory and Processor:	

" 2Gb SDRAM, Packet Buffer	
size: 4Mb, 512Mb flash	
- Performance:	
" Throughput: up to 200	
million pps	
" Switching capacity:	
280Gbps	
" MAC address table size	
32000 entries	
- Management:	
" Command-Line Interface	
(CLI)	
" Web Graphical User	
Interface (GUI)	
" SNMPv1/v2c/v3	
- Security:	
" Access Control lists (ACL),	
RADIUS/TACACS+, IEEE	
802.1X, MAC address	
lockout, Port Security	
- Layer 2 & 3 Feature Set:	
" Layer 2: VI-AN	
" GARP VI-AN Registration	
Protocol	
" Internet Group	
Management Protocol	
(IGMP) and Mutlicast	
Listener Discovery (MLD)	
protocol snooping	
· · ·	
" Spanning Tree/MSTP,	
RSTP, STP Root Guard	
" Layer 3	
" Static IPv4 routing/IPv6	
routing	
" Routing Information	
Protocol (RIP), policy-based	
routing	
" Open shortest path first	
(OSPFv3)	
- Other Features:	
" Support virtual resilient	
switching fabric technology	
" Green IT Certification	
" Must have free software	
update, downloaded via the	
internet	

12. New DR Core Switch	
(Other components)	
" Comply 2 units of IOG	
SFP+ LC SR Transceiver	
" Comply Lifetime Warranty	
for the Switch	
13. Wireless Access Point &	
Controller	
- Minimum Specification for	
Access Point:	
" Must be, Dual-Radio, IEEE	
802.11ac, 2.4 GHz MIMO	
•	
(300Mbps max. rate) and 5	
GHz MIMO (1300Mbps max.	
rate) radios, and three	
omnidirectional downtilt	
antennas.	
" Must be a Controller-	
based Access Point.	
" Must be compatible to the	
PoE+ Switch with IEEE	
803.at compliance	
- Antennas:	
" Three (3) integrated	
down-tilt omnidirectional	
antennas for 3x3 MIMO with	
peak antenna gain of 3.9dBi	
in 2.4GHz and 5.4dBi in	
5GHz.	
- Power:	
" Maximum power	
consumption: 13-watts	
(PoE) or 11-watts	
" Power over Ethernet	
(PoE): 48-Vdc (nominal),	
802.3af/3at compliant	
source	
- Minimum Specification for	
Controller:	
" Four (4) Dual SFP or	
100Base-T Ports with 2	
SFP+ Ports, supports up to	
250 AP and 8,000 clients,	
with integrated AC power	
supply	
- Performance and	
Capacity:	

" Must be support up to 250 AP license maximum " Must have firewall features for mobility wireless " Must have 6094 VI-AN supported " Must have 8,000	
1	

I hereby commit to comply with all the above technical specifications and provisions in the Terms of Reference and/or Bid Bulletin, if any.

Name and Signature of Bidder / Authorized Representative

TERMS OF REFERENCE

TERMS OF REFERENCE

INTRODUCTION

The fiber backbone of PLP campus is a foundation of the future establishment of a SMART PLP. In addition, the university has migrated into online system at the onset of the COVID-19 Pandemic, which also needs additional ICT investments to further enhance the user experience. It is in this light that PLP-Pamantasan ng Lungsod ng Pasig is seeking for experienced, potential supplier/service providers that can provide our needed requirements for the provision of upgraded Fiber Backbone hardware equipment and its components including but not limited to, configuring the hardware, knowledge transfer of hardware subsystem and monitoring, bandwidth management, and others which can offer in a reasonable cost in accordance with provisions of Republic Act (RA) No.9184 and its Revised Implementing Rules and Regulations (IRR).

SCOPE

- The Awarded Bidder must provide supply of labor and materials for the Network Infrastructure: Improved and Upgraded Fiber Backbone (with complete components and accessories)
- The Awarded Bidder must provide structured cabling service (MDFs IDFs), installation of hardware equipment and networking devices, installation and configuration (including brackets and accessories including pipes, if needed) and other necessary accessories.

RATIONALE

1. As the PLP responds to the unprecedented disruptions brought by COVID-19 Pandemic, the modalities in the delivery of teaching and learning, research and extension services including the support to operations are greatly affected. This scenario gives an opportunity for the university to strategize its operations, maximizing the utilizations of its limited resources in order to have an optimum outcome. However, with the current PLP network status, the delivery of flexible learning not at its finest due to the limited Information and Communications Technology (ICT) infrastructure.

OBLIGATIONS & RESPONSIBILITIES

A. PAMANTASAN NG LUNGSOD NG PASIG

- Assists the Awarded Bidder during the implementation stage.
- Will inspect the equipment deployed and installed, integrity of the hardware, and must have complete component and accessories.
- PLP reserves the right to contact the Awarded Bidder for any defects and/or malfunctions of the supplied materials, which covers the agreed warranty period, including any/or negligence sought by the Awarded Bidder.
- 4. PLP has the right to impose penalties to the Awarded Bidder in case of delays and/or irregularities of the service and performance of the All-Hardware Equipment and Software Platforms due to the compatibility issues, data transport errors, obstructions, if any or defective equipment based on the approved Bill of Materials.

B. BIDDER'S DELIVERABLES

- 1. Install Fiber Backbone and Fiber Connection of PLP Building
- 2. Responsible for the Installation and Configuration of all hardware components.
- 3. Hardware replacement for any defective equipment within the duration of the agreed warranty period.
- 4. Provide Structured Cabling service.
- 5. The Awarded Bidder shall guarantee that all the Supplied Networking Devices, hardware equipment, cables, accessories must have a warranty period of Three (3) years for part and accessories and One (1) year for services.
- 6. The Awarded Bidder must submit to PLP all product documentation related to the supplied hardware equipment & its components (i.e.: User Guide, Product Manual, Warranty Cards per equipment, etc.).
- The Awarded Bidder must coordinate with PLP after the installation of the new networking devices before connecting to the existing infrastructure.
- 8. The Awarded Bidder must provide all the requirements needed by PLP the information of the products and/or materials used for the PLP Network Project thru email or hardcopies, the technical specifications of the product or equipment & operation guides.
- 9. The Awarded Bidder shall quote in Philippine Peso currency and should be VAT inclusive.
- 10. The Bidder must conduct an ocular inspection and survey (of the whole PLP Structured Cabling Network project), so that they can formulate a list of BoM (Bill ofMaterials) in relation to the equipment to be installed, detailed Survey and Design Plan.
- 11. The Awarded Bidder must submit as per Detailed Implementation Schedule the proper, Daily, Weekly and Monthly Reports/Documentations to PLP for careful review and validation.
- Final As-Built Plan with Schematic Line Diagram and Final As-Built Plan on the Wireless Backhaul Connectivity (if changes have been applied).
- 13. Final Network / Structured Cabling Diagram.

C. MATERIALS / EQUIPMENTS

n No.	Description	Qty	Unit
1	Fiber Optic Laying	2000	mtrs
2	4 Core Fiber Optic Cable SM Outdoor	2000	mtrs
3	4 Port ODF SC Loaded w/ Couler Rackmount	9	pcs
4	24 Port ODF SC Loaded w/ Coupler Rackmount	2	Unit s
5	SC Pigtail SM 1M	72	Pcs
6	Fiber Patchcord SM 9/125 2M	16	Pcs
7	24 Port POE Switch with 2SFP Port USW-Pro24- POE	9	Pcs
8	1.5Ft Wallmounted Data Cabinet	9	unit s
9	16 Port Core Switch XG 16 Core	1	Pc
10	PVC Pipe 1"	150	pcs
11	PVC Pipe 1 1/2	50	Pcs
12	PVC Pipe 3/4"	180	Pcs
13	Pull Box	25	Pcs
14	SFP Module SM		
15	Fiber Splicing and Testing	72	Cor e
16	Labor and Engineering	1	Lot
17	Consumable Materials (Connector, Ties, Tapes and Screw)	1	
18	Mobilization and Demobilization	1	Lot
	Accessories	1 lot	
1	SFP Module - SM-10G-BiDi		
2	2m 10G SFP+ DAC, SFP Cables		
3	SC/PC Duplex SM Adapter		
4	FO Pigtail SC-UPC 1.5 meters		
5	Fusion Sleeve		
6	Patch Cord Cat6 1meter Slimline		
7	RJ45 1G Module		

D. TECHNICAL SPECIFICATIONS

- Cable Standard compliance should be:
 - AZ/NZS 3080 Generic cabling for customer premises ISO/IEC 11801.
 - TSO/TEC 60794-1-2 Fiber optic testing methods.
 - ITU-T Recommendations recommendations for G.651 OMI, OM2, and OM3.

2. Optical Fiber Specifications should be:

- Fiber Core the optical fiber must have a 50/125-µm fiber OM3.
- Minimum Bandwidth the optical fiber minimum bandwidth should be >2000MHz kilometer @ 850-nm laser & >5000MHz kilometer at 1300-nm overfilled LED.
- Numerical aperture the fiber numerical aperture should be at a minimum 0.200 lus and minus 0.015.
- Core core diameter: 50 plus and minus 3 μm.
- Zero Dispersion Slope must be <0.101 ps/(nm²-kilometer).

3. Termination Module:

- Mounting the 19" rack mount fiber termination unit shall consist of a frame mountable housing for terminating and/or splicing fiber optic cables and allow for the organization of the fiber optic interconnections.
- Slots Termination the 19" rack mounting unit should be either 12 or 24ports for one (1) rack unit and can be either, a fixed position unit or have a slide or swing tray to improve access.

4. Patch Cords:

- Fiber Core the patch must consist of one or two single, tight, buffered, multi-mode graded index fiber with 50-micron core & 125-micron cladding to suit the installed OM3 fiber optic cabling.
- Return Loss the patch cord must have SPC polish, typical >40dB.
- Factory-Terminated Connectors the patch cords should be factory terminated with LC ceramic connectors at each end.
- Minimum Bending Radius the specification for bending radius should be 25-mm.

- Cable OD the specific cable OD can be 2-mm or 3-mm.
- Tensile Strength the tensile strength must be 45N
- Connectors the connectors must be a multi-mode SC to LC patch cord.
- Cable Performance Testing on the note of performance testing, the cable must support transmission speed up to 10Gbps at a distance of up to 550-meters with an 850-nm vertical cavity surface with IEEE 802.ae standard.
- Compliance the components are designed and tested to conform to the fiber and cable performance requirements of TIA 568, ISO 11801, Telcordia GR-409-CORE and ICEA-596 standards. All cables have UL or ETL fire safety listings to either OFNR (UL-1666/CSA FT4) or OFNP (NFPA-262/UL 910/CSA FT6).

5. Cable Standard compliance should be:

- Modular Jacks meet or exceed ANSI/TIA-568-C.2 and ISO/IEC 11801 requirements
- Cable Qualification qualified against IEC 61156-5 Cat.6. EN 50288-6-1 and TIA-568C.2
- Cable Size the UTP Cable diameter must be 5.6-mm (AWG24)
- Other feature the UTP Cable must have cross-web filler to separate the airs.

6. Patch Panel:

- Contact Plating Specification the patch panel contacting plating of the modular jacks shall have a minimum thickness of 1.3-mtr of hard gold in accordance with FCC CFR47 Part 68.5
- Plug Insertion Life the patch panel modular patch panel will have a plug insertion life of Level B, reliability to IEC 60603-7.

7. Patch Cord:

- Factory Prefabricated Cat.6 patch cords must be machine fabricated.
- Matching the type of patch cords and system leads shall be AWG28 or known commonly as small diameter patch cord.
- Documentation Termination Record all terminations must be documented and properly delivered to the end-user upon turnover and will be the basis of maintenance and troubleshooting.

8. Horizontal Manager:

- Mountable to a standard 19" EIA Racks and Cabinets:
 - Copper conductors in the cable pairs are stranded for superior flexibility and compacted to a near-round shape for optimum signal strength.
 - ✓ Exceeds ANSI/TIA Cat.6 performance requirements.
 - ✓ Up to 32% smaller outer diameter than other patch cords.
 - ✓ Enhanced flexibility, which notably improves handling and circuit tracing.
 - ✓ Flexible strain relief boot maintains proper bend radius to ensure peak performance.

9. Compliant:

- The connectivity must be compliant to PoE meeting IEEE 802.3af and IEEE 802.3at for PoE applications. The Connectivity must be 100% performance tested for confidence that each patch cord delivers
- specified performance wire map, NEXT and return loss.

10. Network Infrastructure Hardware

- Core Switch Additional Module and Services Support
 - Must be compatible to the existing Core Switch (HP 10504 Switch)
 - Minimum requirements for exiting Core Switch:
 - √ Additional 1 unit, 24 Ports 1/10Gig Base-T Module
 - ✓ Additional 21 unit, 10Gig SFP+ Transceivers
 - ✓ Additional 3 Years, NBD Support and services for 10500 Swich
- IDF Switch
 - Minimum Specs, consists of a IU height switch with:
 - √ 48 fixed 10/100/1000 PoE+ Gig-T ports
 - √ 4 SFP+ fixed 1,000/10,000 ports
 - √ 1 dual-personality (RJ-45 or USB micro-B) serial console port
 - ✓ Dual Power Supply (redundancy must be included)
 - ✓ Full L2 with lite Layer 3 switch
 - Memory and Processor.
 - ✓ 2Gb SDRAM, Packet Buffer size: 4Mb, 512Mb flash
 - Performance:
 - ✓ Throughput: up to 190 million pps
 - ✓ Switching capacity: 216Gbps
 - ✓ MAC address table size, 32000 entries

- Management:
 - ✓ Command-Line Interface (CLI)
 - ✓ Web Graphical User Interface (GUI)
 - √ SNMPv1 / v2c / v3
- Security:
 - ✓ Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security
- Layer-2 Switching:
 - ✓ VLANs provides support for 512 VLANs, and 4,094 VLAN IDs Jumbo Packet support: 9k from size.
- Other Features:
 - ✓ Must have Open-Flow support
 - ✓ Support virtual resilient switching fabric technology
 ✓ Green IT Certification

 - ✓ Must have free software downloaded via the Internet
- IDF Switch (other components):
 - Minimum requirements:
 - ✓ Comply 18 units of IOG SFP+ LC SR Transceiver
 - ✓ Comply Lifetime Warranty for the Switch

11. New DR Core Switch

- Minimum Specs, consists of IU height switch with:
 - ✓ 24 fixed 10/100/1000Gig-T ports with 4 SFP+ ports
 - ✓ 1 port Expansion Module slots
 - ✓ 2 Power Supply slots (Redundancy must include)
 - ✓ Full L3 Switch
- Memory and Processor:
 - ✓ 2Gb SDRAM, Packet Buffer size: 4Mb, 512Mb flash
- Performance:
 - ✓ Throughput: up to 200 million pps
 - ✓ Switching capacity: 280Gbps
 - ✓ MAC address table size 32000 entries
- Management:
 - ✓ Command-Line Interface (CLI)
 - √ Web Graphical User Interface (GUI)
 - ✓ SNMPv1/v2c/v3
- Security:
 - ✓ Access Control lists (ACL), RADIUS/TACACS+, IEEE 802.1X, MAC address lockout, Port Security
- Layer 2 & 3 Feature Set:
 - ✓ Layer 2: VI-AN
 - ✓ GARP VI-AN Registration Protocol
 - ✓ Internet Group Management Protocol (IGMP) and Mutlicast Listener Discovery (MLD) protocol snooping
 - ✓ Spanning Tree/MSTP, RSTP, STP Root Guard
 - ✓ Layer 3
 - ✓ Static IPv4 routing/IPv6 routing
 - ✓ Routing Information Protocol (RIP), policy-based routing
 - ✓ Open shortest path first (OSPFv3)

E. System and Equipment Warranty

Warranty starts from the date of acceptance. Warranty includes version upgrades and updates.

Warranty coverage are as follows:

- 1-year Warranty for Structured Cabling System
- 1-year Warranty for IDF Switches
- One (1) year Warranty on all other equipment/system not specifically not mentioned before
- 1-year, 8x5, Technical Onsite Support with 4-hours Response Time for Switch and Access Point during the Warranty period of one (1) year.
- Replacement of units shall be made operational and configured within twenty four (24) hours upon receipt of report through telephone call, SMS text, email or any other mode of communications within the warranty period.

The warranty certificates shall include the Service Level Agreement (SLA) and specific terms of the warranty that will be implemented during the warranty periods of every component.

Items to be Bid

1	1	lot	1,190,000.00 TOTAL	, .	Installation, Testing and Commissioning of Fiber Backbone and Wireless Network
ITEM NO	QTY	UOM	APPROVED UNIT PRICE (PHP)	APPROVED BUDGET FOR THE CONTRACT (PHP)	DESCRIPTION

Note: The prices per item in the total bid offer (regardless if the project is considered as one contract or several lots) must not exceed the approved unit price per item.

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

□ (a) Valid PhilGEPS Certificate of Platinum Registration and Membership with additional caveat in accordance with Section 8.5.2 of the 2016 Revised IRR of RA 9184 amended through GPPB Resolution No. 15-2021, provided that all of Class "A" eligibility documents submitted to PhilGEPS are maintained and updated;

<u>Technical Documents</u>

- □ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- ☐ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

or

Original copy of Notarized Bid Securing Declaration; and

 □ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, brand name, if applicable;

<u>and</u>

- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS);

 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
- \Box (g) Bid Bulletin/s, if any;

Financial Documents

☐ (h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

☐ (i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (j) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (k) Certification from the DTI if the Bidder claims preference asa Domestic Bidder or Domestic Entity.

II.FINANCIAL COMPONENT ENVELOPE

- \square (I) Original of duly signed and accomplished Financial Bid Form; and
- ☐ (m) Original of duly signed and accomplished Price Schedule(s).

Bidding Forms

APPENDIX "1"

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM
Date : Project Identification No. :
To: [name and address of Procuring Entity]
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
 to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
 to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of agent Currency Commission or gratuity
(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

			For C	Goods Offered	from Abr	oad		
Name o	of Bidder _			P	roject ID	No	Page	of
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
Ü	·			and behalf of:				

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Nar	ne of Bidder_			Pro	oject ID No)	_Pageof		
	1 2	3	4	5	6	7	8	9	
It	em Description	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 4+5+6+7)	Total Price delivered Final Destination (col 8) x (col 3)	
Name:									
Leg	Legal Capacity:								
	Signature:								
Dul	Duly authorized to sign the Bid for and behalf of:								

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working

Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - Making an estimate of the facilities available and needed for the contract to be bid, if any;
 and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I	have	hereunto	set	my	hand	this	day	of_	,	20_	at
	,	Philippines.												

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Republic of the Philippines BIDS AND AWARDS COMMITTEE City Government of Pasig

Name of Bidder:	
Project Name:	
Approved Budget for the Contract:	
Note: For Lot Bidding, specify the lot number/s that the bidder will participate in, and its corresponding ABC	
Bidding Date:	

Note: Checklist to be filled-up by the BAC only

I. TECHNICAL COMPONENT ENVELOPE FOR THE PROCUREMENT OF GOODS AND SERVICES

CLASS "A" DOCUMENTS							
LEGAL DOCUMENTS	PASS	FAIL	REMARKS				
a. Valid PhilGEPS Certificate of Platinum Registration and Membership with additional caveat in accordance with Section 8.5.2 of the 2016 Revised IRR of RA 9184 amended through GPPB Resolution No. 15-2021, provided that all of Class "A" eligibility documents submitted to PhilGEPS are							
maintained and updated							
TECHNICAL DOCUMENTS							
b. Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid							
c. Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3. and 23.4.2.4 of the 2016 revised IRR of RANo. 9184, within the relevant period as provided in the Bidding Documents							
d. Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission OR Original copy of Notarized Bid Securing							
Declaration							
e. Conformity with the Technical Specifications, which may include							

	production/delivery schedule,			
	manpower requirements, and/or			
	after-sales/parts, if applicable			
f. (Original duly signed Omnibus Sworn			
	Statement (OSS) and if applicable,			
	Original Notarized Secretary's			
	Certificate in case of a corporation,			
	partnership, or cooperative; or			
	Original Special Power of Attorney of			
	all members of the joint venture,			
	whichever is applicable, giving full			
	power and authority to its officer to			
	sign the OSS and do acts to			
	represent the Bidder			
g.	Bid Bulletin/s, if any			
9.	Dia Bancan, of it arry			
FII	NANCIAL DOCUMENTS			
h.	The prospective bidder's			
	computation of Net Financial			
	Contracting Capacity (NFCC) OR			
	3 · / · / —			
A	committed Line of Credit from a			
	Universal or Commercial Bank in lieu			
	of its NFCC computation			
CL	ASS "B" DOCUMENTS			
i.	If applicable, a duly signed joint			
	venture agreement (JVA) in case the			
	joint venture is already in existence			
	OR duly notarized statements from			
	all the potential joint venture			
	partners stating that they will enter			
	into and abide by the provisions of			
	the JVA in the instance that the bid			
	is successful			
01	THER DOCUMENTARY			
RE	QUIREMENTS UNDER RA 9184			
	S APPLICABLE)			
	[For foreign bidders claiming by			
_	reason of their country's extension			
	of reciprocal rights to Filipinos]			
	Certification from the relevant			
	government office of their country			
	stating that Filipinos are allowed to			
	participate in government			
	procurement activities for the same			
	item or product			
k.	Certification from the DTI if the			
	Bidder claims preference as a			
	Domestic Bidder or Domestic Entity			
				1
	NOTE: Any missing document/s on the .	ahaya manti	anad chackli	ct ic a ground for outright

NOTE: Any missing document/s on the above-mentioned checklist is a ground for outright disqualification / rejection of the bid.

TECHNICAL PROPOSAL RATING	REMARKS
☐ PASSED	
☐ FAILED	

II.FINANCIAL COMPONENT ENVELOPE FOR THE PROCUREMENT OF GOODS AND SERVICES

Original of duly signed and	PASS	FAIL	REMARKS
 Original of duly signed and accomplished Financial Bid Form 			
m. Original of duly signed and accomplished Price Schedule(s)			
OTE: Any missing document/s on t outright disqualification / reje			ecklist is a ground for
FINANCIAL PROPOSAL RATING	G		REMARKS
☐ PASSED			
FAILED			
eturned because of disqualification hecklist therein.	due to defic	iencies and ı	non-compliance with
eturned because of disqualification hecklist therein. Signature Over Printed Name of	due to defic	iencies and ı	non-compliance with
eturned because of disqualification hecklist therein.	due to defic	iencies and ı	non-compliance with
eturned because of disqualification hecklist therein. Signature Over Printed Name of	due to defic	iencies and i	non-compliance with
eturned because of disqualification hecklist therein. Signature Over Printed Name of CHECKED AND V	Representative Representative BY:	iencies and i	non-compliance with
Signature Over Printed Name of CHECKED AND V ATTY. JOSEPHINE C Chairperson ATTY. DIEGO LUIS S	Representative Repres	iencies and i	non-compliance with
Signature Over Printed Name of CHECKED AND V ATTY. JOSEPHINE C Chairperson ATTY. DIEGO LUIS S Vice Chairperson DR. EMMA M. SANCI	Representative Repres	iencies and i	non-compliance with
Signature Over Printed Name of CHECKED AND V ATTY. JOSEPHINE C Chairperson ATTY. DIEGO LUIS S Vice Chairperson DR. EMMA M. SANCI Member DR. JEANNA V. PLES	Representative Repres	iencies and i	non-compliance with
CHECKED AND V ATTY. JOSEPHINE C Chairperson ATTY. DIEGO LUIS S Vice Chairperson DR. EMMA M. SANCI Member DR. JEANNA V. PLES Member ENGR. JOHNNY L. C	Representative Repres	iencies and i	non-compliance with

ATTY. PONCE MIGUEL D. LOPEZ Officer in Charge, Procurement Management Office

NFCC COMPUTATION FOR ELIGIBILITY CHECK

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

	Year 20
1. Total Assets	
2. Current Assets	
3. Total Liabilities	
4. Current Liabilities	
5. Net Worth(1-3)	
6. Net Working Capital(2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC= [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements (AFS) submitted to the BIR.

NFCC=P
Submitted by:
Name of Supplier/Distributor/Manufacturer:
Signature of Authorized Representative:
Date:

STATEMENT OF THE SINGLE LARGEST COMPLETED CONTRACT

Business Name:

	of Date of Delivery (Please indica actual date delivery)
	Kinds of Amount Goods Contract
	Kinds of Goods
	Contract Owner's Name Contact Person Kinds of Amount Period and Address and Contact Goods Contract Details (Tel./Cell No. and/or Email Address)
	Owner's Name and Address
	Contract
	Date of the Contract
Business Address:	Name of the Contract

indicate date of

NOTE:

This statement shall be supported with:

- 1. Certificate of Completion or End-user's acceptance; or
 - 2. Official receipt(s); or
 - 3. Sales invoice.

For purposes of post-qualification, bidders are required to attach the entire set of the Contract, Purchase Order or Memorandum of Agreement, Notice of Award and Notice to Proceed to the Statement Identifying the SLCC.

STATEMENT OF ALL ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

Business Address:

Business Name:

Amount of Value of Contract Outstanding Contracts					
Amount of Contract					
Date of Delivery (Please indicate estimated date of delivery)					Total
Goods Goods					
Contact Person and Contact Details (Tel./Cell No. and/or Email Address)					100
Owner's Name and Address					
t Period					
Date of the Contract	tracts:));
Name of the Contract	Government Contracts:		Private Contracts:		

Submitted by:



annex "A"

