

#### **BID BULLETIN NO. 04**

Date:

29 September 2023

ITB No.:

bac-23-0908d

Project Name:

Supply and Delivery of Various Medical Supplies for the

Use of PCGH and PCCH (Rebid)

ABC: Php10,925,680.00

#### To all prospective bidders:

This Bid Bulletin is issued to clarify, supplement, modify and/or revise the particular sections in the Bid and Contract Documents as stipulated in the Bidding Documents issued on 08 September 2023. The Bidders shall take note of the following items carefully and consider them in the preparation of their bid proposals, as they shall form part of the CONTRACT DOCUMENTS.

| Item | Previou  | s Specification/   | Amendment/Response to  |  |
|------|--|--|--|--|
|      | Clarification  | /Request to Consider   | Clarification  |  |
| 1    | PREVIOUS<br>INVITATION<br>BULLETIN NO  | SECTION I. TO BID / BID OS. 02 AND 03  | AMENDMENT TO SECTION I. INVITATION TO BID / BID BULLETIN NOS. 02 AND 03  |  |
|      | Budget CY 2<br>sum of Ten<br>Pesos Only<br>being the A<br>the contra<br>Delivery of<br>for the Us<br>(Rebid). Bid<br>the ABC | GOVERNMENT OF hrough the Executive 2023 intends to apply the Million Nine Hundred Try (Php 10,925,680.00) ABC to payments under ct for the Supply and Various Medical Supplies se of PCGH and PCCH ds received in excess of for each lot shall be ally rejected at bid | sum of Ten Million Nine Hundred T<br>Pesos Only (Php 10,925,680.00)<br>being the ABC to payments under<br>the contract for the Supply and<br>Delivery of Various Medical Supplies<br>for the Use of PCGH and PCCH<br>(Rebid). Bids received in excess of |  |

PANAHON NG PASIGUEÑO

| ITEM   | DESCRIPTION       | ABC (PHP)    |
|--------|-------------------|--------------|
| NO.    |                   |              |
| LOT 60 | -BLOOD            | 4,399,600.00 |
| COLLEC | TION SUPPLIES     |              |
| WITH   | PROVISION OF CPR  |              |
| OR COL | -                 |              |
| 5      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.25 to 0.5 ml    |              |
| 6      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.5 to 0.8ml      |              |
| 7      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.5ml to 1.0 ml   |              |
| 8      | Capillary blood   |              |
|        | collection tubes, |              |
|        | 0.5 to 0.8 ml     |              |
| 9      | ESR Pipette with  |              |
|        | Adapter and       |              |
|        | graduation        |              |
| 10     | Evacuated tube,   |              |
|        | 3.2% Sodium       |              |
|        | Citrate           |              |
| 11     | Evacuated tube,   |              |
|        | plastic with      |              |
|        | separator         |              |
| 12     | Evacuated tube,   |              |
|        | red top           |              |
| 13     | Evacuated         |              |
|        | Tubes, EDTA       |              |
| 14     | Multi-sample      |              |
|        | Needle with       |              |
|        | flash back        |              |

#### XXX XXX XXX

7. Bids must be duly received by the Procurement Management Office through manual submission at the office address indicated below, on or before October 02, 2023, 9:30 A.M. Late bids shall not be accepted.

#### XXX XXX XXX

 Bid opening shall be on October 02, 2023, 10:00 A.M at the given address below. Bids will be opened in the presence of the bidders'

|        |                   | 450(0)10     |
|--------|-------------------|--------------|
| ITEM   | DESCRIPTION       | ABC (PHP)    |
| NO.    |                   | CAA COO OO   |
|        | A-CAPILLARY       | 644,600.00   |
|        | COLLECTION        |              |
|        | ES AND PIPETTES   |              |
|        | ROVISION OF       |              |
| CPR OR |                   |              |
| 5      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.25 to 0.5 ml    |              |
| 6      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.5 to 0.8ml      |              |
| 7      | Capillary blood   |              |
|        | collection tube,  |              |
|        | 0.5ml to 1.0 ml   |              |
| 8      | Capillary blood   |              |
| }      | collection tubes, |              |
|        | 0.5 to 0.8 ml     |              |
| 9      | ESR Pipette with  |              |
|        | Adapter and       |              |
|        | graduation        |              |
| LOT 60 | B-BLOOD           | 3,755,000.00 |
| COLLEC | TION TUBES AND    |              |
| MULTI- | SAMPLE            |              |
| NEEDLI | ES WITH           |              |
| PROVIS | SION OF CPR OR    |              |
| COE    |                   |              |
| 10     | Evacuated tube,   | 1            |
|        | 3.2% Sodium       |              |
|        | Citrate           |              |
| 11     | Evacuated tube,   |              |
|        | plastic with      |              |
|        | separator         |              |
| 12     | Evacuated tube,   |              |
|        | red top           |              |
| 13     | Evacuated         |              |
|        | Tubes, EDTA       |              |
| 14     | Multi-sample      |              |
|        | Needle with       |              |
|        | flash back        | 1            |
|        | T                 | L            |

#### XXX XXX XXX

 Bids must be duly received by the Procurement Management Office through manual submission at the office address indicated below, onor before October 06, 2023, 9:30
 A.M. Late bids shall not be accepted. representatives who choose to attend the activity.

XXX XXX XXX

XXX XXX XXX

 Bid opening shall be on October 06, 2023, 10:00 A.M at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

XXX XXX XXX

#### 2 PREVIOUS REMINDERS / BID BULLETIN NO. 03

XXX XXX XXX

## BIDDING DOCUMENTS AND AVAILABILITY FEE

- Bidding Documents:
  - September 8, 2023 to October 02, 2023 until 9:30 AM
  - 8:00 am to 5:00 pm and upon payment of applicable fees for the Bidding Documents at the City Treasurer's Office

XXX XXX XXX

#### **REMINDERS:**

The deadline for the submission of bid is on October 02, 2023 (Monday) at 9:30 AM at the BAC Secretariat's Office, 4th Floor Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. The digital clock at the BAC Secretariat's Office that is set to the Philippine Time (PhST) shall used as reference in determining the time for the submission of bids, hence participating bidders are advised to synchronize their timepiece AMENDMENT TO REMINDERS / BID BULLETIN NO. 03

XXX XXX XXX

## BIDDING DOCUMENTS AND AVAILABILITY FEE

- Bidding Documents:
  - September 8, 2023 to
     October 06, 2023 until 9:30
     AM
  - 8:00 am to 5:00 pm and upon payment of applicable fees for the Bidding Documents at the City Treasurer's Office

XXX XXX XXX

#### REMINDERS:

The deadline for the submission of bid is on October 06, 2023
(Friday) at 9:30 AM at the BAC Secretariat's Office, 4th Floor Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. The digital clock at the BAC Secretariat's Office that is set to the Philippine Time (PhST) shall be used as reference in determining the time for the submission of bids, hence participating bidders are advised to synchronize their timepiece with the said digital clock. Late

with the said digital clock. Late bids or those who submitted after 9:30 AM of October 02, 2023 (Monday) shall not be accepted.

XXX XXX XXX

 Bid opening shall be on October 02, 2023 (Monday) at 10:00 AM at 7th Floor Meeting Room, Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. Bids will be opened in the presence of the bidders' representatives who choose to attend.

XXX XXX XXX

bids or those who submitted after 9:30 AM of October 06, 2023 (Friday) shall not be accepted.

#### XXX XXX XXX

Bid opening shall be on October
 06, 2023 (Friday) at 10:00 AM
 at 7th Floor Meeting Room, Pasig
 City Hall, Caruncho Ave., San
 Nicolas Pasig City. Bids will be
 opened in the presence of the
 bidders' representatives who
 choose to attend.

XXX XXX XXX

## 3 PREVIOUS SECTION II. INSTRUCTION TO BIDDERS

#### SCOPE OF BID

XXX XXX XXX

The Procurement Project (referred to herein as "Project") is composed of four (4) lots, the details of which are described in Section VII (Technical Specifications).

# 4 PREVIOUS SECTION VI. SCHEDULE OF REQUIREMENTS / ITEMS TO BE BID / BID BULLETIN NO. 02

| Item    | Description                    |  |  |  |  |
|---------|--------------------------------|--|--|--|--|
| No.     |                                |  |  |  |  |
| LOT 6   | 0- BLOOD COLLECTION            |  |  |  |  |
| SUPPLIE | SUPPLIES WITH PROVISION OF CPR |  |  |  |  |
| OR COE  |                                |  |  |  |  |
| 5       | Capillary blood collection     |  |  |  |  |
|         | tube, 0.25 to 0.5 ml           |  |  |  |  |
| 6       | Capillary blood collection     |  |  |  |  |
|         | tube, 0.5 to 0.8ml             |  |  |  |  |
| 7       | Capillary blood collection     |  |  |  |  |
|         | tube, 0.5 ml to 1.0 ml         |  |  |  |  |
| 8       | Capillary blood collection     |  |  |  |  |
|         | tubes, 0.5 to 0.8 ml           |  |  |  |  |

## AMENDMENT TO SECTION II. INSTRUCTION TO BIDDERS

#### 2. SCOPE OF BID

XXX XXX XXX

The Procurement Project (referred to herein as "Project") is composed of **five (5) lots**, the details of which are described in Section VII (Technical Specifications).

#### AMENDMENT TO SECTION VI. SCHEDULE OF REQUIREMENTS / ITEMS TO BE BID / BID BULLETIN NO. 02

| Item<br>No. | Description                                       |  |  |
|-------------|---|--|--|
| LOT         | 60A-CAPILLARY BLOOD                               |  |  |
|             | CTION SUPPLIES AND                                |  |  |
| PIPETT      | ES WITH PROVISION OF                              |  |  |
| CPR OR      | COE   |  |  |
| 5           | Capillary blood collection tube, 0.25 to 0.5 ml   |  |  |
| 6           | Capillary blood collection tube, 0.5 to 0.8ml     |  |  |
| 7           | Capillary blood collection tube, 0.5 ml to 1.0 ml |  |  |

|     | 9  | ESR Pipette with Adapter     | 8      | C<br>tı |
|-----|----|------------------------------|--------|---------|
|     |    | and graduation               |        | _       |
|     | 10 | Evacuated tube, 3.2%         | 9      | Е       |
|     |    | Sodium Citrate               |        | a       |
|     | 11 | Evacuated tube, plastic with | LOT 6  | OE      |
| 1   |    | TUBES                        |        |         |
|     | 12 | Evacuated tube, red top      | NEEDLE | S       |
|     | 13 | Evacuated Tubes, EDTA        | CPR OR | C       |
|     | 14 | Multi-sample Needle with     | 10     | E       |
|     |    | flash back                   |        | S       |
|     |    |                              | 11     | E       |
|     |    | N Company                    |        | S       |
|     |    |                              | 12     | E       |
| - 1 |    |                              |        | -       |

| 8                         | Capillary blood collection   |  |  |
|---------------------------|------------------------------|--|--|
|                           | tubes, 0.5 to 0.8 ml         |  |  |
| 9                         | ESR Pipette with Adapter     |  |  |
|                           | and graduation               |  |  |
| LOT 6                     | OB-BLOOD COLLECTION          |  |  |
| TUBES                     | AND MULTI-SAMPLE             |  |  |
| NEEDLES WITH PROVISION OF |                              |  |  |
| CPR OR COE                |                              |  |  |
| 10                        | Evacuated tube, 3.2%         |  |  |
|                           | Sodium Citrate               |  |  |
| 11                        | Evacuated tube, plastic with |  |  |
|                           | separator                    |  |  |
| 12                        | Evacuated tube, red top      |  |  |
| 13                        | Evacuated Tubes, EDTA        |  |  |
| 14                        | Multi-sample Needle with     |  |  |
|                           | flash back                   |  |  |

## 5 PREVIOUS SECTION VII. TECHNICAL SPECIFICATIONS / BID BULLETIN NO. 02

#### AMENDMENT TO SECTION VII. TECHNICAL SPECIFICATIONS/ BID BULLETIN NO. 02

| Item<br>No.   | Specification  |  |  |
|---|--|--|--|
| LOT 60- BLOOD COLLECTION SUPPLIES WITH PROVISION OF CPI |  |  |  |
| 5   | Capillary blood collection tube, 0.25 to 0.5 ml, K2/K3, EDTA, screw cap 100's  |  |  |
| 6   | Capillary blood collection tube, 0.5 to 0.8ml, gel separator, yellow top, screw cap, 100's                                       |  |  |
| 7   | Capillary blood collection tube, 0.5ml to 1.0 ml, 3.8% 9NC Sodium Citrate, blue top, screw cap, 100's                            |  |  |
| 8   | Capillary blood collection tubes, 0.5 to 0.8 ml, Lithium Heparin, screw cap, 100's   |  |  |
| 9   | ESR Pipette with Adapter and graduation, single use, 200's   |  |  |
| 10  | Evacuated tube, 3.2% Sodium Citrate, blue top, plastic, screw cap/patented, safety cap closure, 1.8 to 2 ml draw, 13 x 75, 100's |  |  |

| Item   | Specification   |  |  |
|--|---|--|--|
| No.  |   |  |  |
| the second secon | 50A-CAPILLARY BLOOD   |  |  |
| COLLEC   | TION SUPPLIES AND   |  |  |
| PIPETT   | ES WITH PROVISION OF  |  |  |
| CPR OR   |   |  |  |
| 5  | Capillary blood collection tube, 0.25 to 0.5 ml, K2/K3, EDTA, screw cap 100's                         |  |  |
| 6  | Capillary blood collection tube, 0.5 to 0.8ml, gel separator, yellow top, screw cap, 100's            |  |  |
| 7  | Capillary blood collection tube, 0.5ml to 1.0 ml, 3.8% 9NC Sodium Citrate, blue top, screw cap, 100's |  |  |
| 8  | Capillary blood collection tubes, 0.5 to 0.8 ml, Lithium Heparin, screw cap, 100's                    |  |  |
| 9  | ESR Pipette with Adapter and graduation, single use, 200's  |  |  |
| LOT 60B-BLOOD COLLECTION   |   |  |  |
| TUBES  | AND MULTI-SAMPLE  |  |  |
| NEEDLES WITH PROVISION OF  |   |  |  |
| CPR OR   | COE   |  |  |

| 11 | Evacuated tube, plastic with separator, clot activator, safety screw cap/patented safety cap closure, 3-4 ml                         | 10 | Evacuated tube, 3.2% Sodium Citrate, blue top, plastic, screw cap/patented, safety cap closure, 1.8 to 2                            |
|----|--|----|---|
| 12 | draw, 13 x 75, 100's  Evacuated tube, red top, plain, plastic, screw cap, 4 to 5 ml draw, 100's                                      | 11 | m! draw, 13 x 75, 100's  Evacuated tube, plastic with separator, clot activator, safety screw cap/patented                          |
| 13 | Evacuated Tubes, EDTA, K2/K3, Lavender top, plastic, 2ml draw, safety  | 12 | safety cap closure, 3-4 ml draw, 13 x 75, 100's  Evacuated tube, red top, plain, plastic, screw cap, 4                              |
| 14 | screw cap/patented safety cap closure, 13 x 75. 100's  Multi-sample Needle with flash back 21G x 1 to 23G x 1 100/pack with adaptors | 13 | to 5 ml draw, 100's  Evacuated Tubes, EDTA, K2/K3, Lavender top, plastic, 2ml draw, safety  |
|    |  | 14 | screw cap/patented safety cap closure, 13 x 75. 100's Multi-sample Needle with flash back 21G x 1 to 23G x 1 100/pack with adaptors |

Bidders who have already submitted bids are hereby informed that they are allowed to modify or withdraw their bids, if necessary, before the scheduled opening of bid envelopes.

For modifications in your original submitted bid, kindly submit new bidding documents (sealed and marked as "Modified Bid") and have these received at the Office of the Bids and Awards Secretariat. Bid modifications received after the deadline shall not be considered and shall be returned to the bidder unopened.

Conforme:

END-USER REPRESENTATIVE

Tie No paratte

Signature Over Printed Name

ATTY. JOSEPHINE C. LATI-BAGAOISAN