Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10247534

Procuring Entity CITY OF PASIG

Title Supply and Delivery of Various ICT Supplies – Pamantasan ng Lungsod ng Pasig

Area of Delivery Metro Manila

Solicitation Number:	100-23-06-1349	Status	Active
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods		
Category:	Information Technology	Bid Supplements	2
Approved Budget for the Contract:	PHP 203,500.00		
Delivery Period:	30 Day/s	Document Request List	8
Client Agency:			
Contact Person:	ATTY. PONCE MIGUEL D. LOPEZ Officer In Charge, Procurement Management Office	Date Published	23/10/2023
	Pasig City Hall, Caruncho Avenue, Barangay San Nicolas, Pasig City Metro Manila	Last Updated / Time	03/11/2023 14:31 PM
	Philippines 1600 63-2-86431111 Ext.1461	Closing Date / Time	08/11/2023 09:00 AM
	bidsandawards@pasigcity.gov.ph		

Description

Items Quantity / Units

- 1 UPS Battery Replacement-,
- 12V, 7.2Ah/20HR
- Valve Regulated Lead-Acid Battery
- Constant voltage charge
- Voltage regulation
- Cycle use: 14.5V-14.9V(25°C)
- (Initial current: less than 2.16A)
- Standby use: 13.6V-13.8V(25°C) 20 unit
- 2 NAS Hard Disk Drive 4TB (Red),
- 4-TB, 5400RPM 3.5 inch performance class,

NASware technology for compatibility,

- 3-year warranty 4 pcs
- 3 Solid State Drive 2.5 SATA (2TB),
- Read/write speeds of up to 560/530MB/s,
- 2.5 inch, 2TB storage 2 pcs
- 4 19" Touch Screen Monitor for Kiosk,
- Screen Size:19"

Interface Type:D-Sub,, USB Resolution:1280 x 1024: Number of Colors:16.2M View angle:H: 160 V: 140 Touch mode: Capacitive touchscreen System support: Windows, Linux, Mac, Raspberry Pi One (1) year warranty 1 unit 5 UTP Cable Cat6, - Category 6 UTP Solid cable 23 AWG (Solid) conductor Bare Copper metal HD-PE insulation material 6.1mm ±0.2 Optical diameter At least 5% Max resistance At least 330pF/100m unbalance capacitance 1 box 6 RJ-45 connector, - 8P8C RJ-45 Connector (8-pin connector) Through Hole (pass through) PCB mount socket Compatible with all CAT and UDP cable 100% CAT 6 compatible 100 pcs - DC 12V

7 CCTV 18 Channel Fused Centralized Distributed Power Supply with Box 18CH 12V 20A,

18 Output Switch Mode

Input Voltage: AC100-120V, AC220-240V

Output Current: 18x 1.5 mA fused outlets (30A Max)

Output Power:145W For Indoor Use Only 2 pcs

8 2.8mm 4 MP IR Fixed Dome network IP Camera,

- 2MP Dome IP CCTV Camera, 2.0 MP IR Network Dome Camera Must be 1/2.8" progressive scan CMOS, at least $1920 \times 1080@30$ fps,

At least 2.8 mm/4 mm fixed lens, H.265+/H.265/H.264+/H.264

Dual stream, Digital WDR (Wide Dynamic Range)

3D DNR (Digital Noise Reduction), Up to 30 m IR range

PoE (Power over Ethernet), IP67, IK10 6 pcs

9 Replacement of PABX Systems,

- Must be compatible to extend the existing Panasonic KX-NS300.

There can be up to 3 frames using the KX-NS320 side

with the KX-NS 300 frame.

Built-in extensions 16 regular (analog) function displays

the phone number to call.

2 card slots and 2 slots trunk extension cord.

Ability to equip subframe KX-NS320: 12-32 trunk extensions.

Port connected to the main frame. 1 unit

10 Corded Landline Telephone,

- Corded Telephone
- Single line
- Mute button
- Flash button
- Pause button
- Redial button
- Wall mountable
- Numeric keypad
- High and low ringer control
- Black color 10 unit
- 11 Heavy Duty Original Extension Cord,
- Cable wire with Surge Protector
- 6 Outlets w/ Individual Switch
- 1.75 meters 2 unit

12 Two-way Window Intercom System (Window Transaction),

- Input voltage: AC 110-240V
- Main sound (sub sound): at least 2W, 100Hz-15KHz
- Inside microphone: at least 48db 20Hz-20KHz
- Outside microphone; at least 48db 20Hz-16KHz
- Cable Length: at least 1.6m/5.25ft 3 unit

PRICE QUOTATION/S SHOULD BE PRINTED ON COMPANY'S OFFICIAL LETTERHEAD TOGETHER WITH THE FOLLOWING UPDATED DOCUMENTS;

- -Mayor's/Business Permit
- -PhilGEPS Registration Number
- -Income/Business Tax Return
- -Accomplished and notarized Omnibus Sworn Statement

(https://www.gppb.gov.ph/assets/forms/Omnibus%20Sworn%20Statement (Revised).docx)

-Proof of Authorization: Secretary's Certificate if corporation, or Special Power

Of Attorney, if individual

NOTE:	
TO BE SUBMITTED SEALED AND LABELED ON A LONG BRO	WN ENVELOPE, FOLLOWING THIS FORMAT AS FOLLOWS:
500	
FOR:	
ATTY. JOSEPHINE C. LATI-BAGAOISAN	
BAC Chairperson	
THRU:	
ATTY, PONCE MIGUEL D. LOPEZ	
Officer In Charge, Procurement Management Office	
4th Floor, Pasig City Hall,	
Caruncho Avenue,	
Pasig City	
D	
DATE:	
COMPANY'S NAME : Philgeps reference number :	
PROJECT TITLE :	
TROJECT TITLE :	
Remarks	
New closing date, November 08, 2023 at 9:00 AM	
Please be guided accordingly	
I I	

Created by ATTY. PONCE MIGUEL D. LOPEZ

Date Created 20/10/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

 $\ @$ 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap