

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number	10247534		
Procuring Entity	CITY OF PASIG		
Title	Supply and Delivery of Various ICT Supplies – Pamantasan ng Lungsod ng Pasig		
		T Supplies – Pamantasan ng Li	ingsou ng Pasig
Area of Delivery	Metro Manila	le	· · · · · · · · · · · · · · · · · · ·
Solicitation Number:	100-23-06-1349	Status	Active
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods		
Category:	Information Technology	Bid Supplements	4
Approved Budget for the Contract:	PHP 203,500.00		
Delivery Period:	30 Day/s	Document Request List	9
Client Agency:			
Contact Person:	ATTY. PONCE MIGUEL D. LOPEZ Officer In Charge, Procurement Management Office Pasig City Hall, Caruncho Avenue, Barangay San Nicolas, Pasig City Metro Manila	Date Published	23/10/2023
		Last Updated / Time	15/11/2023 11:32 AM
	Philippines 1600 63-2-86431111 Ext.1461	Closing Date / Time	20/11/2023 09:00 AM
	bidsandawards@pasigcity.gov.ph		
Description		1	
Items Quantity / Units			
1 UPS Battery Replacem - 12V, 7.2Ah/20HR - Valve Regulated Lead- - Constant voltage chara - Voltage regulation - Cycle use: 14.5V-14.9 - (Initial current: less th - Standby use: 13.6V-1. 2 NAS Hard Disk Drive 4 - 4-TB, 5400RPM 3.5 ind NASware technology for - 3-year warranty 4 pcs 3 Solid State Drive 2.5 S - Read/write speeds of u 2.5 inch, 2TB storage 2 4 19" Touch Screen Mor - Screen Size:19"	Acid Battery ge V(25°C) han 2.16A) 3.8V(25°C) 20 unit 4TB (Red), ch performance class, compatibility, SATA (2TB), up to 560/530MB/s, pcs		

Interface Type:D-Sub,, USB Resolution:1280 x 1024: Number of Colors:16.2M View angle:H: 160 V: 140 Touch mode: Capacitive touchscreen System support: Windows, Linux, Mac, Raspberry Pi One (1) year warranty 1 unit 5 UTP Cable Cat6, - Category 6 UTP Solid cable 23 AWG (Solid) conductor Bare Copper metal HD-PE insulation material 6.1mm ±0.2 Optical diameter At least 5% Max resistance At least 330pF/100m unbalance capacitance 1 box 6 RJ-45 connector, - 8P8C RJ-45 Connector (8-pin connector) Through Hole (pass through) PCB mount socket Compatible with all CAT and UDP cable 100% CAT 6 compatible 100 pcs 7 CCTV 18 Channel Fused Centralized Distributed Power Supply with Box 18CH 12V 20A, - DC 12V 18 Output Switch Mode Input Voltage: AC100-120V, AC220-240V Output Current: 18x 1.5 mA fused outlets (30A Max) Output Power:145W For Indoor Use Only 2 pcs 8 2.8mm 4 MP IR Fixed Dome network IP Camera, - 2MP Dome IP CCTV Camera, 2.0 MP IR Network Dome Camera Must be 1/2.8" progressive scan CMOS, at least 1920 × 1080@30fps, At least 2.8 mm/4 mm fixed lens, H.265+/H.265/H.264+/H.264 Dual stream, Digital WDR (Wide Dynamic Range) 3D DNR (Digital Noise Reduction), Up to 30 m IR range PoE (Power over Ethernet), IP67, IK10 6 pcs 9 Replacement of PABX Systems, - Must be compatible to extend the existing Panasonic KX-NS300. There can be up to 3 frames using the KX-NS320 side with the KX-NS 300 frame. Built-in extensions 16 regular (analog) function displays the phone number to call. 2 card slots and 2 slots trunk extension cord. Ability to equip subframe KX-NS320: 12-32 trunk extensions. Port connected to the main frame. 1 unit 10 Corded Landline Telephone, - Corded Telephone - Single line - Mute button - Flash button - Pause button - Redial button - Wall mountable - Numeric keypad - High and low ringer control - Black color 10 unit 11 Heavy Duty Original Extension Cord, - Cable wire with Surge Protector - 6 Outlets w/ Individual Switch - 1.75 meters 2 unit 12 Two-way Window Intercom System (Window Transaction), - Input voltage: AC 110-240V - Main sound (sub sound): at least 2W, 100Hz-15KHz - Inside microphone: at least 48db 20Hz-20KHz - Outside microphone; at least 48db 20Hz-16KHz - Cable Length: at least 1.6m/5.25ft 3 unit PRICE OUOTATION/S SHOULD BE PRINTED ON COMPANY'S OFFICIAL LETTERHEAD TOGETHER WITH THE FOLLOWING UPDATED DOCUMENTS; -Mayor's/Business Permit -PhilGEPS Registration Number -Income/Business Tax Return -Accomplished and notarized Omnibus Sworn Statement (https://www.gppb.gov.ph/assets/forms/Omnibus%20Sworn%20Statement (Revised).docx) -Proof of Authorization: Secretary's Certificate if corporation, or Special Power

Of Attorney, if individual

NOTE: TO BE SUBMITTED SEALED AND LABELED ON A LONG BROWN ENVELOPE, FOLLOWING THIS FORMAT AS FOLLOWS:
FOR: ATTY. JOSEPHINE C. LATI-BAGAOISAN BAC Chairperson
THRU: ATTY. PONCE MIGUEL D. LOPEZ Officer In Charge, Procurement Management Office 4th Floor, Pasig City Hall, Caruncho Avenue, Pasig City
DATE : COMPANY'S NAME : Philgeps REFERENCE NUMBER : PROJECT TITLE :
Remarks New closing date, November 20, 2023 at 9:00 AM Please be guided accordingly

Created byATTY. PONCE MIGUEL D. LOPEZDate Created20/10/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

 $\ensuremath{\textcircled{C}}$ 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap