

## <u>REQUEST FOR QUOTATION / INVITATION FOR NEGOTIATION</u> <u>NEGOTIATED PROCUREMENT – TWO FAILED BIDDINGS</u>

Date: 10 January 2024 RFQ No.: 100-23-03-642

 The CITY GOVERNMENT OF PASIG, through the Bids and Awards Committee ("BAC"), has a procurement project for the <u>Supply and Delivery of One (1) unit Commercial</u> <u>Vehicle and Nine (9) Units Motorcycle - POD</u> with an Approved Budget for the Contract ("ABC") of Three Million One Hundred Twenty Thousand Pesos Only (Php 3,120,000.00).

ITEM	DESCRIPTION	APPROVED BUDGET FOR
NO.		THE CONTRACT (PHP)
	Lot 1	
1	Commercial Vehicle FB Body (Dual AC) Diesel	1,320,000.00
	Lot 2	
2	Motor Cycle Scooter 160cc	1,800,000.00
	TOTAL	3,120,000.00

2. A complete set of the Request for Quotation ("RFQ") may be acquired by interested bidders upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines on issued by the GPPB.

APPROVED BUDGET FOR THE CONTRACT	COST OF BIDDING DOCUMENTS (PHP)			
500,000 and below	500.00			
More than 500,000 up to 1 million	1,000.00			
More than 1 million up to 5 million	5,000.00			

- NOTE: For lot procurement, the maximum fee for the RFQ for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the RFQ of all lots shall not exceed the maximum fee prescribed in the Guidelines.
- 3. Bidders, except those who have previously participated in any of the last two (2) failed biddings, are required to pay the applicable fee for the sale of RFQ not later than the deadline for the Submission and Receipt of the Best Offers/Quotation.



- The procurement will be conducted through Negotiated Procurement Two Failed Biddings in accordance with Section 53.1 of the 2016 Revised Implementing Rules and Regulations ("IRR") of Republic Act No. 9184 ("R.A. No. 9184").
- 5. The project shall be awarded as <u>one project</u> having several items grouped into several lots, which shall be awarded as separate contracts per lot. Quotations received in excess of the ABC shall be rejected.
- 6. Interested bidders may obtain further information from the Procurement Management Office at the address given below during office hours, Monday to Friday, from 8:00 A.M. to 5:00 P.M.

ACTIVITIES	SCHEDULE
Advertisement/Posting of Request	10 January 2024
for Quotation	
Negotiation	15 January 2024 at 10:00 A.M.,
	7 <sup>th</sup> Floor Meeting Room, Pasig City Hall,
	Caruncho Avenue, San Nicolas, Pasig City

7. The schedule of activities are as follows:

- 8. Following completion of the negotiations, the BAC shall request all suppliers, contractors or consultants in the negotiation proceeding to submit on a specified date, the following documents, in a sealed envelope addressed to the "Bids and Awards Committee, 4<sup>th</sup> Floor, Pasig City Hall" and properly marked with the project title, name of bidder, address of the bidder, and contact details of the bidder:
  - Valid PhilGEPS Certificate of Registration and Platinum Membership
  - Mayor's Permit (or recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has applied for renewal within the period prescribed by the concerned local government unit subject to submission of the Mayor's Permit before the award of contract
  - Latest Income Tax Return for the preceding Tax Year, whether calendar or fiscal
  - Omnibus Sworn Statement supported by an attached document showing proof of authorization, i.e. duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture or a Special Power of Attorney, in case of Sole Proprietorship
  - Duly accomplished Request for Quotation

### PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

🗳 (02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖉 bidsandawards@pasigcity.gov.ph \*

- 9. Quotations submitted after the scheduled submission of quotations shall not be accepted.
- 10. Award of contract shall be made to the supplier, contractor or consultant determined to have the Single or Lowest Calculated and Responsive Quotation (for goods and infrastructure projects) or Single or Highest Rated and Responsive Proposal (for consulting services).
- 11. To guarantee the faithful performance of the winning bidder's obligation, it shall post a Performance Security prior to the signing of the contract, in accordance with any of the following forms prescribed in Section 39.2 of the 2016 Revised IRR of R.A. No. 9184.
- 12. The Performance Security shall remain valid until issuance by the City Government of Pasig of the Certificate of Final Acceptance (Certificate of Completion). The Performance Security may be released after the issuance of the Certificate of Final Acceptance (Certificate of Completion), subject to the conditions stipulated in Section 39.5 of the 2016 Revised IRR of R.A. No. 9184.
- 13. The **CITY GOVERNMENT OF PASIG** reserves the right to reject any and all proposal/s, cancel or terminate the conduct of procurement activities, or not award the contract in accordance with Sections 35.6 and 41 of the IRR of R.A. No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 14. For any clarification, you may contact us at telephone no. (02) 8641-1111 loc. 1461 or send us an email at <u>bidsandawards@pasigcity.gov.ph</u>

SGD ATTY. BEA THERESE P. VILLANUEVA Officer in Charge, Procurement Management Office

### PASIG BIDS AND AWARDS COMMITTEE Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

🔍 (02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖄 bidsandawards@pasigcity.gov.ph \*

pasigcity.gov.ph

Page 3 of 11 | RFQ NO. 100-23-03-642 | AJ |

# **REQUEST FOR QUOTATION**

Date: RFQ No.: 100-23-03-642

Name of Company:	
Address:	
Name of Store/Shop:	
Address:	
TIN:	
·····	

PhilGEPS Registration Number (required prior to award): \_\_\_\_\_

					Approved Budget		Price Offer	
Item	Item	Brand Name	QTY	UOM	Unit Cost	Total Cost	Unit Cost	Total Cost
No.	Description	(indicate the "BRAND" be offered, or the manufacturer's name)						
1	Euro IV Compliance, Commercial Vehicle FB Body (Dual AC) Diesel Euro IV Compliance Color: WHITE		1	unit	1,320,000.00	1,320,000.00		
	Engine Size 2.2 L up to 2.4 L Number of Cylinders 4 Number of valves 16 Transmission Type 5 Speed Manual							

#### PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

(02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖄 bidsandawards@pasigcity.gov.ph \*

basigcity.gov.ph

Page 4 of 11 | RFQ NO. 100-23-03-642 | AJ |

Deutennes				[]
Performance				
Drivertrain Rear-				
Wheel Drive				
Max output (HP)				
Minimum of 77hp				
to 98hp@				
3,500rpm				
Max Torque (nm)				
Minimum of				
177nm @1,000rpm				
Economy and				
Environment				
Fuel Type Diesel				
CO2 Emission				
200.0 g/km				
Fuel Capacity 55L				
*Fuel				
Consumptions 6.5				
L/100km				
*Range 849km				
Ū				
Payload 1215 kg up				
to 1,300kg				
Number of Doors 4				
Number of Seats				
17				
Wheels Metal Type				
Steel				
Tires 185R 14C 8PR				
Power Steering				
Power Windows				
Airconditioning				
System				
Dual Air				
conditioning w/				
REAR Manual				
Cooiling Controls				
Entertainment				
System Single CD				
Player with Tuner 2				
Speaker				
Body Color: White				
with preferred				
standard Logo and				
Stanual u Logo allu				

#### PASIG BIDS AND AWARDS COMMITTEE Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

	_					 
	Design					
	Decal Sticker (Fade					
	proof water proof)					
	TERMS AND					
	CONDITIONS:					
	With Three years					
	LTO Regustration					
	With One Year					
	Warranty					
	With Standard					
	Tools					
	With Labor for the					
	first 1,500km and					
	5,000km check -up					
	With Spare Tire					
	Service Warranty:					
	100,000 Kilometers					
	or 3 months which					
	ever comes first					
2	MOTOR CYCLE	9	unit	200,000.00	1,800,000.00	
	SCOOTER 160cc,	-	unit		_,,	
	Engine Type 4-					
	Stroke, Liquid-					
	Cooled , 4-Valve					
	Single Overhead					
	Cam					
	(50HC),eSP+Engine					
	Oil					
	Capacity (L) 1.0 L up to 1.5					
	Displacement					
	Minimum of 160cc					
	Transmission Type:					
	Automatic					
	Transmission					
	Smart Key System					
	Fuel Capacity					
	Minimum of 8 L					
	Ignition Type Full					
	Transistorized					
	Full Digital Meter					

## PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

Luggage Box Capacity Minimum of 30 Frame Scooter Seat Height minimum of 764 mm Brake System (Front/Rear) Disc Brake Fuel Capacity (L) & 0. L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheel Starting System ACC Starter (Electric) Overall Dimensions (length x Width x Height Nummum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY CDLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket			 		
Capacity Minimum of 30 Frame Scooter Seat Height minimum of 764 mm Brake System (Front/Rear) Disc Brake Fuel Capacity (L) 8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheels Type Cast Wheels Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,935 x742 x 1,108 (mm) Minimum ground clearance 134mm BoDY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket	Panel				
of 30 Frame Scoter Seat Height minimun of 764 mm Brake System (Front/Rear) Disc Brake Fuel Capacity (L) 8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheel Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Lapa and Design Decal Sticker (Fade proof) Accessories: Alley Top Box S5 L with bracket TERMS AND CONDITIONS: Delivery within 60	Luggage Box				
Frame Scooter         Seat Height         minimum of 764         mm         Brake System         (Front/Rear) Disc         Brake         Fuel Capacity (L)         8.0 L         Front Tire 110/70 -         14 MC (Tubeless)         Rear Tire 130/70 -         13 MC (Tubeless)         Wheel         Vbneel         Starting System         ACG Starter         (Electric)         Overall Dimensions         (length x Width x         Height) minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Stating Dega and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket					
Seat Height minimum of 764 mm Brake System (Front/Kear) Disc Brake Fuel Capacity (L) 8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheels Starting System ACC Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box S5 L with bracket	of 30				
minimun of 764 mm Brake System (Front/Rear) Disc Brake Fuel Capacity (L) 8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheels Type Cast Wheel Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1.936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, Water proof) Accessories: Alley Top Box S5 L with bracket TERMS AND CONDITIONS: Delivery within 60	Frame Scooter				
mm       Brake System         (Front/Rear) Disc       Brake         Brake       Fuel Capacity (L)         8.0 L       Forn Tire 110/70 -         14 MC (Tubeless)       Rear Tire 130/70 -         13 MC (Tubeless)       Wheels         Wheels Type Cast       Wheel         Starting System       ACG Starter         (Electric)       Overall Dimensions         (length x Width x       Height minimum         of 1,936 x 742 x       1,108 (mm)         Minimum ground       clearance 134mm         BODY COLOR:       Pearl White with         Preferred       Standard Logo and         Design Decal       Sticker (Fade         proof, water proof)       Accessories: Alley         Top Box S5 L with       bracket         TERMS AND       CONDITIONS:         Delivery within 60       Electric	Seat Height				
Brake System (Front/Rear) Disc Brake Brake Fuel Capacity (L) 8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheels Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box S5 L with bracket TERMS AND CONDITIONS: Delivery within 60	minimun of 764				
(Front/Rear) Disc       Brake         Brake       Fuel Capacity (L)         8.0 L       Front Tire 110/70 -         14 MC (Tubeless)       Rear Tire 130/70 -         13 MC (Tubeless)       Wheels Type Cast         Wheels Type Cast       Wheel         Starting System       ACG Starter         (Electric)       Overall Dimensions         (Iength) minimum       of 1,936 x 742 x         1,108 (mm)       Minimum ground         clearance 134mm       BODY COLOR:         Pearl White with       preferred         Standard Logo and       Design Decal         Sticker (Fade       proof, water proof)         Accessories: Alley       Top Box S5 L with         Tracket       TERMS AND         CONDITIONS:       Delivery within 60	mm				
Brake       Fuel Capacity (L)         8.0 L       Front Tire 110/70 -         14 MC (Tubeless)       Rear Tire 130/70 -         13 MC (Tubeless)       Wheels Type Cast         Wheels Type Cast       Wheel         Starting System       ACG Starter         (Electric)       Overall Dimensions         (length x Width x       Heighth minimum         of 1,936 x 742 x       1,108 (mm)         Minimum ground       clearance 134mm         BODY COLOR:       Pearl White with         Pearl White with       preferred         Standard Logo and       Design Decal         Sticker (Fade       proof, water proof)         Accessories: Alley       Top Box 75 L with bracket         TERMS AND       CONDITIONS:         Delivery within 60       Elevery within 60	Brake System				
Fuel Capacity (L)       8.0 L         8.0 L       Front Tire 110/70 -         14 MC (Tubeless)       Rear Tire 130/70 -         13 MC (Tubeless)       Wheel         Wheel Stype Cast       Wheel         Starting System       ACG Starter         (Electric)       Overall Dimensions         (length x Width x       Height) minimum         of 1,936 x 742 x       1,108 (mm)         Minimum ground       clearance 134mm         BODY COLOR:       Pearl White with         Pearl White with       preferred         Standard Logo and       Design Decal         Sticker (Fade       proof, water proof)         Accessories: Alley       Top Box 55 L with         bracket       TERMS AND         CONDITIONS:       Delivery within 60	(Front/Rear) Disc				
8.0 L Front Tire 110/70 - 14 MC (Tubeless) Rear Tire 130/70 - 13 MC (Tubeless) Wheels Type Cast Wheel Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	Brake				
Front Tire 110/70 -         14 MC (Tubeless)         Rear Tire 130/70 -         13 MC (Tubeless)         Wheels Type Cast         Wheels Type Cast         Wheel Starting System         ACG Starter         (Electric)         Overall Dimensions         (length x Width x         Height minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket         TERMS AND         CONDITIONS:         Delivery within 60	Fuel Capacity (L)				
14 MC (Tubeless)         Rear Tire 130/70 -         13 MC (Tubeless)         Wheel         Starting System         ACG Starter         (Electric)         Overall Dimensions         (length x Width x         Height) minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket	8.0 L				
Rear Tire 130/70 -         13 MC (Tubeless)         Wheels Type Cast         Wheel Starting System         ACG Starter         (Electric)         Overall Dimensions         (length x Width x         Height) minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket	Front Tire 110/70 -				
13 MC (Tubeless) Wheels Type Cast Wheel Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	14 MC (Tubeless)				
Wheels Type Cast       Wheel         Starting System       ACG Starter         (Electric)       Overall Dimensions         (length x Width x       Height) minimum         of 1,936 x 742 x       1,108 (mm)         Minimum ground       Clearance 134mm         BODY COLOR:       Pearl White with         Preferred       Staicker (Fade         Staicker (Fade       Forof, water proof)         Accessories: Alley       Top Box 55 L with         bracket       TERMS AND         CONDITIONS:       Delivery within 60	Rear Tire 130/70 -				
Wheel   Starting System   ACG Starter   (Electric)   Overall Dimensions   (length x Width x   Height) minimum   of 1,936 x 742 x   1,108 (mm)   Minimum ground   clearance 134mm   BODY COLOR:   Pearl White with   preferred   Standard Logo and   Design Decal   Sticker (Fade   proof, water proof)   Accessories: Alley   TOP Box 55 L with   bracket	13 MC (Tubeless)				
Starting System ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	Wheels Type Cast				
ACG Starter (Electric) Overall Dimensions (length x Width x Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	Wheel				
(Electric)       Overall Dimensions         (length x Width x         Height) minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket         TERMS AND         CONDITIONS:         Delivery within 60	Starting System				
Overall Dimensions   (length x Width x   Height) minimum   of 1,936 x 742 x   1,108 (mm)   Minimum ground   clearance 134mm   BODY COLOR:   Pearl White with   preferred   Standard Logo and   Design Decal   Sticker (Fade   proof, water proof)   Accessories: Alley   Top Box 55 L with   bracket   TERMS AND CONDITIONS: Delivery within 60	ACG Starter				
(length x Width x         Height) minimum         of 1,936 x 742 x         1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket         TERMS AND         CONDITIONS:         Delivery within 60	(Electric)				
Height) minimum of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	Overall Dimensions				
of 1,936 x 742 x 1,108 (mm) Minimum ground clearance 134mm BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	(length x Width x				
1,108 (mm)         Minimum ground         clearance 134mm         BODY COLOR:         Pearl White with         preferred         Standard Logo and         Design Decal         Sticker (Fade         proof, water proof)         Accessories: Alley         Top Box 55 L with         bracket         TERMS AND         CONDITIONS:         Delivery within 60					
Minimum ground clearance 134mm       Image: Second Secon					
clearance 134mm   BODY COLOR:   Pearl White with   preferred   Standard Logo and   Design Decal   Sticker (Fade   proof, water proof)   Accessories: Alley   Top Box 55 L with   bracket     TERMS AND   CONDITIONS:   Delivery within 60					
BODY COLOR: Pearl White with preferred Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60					
Pearl White with preferred       Image: standard Logo and Design Decal       Image: standard Logo and Design Decal         Sticker (Fade proof, water proof)       Image: standard Logo and Accessories: Alley Top Box 55 L with bracket       Image: standard Logo and Image: standard Logo and Imag	clearance 134mm				
Pearl White with       preferred         Standard Logo and       Standard Logo and         Design Decal       Sticker (Fade         proof, water proof)       Accessories: Alley         Top Box 55 L with       Image: Constant of the second of					
preferred       standard Logo and         Standard Logo and       Design Decal         Design Decal       sticker (Fade         proof, water proof)       proof, water proof)         Accessories: Alley       sticker         Top Box 55 L with       sticker         bracket       sticker         TERMS AND       sticker         CONDITIONS:       belivery within 60					
Standard Logo and Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60					
Design Decal Sticker (Fade proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60	•				
Sticker (Fade       proof, water proof)         Accessories: Alley       Accessories: Alley         Top Box 55 L with       bracket         bracket       Image: Condition of the second s					
proof, water proof) Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60					
Accessories: Alley Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60					
Top Box 55 L with bracket TERMS AND CONDITIONS: Delivery within 60					
bracket TERMS AND CONDITIONS: Delivery within 60	-				
TERMS AND CONDITIONS: Delivery within 60					
CONDITIONS:       Delivery within 60	bracket				
CONDITIONS:       Delivery within 60					
Delivery within 60					
l davs					
	days	<u> </u>			

# PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

	With One year LTO								
	•								
	Registration								
	With One Year								
	Warranty								
	With Standard								
	Tools								
	With Labor for the								
	first 1,500km and								
	5,000km check-up								
				Total	3,120,000.00				
Note:	The prices per item i	in the total price of	offer (regardless	if the project is	considered as o	ne contract	or several		
lots) m	nust not exceed the	approved unit prid	ce per item.						
			•						
DELIVI	ERY TERM: 60 calen	dar davs							
		rahawaa Bray Sta	Tomas Dasia Ci	ha <i>e</i>					
DELIVI	DELIVERY PLACE: OGS Warehouse, Brgy Sto. Tomas, Pasig City								
PAYM	PAYMENT TERM: Within 45 days after completion of delivery and inspection and acceptance by the Procuring								
Entity	Entity as evidenced by a Certificate to that effect								
			—						

I hereby certify that the products to be delivered will conform to the specifications stated in the Item Description and provisions in the Terms of Reference, if any, and I hereby agree to the Terms of Delivery indicated in the submitted form.

Conforme:

Signature over Printed Name

Position

Duly authorized to sign quotation/offer for and on behalf of \_\_\_\_\_\_

(Please indicate Company Name)

PASIG BIDS AND AWARDS COMMITTEE Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

(02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖄 bidsandawards@pasigcity.gov.ph \*

pasigcity.gov.ph

Page 8 of 11 | RFQ NO. 100-23-03-642 | AJ |

### **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF\_\_\_\_\_) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[*If a partnership, corporation, cooperative, or joint venture:*] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Nameof the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[*If a partnership, corporation, cooperative, or joint venture:*] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

**3.** [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units,

### PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

(02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖄 bidsandawards@pasigcity.gov.ph \*

# pasigcity.gov.ph

Page 9 of 11 | RFQ NO. 100-23-03-642 | AJ |

foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> relation, membership, association, affiliation, or controlling interest with another blacklistedperson or entity as defined and provided for in the Uniform Guidelines on Blacklisting:

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working

Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a partnership or cooperative:*] None of the officers and members of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholdersof [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of theContract;

#### PASIG BIDS AND AWARDS COMMITTEE

Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

🌑 (02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖉 bidsandawards@pasigcity.gov.ph \*

# pasigcity.gov.ph

Page 10 of 11 | RFQ NO. 100-23-03-642 | AJ |

- c. Making an estimate of the facilities available and needed for the contract to be bid, if any;and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant toArticle 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this day of \_\_\_\_\_, 20\_\_\_\_\_\_at

\_\_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZEDREPRESENTATIVE]

[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

PASIG BIDS AND AWARDS COMMITTEE Caruncho Avenue, Brgy. San Nicolas, Pasig City, Philippines 1600

(02) 8628-3395 \* (02) 8641-1111 loc 1461 \* 🖄 bidsandawards@pasigcity.gov.ph \*

pasigcity.gov.ph

Page 11 of 11 | RFQ NO. 100-23-03-642 | AJ |