



BID BULLETIN NO. 01

Date: **14 February 2024**

ITB No.: **BAC-24-0126A**

Project Name: **Supply, Delivery, and Installation of Various Medical Equipment – PCGH**

ABC: Php 50,629,905.20

To all prospective bidders:

This Bid Bulletin is issued to clarify, supplement, modify and/or revise the particular sections in the Bid and Contract Documents as stipulated in the Bidding Documents issued on 26 January 2024. The Bidders shall take note of the following items carefully and consider them in the preparation of their bid proposals, as they shall form part of the CONTRACT DOCUMENTS.

Item	Previous Specification/ Clarification/Request to Consider	Amendment/Response to Clarification
1	<p>XXX XXX XXX</p> <p>7. Bids must be duly received by the Procurement Management Office through manual submission at the office address indicated below, on or before <i>February 16, 2024, 9:30 A.M.</i> Late bids shall not be accepted.</p> <p>XXX XXX XXX</p> <p>9. Bid opening shall be on <i>February 16, 2024, 10:00 A.M</i> at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>	<p>AMENDMENT TO SECTION I. INVITATION TO BID</p> <p>XXX XXX XXX</p> <p>7. Bids must be duly received by the Procurement Management Office through manual submission at the office address indicated below, on or before February 26, 2024, 9:30 A.M. Late bids shall not be accepted.</p> <p>XXX XXX XXX</p> <p>9. Bid opening shall be on February 26, 2024, 10:00 A.M at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>

	XXX XXX XXX	XXX XXX XXX
2	<p style="text-align: center;">PREVIOUS REMINDERS XXX XXX XXX</p> <p>BIDDING DOCUMENTS AND AVAILABILITY FEE</p> <ul style="list-style-type: none"> • Bidding Documents: <ul style="list-style-type: none"> ➤ January 26, 2024 to February 16, 2024 until 9:30 AM ➤ 8:00 am to 5:00 pm and upon payment of applicable fees for the Bidding Documents at the City Treasurer’s Office <p style="text-align: center;">XXX XXX XXX</p> <p>REMINDERS:</p> <ul style="list-style-type: none"> • The deadline for the submission of bid is on February 16, 2024 (Friday) at 9:30 AM at the BAC Secretariat’s Office, 4th Floor Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. The digital clock at the BAC Secretariat’s Office that is set to the Philippine Time (PhST) shall be used as reference in determining the time for the submission of bids, hence participating bidders are advised to synchronize their timepiece with the said digital clock. Late bids or those who submitted after 9:30 AM of February 16, 2024 (Friday) shall not be accepted. 	<p style="text-align: center;">AMENDMENT TO REMINDERS XXX XXX XXX</p> <p>BIDDING DOCUMENTS AND AVAILABILITY FEE</p> <ul style="list-style-type: none"> • Bidding Documents: <ul style="list-style-type: none"> ➤ January 26, 2024 to February 26, 2024 until 9:30 AM ➤ 8:00 am to 5:00 pm and upon payment of applicable fees for the Bidding Documents at the City Treasurer’s Office <p style="text-align: center;">XXX XXX XXX</p> <p>REMINDERS:</p> <ul style="list-style-type: none"> • The deadline for the submission of bid is on February 26, 2024 (Monday) at 9:30 AM at the BAC Secretariat’s Office, 4th Floor Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. The digital clock at the BAC Secretariat’s Office that is set to the Philippine Time (PhST) shall be used as reference in determining the time for the submission of bids, hence participating bidders are advised to synchronize their timepiece with the said digital clock. Late bids or those who submitted after 9:30 AM of February 26, 2024 (Monday) shall not be accepted.

	<p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Bid opening shall be on February 16, 2024 (Friday) at 10:00 AM at 7th Floor Meeting Room, Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. Bids will be opened in the presence of the bidders' representatives who choose to attend. <p style="text-align: center;">xxx xxx xxx</p>	<p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Bid opening shall be on February 26, 2024 (Monday) at 10:00 AM at 7th Floor Meeting Room, Pasig City Hall, Caruncho Ave., San Nicolas Pasig City. Bids will be opened in the presence of the bidders' representatives who choose to attend. <p style="text-align: center;">xxx xxx xxx</p>												
3	<p style="text-align: center;">PREVIOUS SECTION VII TECHNICAL SPECIFICATIONS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">ITEM NO.</th> <th style="width: 90%;">SPECIFICATION</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td> <p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +25°/-25° Outer dimensions (siderails up): 190-200 x 90- 100 cm Mattress platform extension: 18- 20 cm Mattress size: 180-200 x 70-80 x 8-10 cm Max. mattress height: 18-20 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress <p style="text-align: center;">xxx xxx xxx</p> </td> </tr> <tr> <td style="text-align: center;">2</td> <td> <p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p> </td> </tr> </tbody> </table>	ITEM NO.	SPECIFICATION	1	<p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +25°/-25° Outer dimensions (siderails up): 190-200 x 90- 100 cm Mattress platform extension: 18- 20 cm Mattress size: 180-200 x 70-80 x 8-10 cm Max. mattress height: 18-20 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress <p style="text-align: center;">xxx xxx xxx</p>	2	<p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p>	<p style="text-align: center;">AMENDMENT TO SECTION VII TECHNICAL SPECIFICATIONS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">ITEM NO.</th> <th style="width: 90%;">SPECIFICATION</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td> <p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +20°/-20° Outer dimensions (siderails up): 190-215 x 90- 105 cm Mattress platform extension: 18-22 cm Mattress size: 180-208 x 70-86+ x 8-14 cm Max. mattress height: 18-23 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress or its equivalent <p style="text-align: center;">xxx xxx xxx</p> </td> </tr> <tr> <td style="text-align: center;">2</td> <td> <p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p> </td> </tr> </tbody> </table>	ITEM NO.	SPECIFICATION	1	<p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +20°/-20° Outer dimensions (siderails up): 190-215 x 90- 105 cm Mattress platform extension: 18-22 cm Mattress size: 180-208 x 70-86+ x 8-14 cm Max. mattress height: 18-23 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress or its equivalent <p style="text-align: center;">xxx xxx xxx</p>	2	<p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p>
ITEM NO.	SPECIFICATION													
1	<p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +25°/-25° Outer dimensions (siderails up): 190-200 x 90- 100 cm Mattress platform extension: 18- 20 cm Mattress size: 180-200 x 70-80 x 8-10 cm Max. mattress height: 18-20 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress <p style="text-align: center;">xxx xxx xxx</p>													
2	<p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p>													
ITEM NO.	SPECIFICATION													
1	<p>BED, MULTICARE, CRITICAL CARE</p> <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Lateral tilt: At least +20°/-20° Outer dimensions (siderails up): 190-215 x 90- 105 cm Mattress platform extension: 18-22 cm Mattress size: 180-208 x 70-86+ x 8-14 cm Max. mattress height: 18-23 cm <p style="text-align: center;">xxx xxx xxx</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> Special Linet mattress or its equivalent <p style="text-align: center;">xxx xxx xxx</p>													
2	<p>CARDIAC MONITOR Adult</p> <p style="text-align: center;">xxx xxx xxx</p>													

		<ul style="list-style-type: none"> - With display of 11 waveforms and 6-digit fields - Must have an Alarm System with at least 4 level xxx xxx xxx - Must have a minimum 150-hour trend display and up to 180- 200 snapshots xxx xxx xxx - With at least 50- 60 hours full disclosure xxx xxx xxx 			<ul style="list-style-type: none"> - With display of at least 10 waveforms and 6-digit fields - Must have an Alarm System with at least 3-4 level xxx xxx xxx - Must have a minimum 120-hour trend display and up to 180- 200 snapshots xxx xxx xxx - With at least 48 - 60 hours full disclosure xxx xxx xxx
	3	<p>Cautery Machine</p> <p>xxx xxx xxx</p> <p>Dimensions: At least H: 5.0-5.5" (9.75 cm)</p> <p>xxx xxx xxx</p> <p>- Included Accessories:</p> <p>xxx xxx xxx</p> <p>- 1 pc. Adapter #12</p>		3	<p>Cautery Machine</p> <p>xxx xxx xxx</p> <p>Dimensions: At least H: 5.0-5.73" (9.75 cm)</p> <p>xxx xxx xxx</p> <p>- Included Accessories:</p> <p>xxx xxx xxx</p> <p>- 1 pc. Adapter #12</p>
	5	<p>Defibrillator</p> <p>xxx xxx xxx</p> <p>- Weight: At least 15- 18.5 lb</p> <p>xxx xxx xxx</p> <p>- Size (active viewing area): At least 8.4 inc (212 mm) diagonal</p> <p>xxx xxx xxx</p> <p>- Must have a memory capacity of at least 360 minutes of continuous</p>		5	<p>Defibrillator</p> <p>xxx xxx xxx</p> <p>- Weight: At least 13- 18.5 lb</p> <p>xxx xxx xxx</p> <p>- Size (active viewing area): At least 7-8.4 inc (212mm) diagonal</p> <p>xxx xxx xxx</p> <p>- Must have a memory capacity of at least 360 minutes of continuous</p>

	<p>ECG,</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Dual battery: Capable with automatic switching - Battery type: Lithium-ion - Charge time: At least < 190 minutes (typical) <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - WI- FI Capability <p>xxx xxx xxx</p>	<p>ECG, or at least 100 patient cases</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Dual battery: Capable with automatic switching - Rechargeable lithium-ion battery or its equivalent - Charge time: 5 hours capable 24/7 charging <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - WI- FI Capability or its equivalent <p>xxx xxx xxx</p>
6	<p>ECG MACHINE ADULT</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - At least Graphic display (70x36mm) showing 1 selected lead. <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - With technical parameters of: <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Weight approx. (less accessories) - at least 2kg, <p>xxx xxx xxx</p>	<p>ECG MACHINE ADULT</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> -with graphic display (70x36mm) showing at least 1 selected lead <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - With technical parameters of: <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Weight approx. (less accessories) - at least 1kg, <p>xxx xxx xxx</p>
9	<p>INFUSION PUMP</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - General Features: - Wt.: 1.0-1.5 kg <p>xxx xxx xxx</p>	<p>INFUSION PUMP</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - General Features: - Wt.: 1.0-1.7 kg <p>xxx xxx xxx</p>
14	PULSE OXIMETER	

	<p>14 PULSE OXIMETER</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Five-hour battery life <p>xxx xxx xxx</p>	<p>xxx xxx xxx</p> <ul style="list-style-type: none"> - At least Five-hour to Twenty-Four-hour battery life <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Inclusion of trolley
	<p>15 Stretcher</p> <p>xxx xxx xxx</p> <p>Technical Features:</p> <ul style="list-style-type: none"> - Outer dimensions: At least 211 x 76 cm - External Dimensions <p>Mattress Size: At least 193 x 66 cm</p> <p>xxx xxx xxx</p>	<p>15 Stretcher</p> <p>xxx xxx xxx</p> <p>Technical Features:</p> <ul style="list-style-type: none"> - Outer dimensions: At least 211 x 76 cm - External Dimensions <p>Mattress Size: At least 190 x 66 cm</p> <p>xxx xxx xxx</p>
	<p>16 SUCTION MACHINE</p> <p>xxx xxx xxx</p>	<p>16 SUCTION MACHINE</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Collection jar at least 2-5L - With battery - With 1 virus filter per item
	<p>19 TARGETED RADIOFREQUENCY THERAPY MACHINE ERGONOMIC APPLICATORS</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Maximum 150 W power - with At least 5.7 Color touch screen - Dynamic Impedance Control 150 W maximum power <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Operating frequency 480-520khz 	<p>19 TARGETED RADIOFREQUENCY THERAPY MACHINE ERGONOMIC APPLICATORS</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Maximum 200 W power - with At least 5.7 - 7 Color touch screen - Dynamic Impedance Control 150 W maximum power <p>xxx xxx xxx</p> <ul style="list-style-type: none"> -Operating frequency 460-520khz

		<p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Weight must be at least 5 kg <p>xxx xxx xxx</p>			<p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Weight must be at least 3.5-5 kg <p>xxx xxx xxx</p>
	20	<p>TREATMENT BED (HYDRAULIC)</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Dimensions: 150-170mmx 100-112mm x 100-112mm - Weight: 250-260g - Hydraulic H/L, with Wheel Raising (180-200 x 80- 100 cm width) <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Can be powered by USB/ 4x AAA batteries - Input: 5V DC - Working Temperature 10°-40°C <p>xxx xxx xxx</p>		20	<p>TREATMENT BED (HYDRAULIC)</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Dimensions: 150-170mmx 100-112mm x 100-112mm - Weight: 250-260g - Hydraulic H/L, with Wheel Raising (180-200 x 80-100 cm width) <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Can be powered by USB/ 4x AAA batteries - Input: 5V DC - Working Temperature 10°-40°C <p>xxx xxx xxx</p>
	22	<p>INFUSION SYRINGE PUMP WITH TARGET CONTROLLED INFUSION (TCI) CAPACITY</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Selectable Delivery Rates- Automatic/Manual/Bolus modes <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Operating time on battery- At least 6 hrs. <p>xxx xxx xxx</p>		22	<p>INFUSION SYRINGE PUMP WITH TARGET CONTROLLED INFUSION (TCI) CAPACITY</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Selectable Delivery Rates – Manual and Automatic Bolus modes <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Operating time on battery- At least 5-6 hrs. <p>xxx xxx xxx</p>
	23	<p>AMBULATORY PROGRAMMABLE INFUSION PUMP WITH PATIENT</p>		23	<p>AMBULATORY PROGRAMMABLE INFUSION PUMP WITH PATIENT</p>

	<p>CONTROLLED ANALGESIA (PCA) CAPACITY</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Selectable Delivery Rates- Automatic/Manual/Bolus modes xxx xxx xxx - Operating time on battery- At least 6 hrs. xxx xxx xxx 	<p>CONTROLLED ANALGESIA (PCA) CAPACITY</p> <p>xxx xxx xxx</p> <ul style="list-style-type: none"> - Selectable Delivery Rates – Manual and Automatic Bolus modes xxx xxx xxx - Operating time on battery- At least 5-6 hrs. xxx xxx xxx
4	<p>PREVIOUS TERMS OF REFERENCE</p> <p>1. Must provide ISO compliance certificate for each requested equipment</p> <p>1.16 Suction Machine ISO Q5 011634 0205 Rev. 04 xxx xxx xxx</p> <p>-Must provide Three (3) certificates of good performance from the institution where equipment is also installed or supplied xxx xxx xxx</p> <p>-Delivery, installation, testing, and commissioning of the equipment and its accessories must be completed: within 90calendar days upon Notice to Proceed xxx xxx xxx</p>	<p>AMENDMENT TO TERMS OF REFERENCE</p> <p>1. Must provide ISO compliance certificate for each requested equipment</p> <p>1.16 Suction Machine ISO 13485 xxx xxx xxx</p> <p>-Must provide certificates of good performance from the Three (3) institution where equipment is also installed or supplied xxx xxx xxx</p> <p>-Delivery, installation, testing, and commissioning of the equipment and its accessories must be completed: within 120 calendar days upon Notice to Proceed xxx xxx xxx</p>
5	<p>PREVIOUS SECTION VII SCHEDULE OF DELIVERY</p>	<p>AMENDMENT TO SECTION VII SCHEDULE OF DELIVERY</p>

	-90 calendar days and upon receipt of Notice to Proceed	- 120 calendar days and upon receipt of Notice to Proceed
--	---	--

Bidders who have already submitted bids are hereby informed that they are allowed to modify or withdraw their bids, if necessary, before the scheduled opening of bid envelopes.

For modifications in your original submitted bid, kindly submit new bidding documents (sealed and marked as "Modified Bid") and have these received at the Office of the Bids and Awards Secretariat. Bid modifications received after the deadline shall not be considered and shall be returned to the bidder unopened.

Conforme:


Ivy B. Juan RN, MAN
ic. No. 0217271

END-USER REPRESENTATIVE
Signature Over Printed Name


ATTY. JOSEPHINE C. LATI-BAGAOISAN
Chairperson