



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number: 9174494
 Procuring Entity: CITY OF PASIG
 Title: Supply and Delivery of Various Hardware Supplies and Materials for the Demolition and Other Clearing Operations for the Action Line Division
 Area of Delivery: Metro Manila

Solicitation Number:	100-22-09-6013	Status	Active
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Hardware and Construction Supplies	Date Published	03/11/2022
Approved Budget for the Contract:	PHP 738,659.00	Last Updated / Time	03/11/2022 00:00 AM
Delivery Period:	20 Day/s	Closing Date / Time	07/11/2022 10:00 AM
Client Agency:			
Contact Person:	Rho Depaudhon BAC Secretariat		

Pasig City Hall, Caruncho Avenue,
Barangay San Nicolas,
Pasig City
Metro Manila
Philippines 1600
63-2-86431111 Ext.1461

bidsandawards@pasigcity.gov.ph

Description

Items Quantity / Units

1 Spray paint, Product Details:

- High Durable size: 400cc
- Fast Drying
- High Gloss
- Weather Resistant
- Color: Red - 25 & Blue - 25 50 pcs

2 Heavy Duty Extension Wires (30Meters),

- Product Details:

20 Meters Extension Wheel Max Load Wound

720W/240V Unwound

3120W/240V 16A 240V - Plug Fuse 16amp 1 units

3 Mega Phones,

- 50W Power

Pistol Grip

Wired Handheld Microphone

Button Activated Siren

Recording Function

Option for external 12V DC

MP3 Playback via USB SD Slot

Bluetooth Connectivity

Auxiliary Input

Powered by 8pcs "C" type Batteries

Powered by Lithium Rechargeable Battery 2 piece

4 STEEL SAW HACK FRAME W/ BLADE,

- Hacksaw cutting tool has a steel frame with better locking system, and includes aluminum handle for better positioning.

positive locking mechanism

two blade position 90 degree/55 degree

- Size: 12" 10 pcs

5 Steel saw blade,

- Color: Orange

18t 24t heavy duty quality metal steel stainless saw 5 box/case

6 Electric Pliers,

- Weight: 11.2 ounce

package dimension: 10.1 x 3.3 x 0.9 inches

size: 7" Lineman's Pliers

Color: Nickel

Material: Stainless steel

Usage: Gripping, Cutter 14 pcs

7 Electric cutter,

- Diagonal Cutting pliers are used for cutting wires, screw and nails.

Side Cutter 14 pcs

8 long nose pliers,

- Plier Type: Long Nose Pliers

Tip Type: Straight

Overall Length: 200mm

Material: Steel 15 pcs

9 philip screwdriver,

- Head Type: Phillips

Phillips Sizes: PH1

Shank Length: 3" (76.2 mm)

Shank Material: S2 Steel

Finish: Chrome, Black Oxide Tip

Handle type: Rubberized Cushion Grip

standards: ASME B107.600/ANSI ISO 2380

- Overall Length: 6 3/4" (171 mm)

Dimensions: 6.63" x 1.23" x 1.23" (16.83cm x 3.12 cm x 3.12cm)

Weight: 0.16 lb (71.732g) 15 pcs

10 flat screwdriver,

- Tip Type: Flat

Tip Size: 10mm

Screwdriver Type: Standard
Blade Length: 200mm
Blade Material: High Grade Steel 15 pcs
11 Cutting Disc,
- Size: 100 x 2.5 x 16mm (4" x 3/32" x 5/8")
Max: 80m/s (15,300/min) 10 pcs
12 grinder disc,
- Made of high-quality abrasive grains,
bonding coats and backings 100mm x 6mm x 16mm for
metal grinder compatible with 4"
angle grinders 80 m/s 4" Grinder disc 2 pack/s
13 Drill Bit,
- Compatible Material: Stainless Steel, Hardend Steel,
Iron, aluminum Alloy. other soft/hard Metal
- Cutting Angle: 135.0 degrees
- number of flutes: 2

- number of cutting edges: 2
- point type: Split Point
- Shank Diameter: 1/4 inch
- Shank Type: Round
- Size: 1/16-1/4 inch (25pcs/pack)
- Style: M35 Cobalt Twist Drill Bit
- Tool Flute Type: Spiral 2 pack/s
14 Nylon rope,
- Nylon Rope Panali Lubid
Size: 9mm x 200m & 12mm x 200m 2 pcs
15 Bolt Cutter,
-Heavy duty,18" Length
- Size: 18" and 24" 2 pcs.
16 Meter Tape,
- Product Details:
Colour: Yellow, Black
Blade length: 10 meters
Measurement Accuracy: Class II
- Case Material Type:
- Auto-lock mechanism
tape blade has a matt Glare-Free finish 10 pcs
17 Combination Wrench,
- Size Includes:
6mm
8mm
10mm
11mm
12mm
13mm
14mm
15mm
17mm
19mm
22mm
24mm
27mm
32mm 1 set
18 Cotton gloves,
- Cotton Gloves with Orange Rubber Palm
Cotton Knitted work gloves with rubber coated palms.
- Medium: 10 pairs
- Large: 10 pairs 20 pairs
19 PADLOCK Heavy Duty,
- Heavy Duty Laminated Padlock
Shackle 50mm long
with 2 keys
high quality
hardened Sharckle for extra protection 20 pcs
20 Metal Chain,
- 30 meters 30 mtrs
21 tactical shoes,
- US Size:
7-40 = 15 pairs
8-41 = 15 pairs
9-42 = 15 pairs
10-43 = 10 pairs
11-44 = 5 pairs
- Color: Black

Delta tactical High Cut Boots

- Features & Details:

Upper: Other leather

- Sole: Rubber

- Closure: Lacing/Zip 60 pairs

22 Rain Boots,

- High-quality rubber materials, waterproof,
anti-skid, oil-resistant and wear-resistant

size: free size

color: black

the midsole is made of high-quality new rubber material,

which is flexible, wear-resistant, non-slip, and lightweight. 156 pairs

23 Welding Mask,

- Material: 100% PP

Glass Size: 110x90x3mm, Moveable type Glass 1 pcs

24 flat core wire,

- Item: Dual Core wire/pdx wire/lumex wire

size: 14/2, 12/2, 10/2

*99.9% Pure Copper wire 1 box/case

25 Heavy Duty Male Plug,

- Heavy-duty Male electrical plug with clamp 10 pcs

26 female plug 3 gang,

- flat/round pin w/ grounding round pin outlet
outlets with safety shutter

easy to connect

durable insertion

with ground line wiring

high flame retardant

15A / 250V 5 pcs

27 ELECTRICAL TAPE,

- 16 meter multi-purpose Electrical tape

- Color: Black

- Base: Rubber Based Adhesive 27 roll

28 metal plastering,

- Plastering Trowel Cement Trowel

- Metal (Two Styles) (280x120mm)

- High Quality 4 pcs

29 level bar 3ft,

- Level Bar Thrifty Aluminum I-Beam Level

- Torpedo Magnetic level

- Size: 36 inches / 3 ft. 1 pcs

30 level bar 2ft,

- Level Bar Thrifty aluminum I-Beam Level

- Torpedo Magnetic Level

- Size: 24 inches / 2 ft 1 pcs

31 Heavy duty wheel barrow,

- Wheel Barrow

Heavy Duty

Color: Yellow

Load Capacity: 150kg

Wheel size: 13" 1 pcs

32 square shovel,

- heavy duty square shovel

Length: 8.7"

Weight: 6.7"

Height: 31.5" 5 pcs

33 Shovel,

- Pointed shovel, all steel

Length: 9.1"

Weight: 6.7"

Height: 31.7" 5 pcs.

34 metal rake,

- Rake head material: manganese steel

handle material: iron

number of teeth: multi-tooth

high-quality manganese steel material, thickening and reinforcement

anti-rust treatment, durable

high temperature quenching high hardness and toughness

Length: 122cm

width: 13.5" 3 pcs

35 Garden pick mattock,

- Steel

5 lbs head wt

4in head lg

36in Adze lg

Rubber Handle 4 pcs
36 Handcuffs, Wrist Opening: 2.05 inches,
- First Notch
inside perimeter: 8.5 inches, last notch
inside perimeter: 5.9 inches, tightest inside
width: 1.8 inches
distance between cuffs: 2 inches
maximum overall length: 8.98 inches
materials: nickled rated
weight: 10oz 100 pcs
37 cross wrench (Big),
- Made from forge heat treated carbon steel Corrosion-Resistant Easy leverage
four socket heads fit most common lug nut size.
Metric: 19mm, 21mm, 23mm, 26mm 1 pcs
38 cross wrench (small),
- hand cross wrench size: 17 x 19 x 31 x 23mm
the four different socket sizes work in the most common size lug nuts 1 pcs
39 Riveter,
- Heavy Duty Hand Riveter Manual Blind Rivet
Rugged all-steel construction
durable black wrinkle finish
non-slip cushion handle grips
no specific color
dimension size: 10cm x 3cm x 25cm 2 pcs
40 aviation snip,
- Size: 10"
Easy cuts through thin sheets of aluminum tin and metal
made of premium chrome vanadium steel processed with a high-frequency heat
treatment 2 pcs
41 Baby Grinder,
- wheel diameter: 4"
AMPS: 6.
No Load Speed: 11000 RPM
Spindle Type: M10 x 1.25.
Lock-On Switch: yes
Lock-Off Switch: No
Overall Length: 10-1/2"
Rated Power Input: 750W
No-Load Speed: 11000 RPM
Grinding Spindle Thread: M14
Disc Diameter: 100mm
Length: 270mm
Width: 73mm
Height: 100mm
Weight: 1.8kg 1 pcs
42 Electric Drill,
- 750 watts
0-3400 rpm load speed
0-54400 bpm impact rate
1.5-13mm (keyed/keyless) chuck type
F/R rotatable brush plate
with Bit Set
Continues rating input: 680W
- Sizes:
16mm diameter concrete drilling
12mm diameter steel drilling
25mm diameter hard wood drilling
up to 54mm soft wood hoe saw
- Capacity:
Concrete: 16mm (5/8")
Steel: 13mm (1/2")
wood: 30mm (1-3/16")
Impact per Minute: 0-44800 IPM
No load Speed: 0-2800 RPM
Tool Dimension: (L)303 x (W)72 x (H)222mm / (11-7/8" x 2-13/16" x 8-3/4")
tools net weight: 2.0 kg (4.4lbs)
Power Supply Cord: 2.0m (6.6ft) 1 pcs
43 Welding Machine,
- Rated Output Current: 300 AM Peres
Input Voltage: 220V
Single Phase Portable fan cooler
Low energy Consumption light weight with handle for easy handling
Good Arc starting and Arc force
Step Less current adjustment
Stable performance continuous work automatic compensation for voltage

fluctuation
great quality welding deep melting pool reliable effect
over current/over voltage protection
cover protection class: IP21S
Power Voltage: 220V
Rated Input Capacity: 3.5 kVA
Input Voltage Frequency: 60 Hz
No-Load Voltage: 65V
Output Current Range (A): 10-300A
Duty cycle: 60.0%
Efficiency: 85.0%
Insulation Class: F 1 pc/s
44 Acetylene Cutting Outfit,
- Torch is made of solid brass and stainless steel construction.
forged and extruded brass for excellent durability.
precise welding and cutting uses.
cutting capacity up to 6" (150mm)
Welding capacity up to 3/8" (9.5mm)
equipped with torch flashback arrestors, that meets the international
safety standard for gas cutting equipment, to prevent backfires
that might injure the operation.
Includes LPG Cutting and an LPG adapter, That can be also be used for
LPG gas tank that is being used as alternative gas in replace for acetylene gas.
packed in a heavy-duty toolbox for protection against dust and debris during
storage and transport.
UL Listed Quality
Max Cutting Capacity: 6" 1 pcs
45 Hydraulic Jack/Lift,
- Large Stable Base and notched saddle
Supplied with two-piece handle
(2|4|6|10|20|32|50 tons) 2 units
46 Hard Disk Drive - 2TB,
- Capacity: 2TB
Compatibility: USB 3.0
Window & Mac: Yes (exFAT)
Customizable Backup: Yes
Password Encryption: Yes
Rescue Data Recovery Services: Yes 1 pcs
47 level hose,
- Color: Green
High Quality Heavy Duty Level Hose
Size: 1/4 Inch in Diameter
Thick and Durable 10 meters

PRICE QUOTATION/S SHOULD BE PRINTED ON COMPANY'S OFFICIAL
LETTERHEAD TOGETHER WITH THE FOLLOWING UPDATED DOCUMENTS;

- Mayor's/Business Permit
- PhilGEPS Registration Number
- Income/Business Tax Return
- Accomplished and notarized Omnibus Sworn Statement
(<https://www.gppb.gov.ph/assets/forms/Omnibus%20Sworn%20Statement>
(Revised).docx)
- Proof of Authorization: Secretary's Certificate if corporation, or Special Power
Of Attorney, if individual

NOTE:
TO BE SUBMITTED SEALED AND LABELED ON A LONG BROWN ENVELOPE,
FOLLOWING THIS FORMAT AS FOLLOWS:

FOR:
ATTY. JOSEPHINE C. LATI-BAGAOISAN
BAC Chairperson

THRU:
ATTY. PONCE MIGUEL D. LOPEZ
Officer In Charge, Procurement Management Office
4th Floor, Pasig City Hall,
Caruncho Avenue,
Pasig City

DATE : _____
COMPANY'S NAME : _____

PhilGEPS REFERENCE NUMBER : _____
PROJECT TITLE : _____

Created by Rho Depaudhon

Date Created 28/10/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.