



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number: 9286331

Procuring Entity: CITY OF PASIG

Title: Supply and Delivery of Various Tools and Supplies for the Repair, Maintenance, and Network Cabling, Including Items for Retrofitting and Movement of Offices for the Management Information System Office

Area of Delivery: Metro Manila

Solicitation Number:	1126 100-22-10-6252	Status	Active
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Information Technology	Date Published	26/11/2022
Approved Budget for the Contract:	PHP 922,080.50	Last Updated / Time	26/11/2022 00:00 AM
Delivery Period:	30 Day/s	Closing Date / Time	01/12/2022 16:00 PM
Client Agency:			
Contact Person:	Rho Depaudhon BAC Secretariat		

Pasig City Hall, Caruncho Avenue,
Barangay San Nicolas,
Pasig City
Metro Manila
Philippines 1600
63-2-86431111 Ext.1461
bidsandawards@pasigcity.gov.ph

Description

Items Quantity / Units

1 Power Supply Unit,,
- True rated PSU 700 Watts
24+4 pin
4+4pin for Mobo
4x6+2 Pin for GPU
4 molex connector
5 sata connector
120mm Fan Size
Can Hold And Manage upto 4 GPU Simultaneously 35 pcs
2 USB dongle,
- 300Mbps Mini Wireless N USB Adapter 10 pcs
3 USB,
- 64GB USB 3.0 Flash Drive 16 pcs
4 Web Camera,
- Anti-Glare Web Camera
720p HD Sensor for superior sharpness and image quality. 10 pcs
5 Signature Pad,,
- USB Electronic Signature Pad Specs:
-Sensor Type 3rd-generation touchpad Rated to 1 million signatures
-Pen Type Rugged, passive pen & tether Patented, battery-less
-Resolution & Conversion Rate Exceeds industry standards Programmable PPI
-Dimensions 6.0x3.8x 0.7 152mm x 95mm x 18mm
-Signing Area 4.3x1.4 110mm x 35mm
Authentication Capability Forensic Quality SIG data capable of examination and authentication with Topaz software 4 pcs
6 Web Camera,
- Webcam with Auto Focus Function

Specifications:
UHD2160P/3840*2160 Compatible with 1080P and 720P) Frame Speed: 30fps,
Mic: Built-in Dual Noise-cancelling Microphones Lens: UHD Glass Focus:
Auto Focus Range: 10cm and Beyond View Angle: 95, USB: USB 3.0
System Requirements Compatible with:
Windows 7/8/8.1/10 or Later Works in USB Video Device Class (UVC) Mode:
Mac OS 10.6 or Later Linux, OS: 2.6 or Later Chrome OS: 6.0 or
Later Android: V6.0 Later Compatible with Social and
Video calling software of the above system 4 pcs
7 LED Monitor,
- At least 24 inches
LED Backlit
supports: HDMI , VGA interfaces
refresh rate: at least 75 Hz
resolution: 1080p
supports Audio line-in Headphones 10 units
8 Impact drill cordless,
- Professional Cordless Impact Driver Wrench
- supports screw diameters M4-M12
impact rate: 0-3200 bpm
- maximum torque at 100Nm
- with carrying case, charger, screwdriver bit,
- with 2 batteries

*at least any equivalent unit/item. 3 pcs
9 Air compressor,
- Motor: 1/2 hp
No. of Cylinder: 2
Phase: 1
Pressure: 85 psi
Capacity: 46 liters, 3.8 cfm

*at least any equivalent unit/item. 1 pc/s

10 Memory module ddr,
- 3/8GB, 1600MHZ for desktop 10 pcs
11 Memory module ddr,
- 8gb ddr4 2400MHz Desktop Memory 10 pcs
12 HDMI to VGA converter,
- 1080P HDMI Male to VGA Female Converter
Digital Analog for PS4 PC Laptop TV VGA to HDMI 5 pcs
13 USB to LAN converter,
- USB 3.0 to Gigabit Ethernet RJ45 LAN Network Adapter For PCs,
Ultra book, Chrome book, MacBook 5 pcs
14 Printer cable,
- USB A to type USB B Data Cable
3 Meters 70 pcs
15 AC power cords CPU (male),
- 1.5 Meter 70 pcs
16 HDMI Cable,
- 1.5 Meter 60 pcs
17 HDD,
- 500GB for desktop
500 GB HDD capacity
Form factor: 3.5 HDD
SATA 6.0 Gbps interface
7200 RPM spin speed 10 pcs
18 CMOS battery,
- CR2032 CMOS Lithium Battery 3v 4.9

*at least any equivalent unit/item. 50 pcs

19 Paint brush 1",
- Heavy Duty 15 pcs
20 USB-SATA/ IDE Adapter,
- USB 3.0 to 2.5" 3.5" HDD drive SATA and IDE adaptor 2 pcs
21 Power Cord, (Female),
- 1.5 Meter 20 pcs
22 Thermal Paste,
- Tube type big 30g Thermal Grease Paste Compound Tube Syringe
Silicon for CPU Heat sink Cooling Fluid 5 pcs
23 UPS Battery,
- 12V 8AH 12V Battery 12v 7.2AH,
Rechargeable
Heavy Duty
- Product Description:
12V-7.2AH/20HR(25degrees Celsius)
Cycle Use: 14.5-14.9V
Standby Use: 13.5-13.8V
Initial Current: Less than 2.16A
Diameter: 15x6.2x9.5cm 100 pcs
24 Hot solder station SMD hot air rework station 850,
- Power supply: AC 220V (60Hz)
Power consumption: 270w
Air pump: Membranous
Air flow: 0.16-1.2 Nm/h
Pump consumption: 45w
Temp. Control range: 100-450°C

*at least any equivalent unit/item. 3 units

25 Rechargeable Flash Light,
- Heavy duty flashlights Super Bright 100000 Lumens 5
Mod Ultra fire T6 LED Rechargeable Zoom Torchlight rechargeable Package
include:
1x LED Headlamp Headlight;
1X 18650 Battery
1x USB Charging Cable
- Battery:
1. Battery Type:18650 battery
2. Voltage: 3.7v
3. Capacity: 3800mAh
4. Charge Time: about 6~8hours
5. Rechargeable Times: about 500~700
6. Material: Li-ion Battery
7. Dimensions: 6.5 x 1.7 cm(L x Dia)
8.Color: Blue/Red
- Wall Charger:
1.LED indication for Power On / Charging / Full charge

2.Input: AC100-240v (World Voltage)

3.Color: Black

- USB Charging Cable:

1.Universal USB charging cable

2.Suitable for headlamp, flashlight torch? Computer

3.Color: Black 8 pcs

26 Vacuum Cleaner,

- Heavy duty blower & Vacuum Cleaner 400w

*Rated Voltage: 230V-50Hz

*No load speed: 13000rpm

*Max blowing rate: 3.0m³/min

*2 tools in 1: blower and vacuum cleaner

*Blower and electric vacuum cleaner, in a single compact and practical device.

It has two holes, for the inlet (aspirator) and air outlet (blower).

*Nozzle is supplied that fits into the hole of the air outlet,

for the better orientation of the air jet. It can be coupled to the air inlet hole 3

pcs

27 Soldering Lead,

- 60/40/ per roll, Soldering Lead 1.0mm 60/40 Tin Lead Rosin Core

Solder Soldering Welding Iron 60/40 rosin core solder

Wire diameter: 1.0 mm

Melting point: About 210?

Size: Approx. 55 x 55 mm / 2.17" x 2.17"

Weight: approximately 250 to 280 g

Hight Quality Solder

Good solder ability, insulation resistance.

No spattering and Non-corrosive.

Widely used in electrical and electronics, solder parts like circuit board, electronics devices and others

*at least any equivalent unit/item. 2 pcs

28 Drill Bit Set,

- Drill bit sets for impact drills 16pcs Drill Bit Set (2mm to 10mm) Wall,

Wood and Steel Drill 75628

Drill set includes:

6 steel drill bits size: 2mm, 3mm, 4mm, 5mm, 6mm, 8mm

5 wall drill sizes: 4mm, 5mm, 6mm, 8mm, 10mm

5 wood drills size: 4mm, 5mm, 6mm, 8mm, 10mm

Specialized steel materials, products in plastic containers are convenient and firm

Produced by Tolsen brand, 16 sets of multi-purpose drill bits meet European export standard

Drill set includes: 6 steel drill bits, 5 wall drill bits and 5 wood drills

Drill bit size from 2mm to 10mm, suitable for many different usage needs

*at least any equivalent unit/item. 3 set

29 Switching Adaptor,

- 9 volts 2 amp Switching Adaptor

Specification:

Voltage Input: AC 100-240V

Connection type: Center Positive

Frequency Response: 50/60Hz

Voltage Output: DC 9V

Electric Current: Max. 2A

Length of the cable: approx. 93 cm (36.6 inch)

Internal diameter of the connector: 2.1 - 2.5 mm (0.1 inch)

External diameter of the connector: 5 mm (0.2 inch)

Weight: 146g 3 pcs

30 Pad Lock, Brass, 50mm,

- CSSE hardened Steel shackle, Dual Locking levers, Precision pin tumbler mechanism, iron key, nickel plated 40 pcs

31 M.2 NGFF to USB 3.0 Enclosure / Adapter Converter,-

- Support interface: USB 3.1 to SATA 22 Pin

- Support system: WinXP/Vista/Win7/Win8 32bit/64bit MAC 10.8 and more

- Product size: Approx. 105*40*10mm/4.13*1.5*0.39"

- USB Cable length: Approx. 22cm/8.66"

- Net Weight: Approx. 47g

- Working temperature: 5°C-40°C

- Storage Temperature: 20-70°C 2 pcs

32 M2PV-C3 M.2 NVMe SSD Enclosure, -

- Material Aluminum Alloy + ABS Plastic

- Color Black

- Dimensions 108mm(L), *29.5mm(W), *13.5mm(H)

- Contol Scheme Realtek RTL9210

- Output interface USB 3.1 GEN 2 Type C
- Transfer Rate 10Gbps
- Data Cable USB Type-A to Type-C, 0.15m, USB Type-C to Type-C, 0.15m
- Capacity 2TB Max
- Installation Tool-free installation, fix with screws
- System Windows / MAC OS / Linux

*at least any equivalent unit/item. 2 pcs

33 Epson L6170 Maintenance box and resetter 2 pcs

34 Router WI-Fi 6 Gigabit with AiMesh Mesh Wi-Router,

- Next-Gen Wi-Fi Standard - Supporting the latest Wi-Fi Standard 802. 11AX (Wi-Fi 6) and 80MHz bandwidth 5 units

35 Projector,

- Projection Technology: 3LCD Technology, RGB Liquid Crystal Shutter or equivalent

- Supports 2,235 - 3,600 Lumens UHE lamp 210W

- Supports 1024x768, 4:3 resolutions and extended graphics array

- Projection Ratio: at least 1.48 - 1.77:1

- Supports Projection Distance of 1.8 m - 2.7 m

- Supports at least connectivity of USB 2.0 Type A, USB 2.0 Type B,

VGA in, HDMI in, Composite in, Cinch Audio in

- Supports supply voltage of 220-240V

- With carrying case

- With 2 years warranty

*at least any equivalent unit/item. 2 units

36 Scanner, Color Duplex Scanner,

- Scanner Type: Sheet-fed, one-pass duplex color scanner

Photoelectric Device: Color Contact Image Sensor (CIS)

Optical Resolution: 300 dpi

Color Bit Depth: 30-bit input

Grayscale Bit Depth: 24-bit output

Light Source: 3-color RGB LED

Scanning Speed: 35 ppm/70 ipm: 300 dpi Black & White, Color, Gray1

Automatic Document Feeder:

Capacity: 50 sheets

Document Sizes: Paper size Minimum: 2x2

Paper size Maximum: 8.5x240

Daily Duty Cycle: 4,000 sheets

Paper Weight: 27 - 413 g/m2

Consumables: Roller assembly kit: 200,000 cycles

*at least any equivalent unit/item. 5 units

PRICE QUOTATION/S SHOULD BE PRINTED ON COMPANY'S OFFICIAL LETTERHEAD TOGETHER WITH THE FOLLOWING UPDATED DOCUMENTS;

-Mayor's/Business Permit

-PhilGEPS Registration Number

-Income/Business Tax Return

-Accomplished and notarized Omnibus Sworn Statement

(<https://www.gppb.gov.ph/assets/forms/Omnibus%20Sworn%20Statement> (Revised).docx)

-Proof of Authorization: Secretary's Certificate if corporation, or Special Power Of Attorney, if individual

NOTE:

TO BE SUBMITTED SEALED AND LABELED ON A LONG BROWN ENVELOPE, FOLLOWING THIS FORMAT AS FOLLOWS:

FOR:

ATTY. JOSEPHINE C. LATI-BAGAOISAN

BAC Chairperson

THRU:

ATTY. PONCE MIGUEL D. LOPEZ

Officer In Charge, Procurement Management Office

4th Floor, Pasig City Hall,

Caruncho Avenue,

Pasig City

DATE : _____

COMPANY'S NAME : _____
PhilGEPS REFERENCE NUMBER : _____
PROJECT TITLE : _____

Created by Rho Depaudhon

Date Created 25/11/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.