



**BID BULLETIN NO. 01**

Date: **22 June 2023**

ITB No.: **bac-23-0616b**

Project Name: **Supply and Delivery of Twenty-Seven (27) Units Ambulance Patient Transport Vehicle for Barangay (Rebid)**

**ABC: Php76,950,000.00**

**To all prospective bidders:**

This Bid Bulletin is issued to clarify, supplement, modify and/or revise the particular sections in the Bid and Contract Documents as stipulated in the Bidding Documents issued on 16 June 2023. The Bidders shall take note of the following items carefully and consider them in the preparation of their bid proposals, as they shall form part of the CONTRACT DOCUMENTS.

| Item       | Previous Specification/<br>Clarification/Request to Consider  | Amendment/Response to<br>Clarification          |  |      |  |   |            |  |      |  |
|------------|---|---|--|------|--|---|------------|--|------|--|
| <b>1</b>   | <b>PREVIOUS SECTION III. BID DATA SHEET</b>   | <b>AMENDMENT TO SECTION III. BID DATA SHEET</b> |  |      |  |   |            |  |      |  |
|            | <table border="1"><thead><tr><th>ITB CLAUSE</th><th></th></tr></thead><tbody><tr><td>20.2</td><td>For purposes of Post-Qualification, the following documents shall be required:<ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul></td></tr></tbody></table> | ITB CLAUSE                                      |  | 20.2 | For purposes of Post-Qualification, the following documents shall be required: <ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul> | <table border="1"><thead><tr><th>ITB CLAUSE</th><th></th></tr></thead><tbody><tr><td>20.2</td><td>For purposes of Post-Qualification, the following documents shall be required:<ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul></td></tr></tbody></table> | ITB CLAUSE |  | 20.2 | For purposes of Post-Qualification, the following documents shall be required: <ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul> |
| ITB CLAUSE |   |   |  |      |  |   |            |  |      |  |
| 20.2       | For purposes of Post-Qualification, the following documents shall be required: <ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul>  |   |  |      |  |   |            |  |      |  |
| ITB CLAUSE |   |   |  |      |  |   |            |  |      |  |
| 20.2       | For purposes of Post-Qualification, the following documents shall be required: <ul style="list-style-type: none"><li>• DTI Business Name Registration / SEC Registration</li><li>• Mayor's Permit (or a recently expired Mayor's/Business permit together with the official receipt as proof that the prospective bidder has</li></ul>  |   |  |      |  |   |            |  |      |  |

|  |  |  |
|--|--|--|
|  | <p>prospective bidder has applied for renewal within the period prescribed by the concerned local government unit subject to submission of the Mayor's Permit before the award of contract)</p> <ul style="list-style-type: none"> <li>• Tax Clearance</li> <li>• Audited Financial Statement</li> <li>• Latest Income Tax Return for the preceding Tax Year, whether calendar or fiscal</li> <li>• Latest Business Tax Returns – Value Added Tax (VAT) or Percentage Tax, filed and paid covering the previous six (6) months before the date of Opening of Bids</li> <li>• Other appropriate licenses and permits required by law and documents stated in the Bidding Documents, Bid Bulletin/s and Terms of Reference, if any</li> <li>• Product brochures of the items to be offered, if any</li> </ul> <p><i>Note: Please see Terms of Reference (if any)</i></p> | <p>prospective bidder has applied for renewal within the period prescribed by the concerned local government unit subject to submission of the Mayor's Permit before the award of contract)</p> <ul style="list-style-type: none"> <li>• Tax Clearance</li> <li>• Audited Financial Statement</li> <li>• Latest Income Tax Return for the preceding Tax Year, whether calendar or fiscal</li> <li>• Latest Business Tax Returns – Value Added Tax (VAT) or Percentage Tax, filed and paid covering the previous six (6) months before the date of Opening of Bids</li> <li>• Other appropriate licenses and permits required by law and documents stated in the Bidding Documents, Bid Bulletin/s and Terms of Reference, if any</li> <li>• Product brochures of the items to be offered, if any</li> <li>• Certificate that the bidder is an authorized distributor with franchise dealership</li> </ul> <p><i>Note: Please see Terms of Reference (if any)</i></p> |
|--|--|--|

**2**

**ADDENDUM**

Terms of Reference. Please refer to "ANNEX A"

Bidders who have already submitted bids are hereby informed that they are allowed to modify or withdraw their bids, if necessary, before the scheduled opening of bid envelopes.

For modifications in your original submitted bid, kindly submit new bidding documents (sealed and marked as "Modified Bid") and have these received at the Office of the Bids and Awards Secretariat. Bid modifications received after the deadline shall not be considered and shall be returned to the bidder unopened.

Conforme:

  
RONALD A. GALICA

END-USER REPRESENTATIVE  
Signature Over Printed Name

  
**ATTY. JOSEPHINE C. LATI-BAGAOISAN** *ph*  
Chairperson *dm*



**TERMS OF REFERENCE**

**A. PROCUREMENT TITLE**

Supply and Delivery of Twenty-seven (27) Ambulance Patient Transport Vehicle for Barangay

**B. LOCATION**

Pasig City

**C. PROPONENT AND IMPLEMENTING AGENCY**

Pasig City Government – Pasig City DRRMO

**PROJECT DESCRIPTION**

- The Pasig City DRRMO operations division is needs additional resources to provide emergency medical services (EMS) or pre-hospital care to the constituents of Pasig which was also seen during the height of the CoVid-19 pandemic, the Barangay was able to provide limited assistance within their respective area of responsibilities (AOR) as they also lack standard ambulances or patient transport vehicles, their assistance was and will be much needed specially during a city wide disaster or multiple casualty incidents. Wherein, RA 10121 also mandates that every LDRRMC organize, train, equip and supervise the local emergency response teams.

**E. QUALIFICATIONS OF PROVIDER**

- Participating bidders must be an authorized distributor with franchise dealership (attach Certificate as proof)

**F. PRICING AND PROCESSING**

The pricing for all items mentioned above must be:

- Inclusive of applicable taxes and other charges
- For imported items, shipping fees and other relevant fees must also be considered.

**G. DELIVERY SCHEDULE**

- The engagement is for a period of one hundred twenty days (120) calendar days upon issuance of the notice to proceed.

**H. REQUIREMENTS/SPECIFICATIONS**

- Vehicle and all its inclusion must be brand new

**TERMS OF REFERENCES:**

**1. AMBULANCE VEHICLE with brochure for the unit of ambulance with brands**

- A. Warranty: 3 years or 100,000kms whichever comes first
- B. On-site services during the warranty period
- C. PMS for the 1<sup>st</sup> 1,000km, 5,000km, 10,000km, 15,000 km, and 20,000km

**2. ADDITIONAL SPECIFICATIONS FOR THE FOLLOWING**

**ITEMS: Please provide brochures for the items specified with brands**





#### a. Top Light

-sleek, low profile design with powerful 360 degrees warning coverage; SAE j845 Class 1 and ECE R65 Class 1 approved; Optional alley light, take down, STT and ICS  
2.3" (58.5mm) height, 8.5"(215mm) width; Available in 42", 48", 54", 60" length; Available in Red, Blue, Amber, Clear UV-resistant Dome; Multi-Voltage Input 12-24VDC with EMC Compliance; Easy maintenance and light head replacement; Extruded aluminium base for best rigidity and heat dissipation; Light bar Cable Length: 3040 +/- 50mm

#### b. Siren Amplifier

-Siren Amplifier should be 200 watts or higher; Warranty 2 years for amplifier and lights.

Features:

Economical six function siren plus radio repeat and public address.

- "Hands-Free" On/Off and access siren tones without taking hands from steering wheel.
- Two manual functions allow for additional siren tone choices when you need it the most.
- PTT (push to talk) switch on microphone overrides all siren functions.
- Combination On/Off and horn ring transfer switch.
- Pre-wired unidirectional microphone.
- Adjustable preset microphone volume. Adjustable preset radio repeat volume.
- Input polarity protection.
- Output short circuit protection.
- External spade-type fuse.
- Bi-B56B88polarity horn/ring control activation.
- Quick disconnect plug for ease of service or replacement.
- Adjustable bail bracket allows the mounting of the siren in a variety of positions.
- Meets California & SAE specifications, SAE J1849 & California Title 13.

#### c. Speaker

-Output Power: 2 Speakers at 100 Watts -Voltage: 10 - 16 VDC -Polarity Protection: Diode/Fuse - Amps Draw: 16 Amps Max - Weight: 3.2 lbs. (119kg). - Dimensions: 2-1/2" H (63mm) x 6" W (152mm) x 5 1/2" D (138mm).

#### d. Front, Side and Rear Blinkers

##### 2 pieces - Front

FEATURES:

Super low profile for discreet mounting Up/Down Angle adjustable; Multi-Voltage Input 12-24VDC; Built-in 19 selectable flash patterns LEDs rated to 100,000 hours of operation; Non-volatile memory recalls last flash pattern used at power up; Multiple units are synchronized and can flash simultaneously or alternately; Reverse polarity protection; Weatherproof and vibration resistant design for Internal or External use; Aluminium base for heat dissipation

SPECIFICATION:

Meets: SAE j595,j845,CA13 (R/B), ECE R-10-04; Bulb: High-power LEDX6pcs; Warning Patterns: 19 Flash Patterns; Operating Voltage: 12-24VDC

##### 2 Pieces - Rear

FEATURES:

Available in various sizes and dimensions to best fit your vehicle.; Warning Models certified with SAE J595, SAE J845 Class 1, CA Title 13 and meet NFPA1901 and KKK1822 compliance when configured correctly.; Choose from 16 built-in flash patterns in Solid, Left-Right split, Top-Bottom split, or Criss-Cross split flash mode.; Multi-units synchronization in simultaneous or alternating flash.; Reverse polarity protection.; Weatherproof and vibration resistant design for internal or external use.; Solid aluminum base for efficient heat dissipation.; Choice of Clear or Color Lens options.;

SPECIFICATIONS Warning Lamp: LED - Amber, Blue, Red or White Lens - Amber, Blue, Red or Clear Light Source :

Warning Lamp : R6 W = High-power LED x 24 pcs IP Rating: IPX7

##### 2 Pieces - Side







12 Diode single color or 6x6 dual color SAE and ECE r65 certified ECE R20 EMC compliant 0.39" (10mm\_ Super low-profile thickness; High powered LED's rated for 100,000 hours of operation; Non-volatile memory recalls last flash pattern used at power up; Multi-units synchronization in simultaneous or alternating flash; Reverse polarity protection; Weatherproof and vibration resistant design for Internal or External use; Aluminium based for efficient heat dissipation

**SPECIFICATION:**

Meets: SAE j595 Class 1, CA13 Class B (R/A/B), ECE R65 (XA1, XB1), ECE R65 (XA2, XB2); 12 Led Single Color Only, ECE R10; IPX8; Bulb: High-power LEDX12pcs; Warning Patterns: 16 Flash Patterns; Operating Voltage: 12-24VDC

**e. Low Frequency Siren**

- 100watts low frequency siren • Siren, speaker, and amplifier in a single unit • Two programmable modes • Seven integrated tones; Park-kill functionality; Vehicle specific brackets available; Input Voltage: 9-15 VDC; Current Draw: 17 A 9.3"; Dimensions: 7.25" x 7.25" x 9.25"; Frequency Input: 732hz-4KHz; Frequency Output: 183Hz-1KHz

**f. Bag First Aid Kit (Trauma Bag - SLING TYPE/ MULTIPURPOSE)**

Inclusions: Bandage Scissor; Digital Thermometer; Micropore Tape; Gauze Bandage; Elastic Bandage; Tourniquet; 70% Alcohol; Hydrogen Peroxide; Ammonia; Povidone Iodine; Ice Bag; Hot Water bag; Cotton balls; Sterile Latex Surgical Gloves; Sterile Gauze Pads; Facemask; Medicine Tray; Utility Box

**g. 1 Oxygen Tank with Regulator**

Size: 53 cm x 10 cm x 10 cm, 5lbs

**h. Ambu Bag Combination adult and pedia**

Inclusions: 1 - Resuscitation Bag; 1 - Connector; 1 - Mask Adult; 1 - Mask Pedia; 1 - Airways Infant; 1 - Airway Pedia; 1 - Airways Adult; 1 - Reservoir Bag 2000ml

**i. Minor Surgical Kit**


Inclusions: Kelley Forcep Straight; Kelley Forcep Curve; Needle Holder; Mosquito Forcep Str; Mosquito Forcep Cur; Iris Scissor Str; Blade Handle #4; Blade Handle #3; Thumbs Forceps; Tissue Forceps; Stitch Scissors; Surgical Scissors Str; Bandage Scissors; Probe with Eye

**j. Sticker Decal**

Outdoor sticker preferably heavy duty, reflectorized, water proof or water resistant, with logo and prints (design will be given by end user upon acceptance of Purchase Order)

**k. Tint**

Medium Black preferably blocks up to 95% of visible light into vehicles or blocks 99% of harmful UV rays to help protect passengers.

  
**BRYANT MERYLL RUIZ Q. WONG, RN, EMT, MPM**  
Chief, Pasig City DRRMO